



Family: ACTEONIDAE

Class: GASTROPODA

--- Clade: HETEROBRANCHIA-OPISTHOBRANCHIA-CEPHALASPIDEA-ACTEONOIDEA

----- Family: ACTEONIDAE d'Orbigny, 1843 (Sea)

- Alphabetic order - when **first name** is in bold the species has images

Taxa=312, Genus=25, Subgenus=2, Species=145, Subspecies=5, Synonyms=134, Images=82

- acanthinula, Pupa acanthinula C.M.F. Ancey, 1892 - syn of: [Negulus acanthinula](#) (C.M.F. Ancey, 1892)
- aciculatum, [Crenilabium aciculatum](#) A.E.M. Cossmann, 1889
- admodesta, Pupa admodesta J.W. Mighels, 1845 - syn of: [Negulus admodesta](#) (J.W. Mighels, 1845)
- admodesta, Pupa admodesta O. Böttger - syn of: [Negulus boettgeri](#) C.M. Cooke & H.A. Pilsbry, 1920
- aequatorialis, [Bathyaeteon aequatorialis](#) (K.H.J. Thiele, 1925)
- aethiopicus, [Acteon aethiopicus](#) E.C. Von Martens, 1902
- affinis, [Pupa affinis](#) (A. Adams, 1855)
- affinis kirki, [Pupa affinis kirki](#) (F.W. Hutton, 1873)
- alba, Volvaria alba T. Brown, 1827 - syn of: [Cylichna alba](#) (T. Brown, 1827)
- albus, [Rictaxis albus](#) (G.B. III Sowerby, 1874)
- albus, Pupa albus F.W. Hutton, 1873 - syn of: [Pupa affinis](#) (A. Adams, 1855)
- alticola, Pupa alticola E. Ingersoll, 1875 - syn of: [Pupilla alticola](#) E. Ingersoll, 1875
- alveola, [Pupa alveola](#) (S.M. Souverbie, 1863)
- amabile, [Callostracon amabile](#) (R.B. Watson, 1886)
- amabile, Callostracon amabile R.B. Watson, 1886 - syn of: [Callostracon amabile](#) (R.B. Watson, 1886)
- amabilis, Acteon amabilis R.B. Watson, 1886 - syn of: [Callostracon amabile](#) (R.B. Watson, 1886)
- amakusaensis, [Punctaeteon amakusaensis](#) T. Habe, 1961
- ambiguus, [Tenuiactaeon ambiguus](#) (F.W. Hutton, 1885)
- ampelusiae, Volvaria ampelusiae A.R.J.B. Bavay, 1917 - syn of: [Volvarina ampelusica](#) T.A. de M. Monterosato, 1906
- annectens, [Acteon annectens](#) O. Meyer, 1885
- antarcticus, [Acteon antarcticus](#) K.H.J. Thiele, 1912
- aphyodes, [Acteon aphyodes](#) Á. Valdés, 2008
- archibenthicola, [Acteon archibenthicola](#) T. Habe, 1955
- argentina, [Neactaeonina argentina](#) D.G. Zelaya, Schejter & C.F. Ituarte, 2011
- aspera, [Rictaxis aspera](#) (J.B.P.A. Lamarck)
- augustoi, Acteon augustoi A. Nobre, 1932 - syn of: [Acteon tornatilis](#) (C. Linnaeus, 1758)
- australis, Actaeon australis J.R.C. Quoy & J.P. Gaimard, 1832 - syn of: [Elysia australis](#) (J.R.C. Quoy & J.P. Gaimard, 1832)
- austrinus, Acteon austrinus R.B. Watson, 1881 - syn of: [Leucotina casta](#) (A. Adams, 1853)
- azoricus, [Inopinodon azoricus](#) (É.A.A. Locard, 1897)
- bacca, Pupa bacca W.H. Pease, 1871 - syn of: [Nesopupa bacca](#) (W.H. Pease, 1871)
- baracoensis, [Acteon baracoensis](#) J. Espinosa & J.A. Ortea, 2014
- bidens, Pupa bidens H.H. Beck, 1837 - syn of: [Cerion mumia chrysalis bidens](#) H.H. Beck, 1837
- bifasciata, Acteon bifasciata J.F. Gmelin, 1791 - syn of: [Acteon tornatilis](#) (C. Linnaeus, 1758)
- biplicata, Volvaria biplicata A. Risso, 1826 - syn of: [Gibberula miliaria](#) (C. Linnaeus, 1758)
- biplicatus, [Acteon biplicatus](#) (H. Strebel, 1908)
- birmani, [Crenilabium birmani](#) L.R.L. Simone, 2006
- boteroi, [Acteon boteroi](#) Á. Valdés, 2008
- bracteata, [Obrussena bracteata](#) (T. Iredale, 1925)
- browni, Acteon browni H.K. Jordan, 1895 - syn of: [Crenilabium exile](#) (J.G. Jeffreys, 1870)
- buccinus, [Acteon buccinus](#) Á. Valdés, 2008
- bullaeformis, Acteon bullaeformis J.G. Jeffreys, 1867 - syn of: [Acteon tornatilis](#) (C. Linnaeus, 1758)
- canaliculata, Volvaria canaliculata T. Say, 1826 - syn of: [Acteocina canaliculata](#) (T. Say, 1826)
- candens, [Acteon candens](#) H.A. Rehder, 1939
- candidula, [Pupa candidula](#) (T.A. de M. Monterosato, 1923)
- castus, [Acteon castus](#) (R.B. Hinds, 1844)
- cebuanus, [Acteon cebuanus](#) T.C. Lan, 1985
- chariis, [Callostracon chariis](#) (R.B. Watson, 1886)
- chariis, Acteon chariis R.B. Watson, 1886 - syn of: [Callostracon chariis](#) (R.B. Watson, 1886)
- chauliodous, [Acteon chauliodous](#) Á. Valdés, 2008
- choshiensis, Pupa choshiensis T. Habe, 1958 - syn of: [Rictaxiella choshiensis](#) T. Habe, 1958
- chrytomatus, [Acteon chrytomatus](#) Á. Valdés, 2008
- cicatricosus, [Acteon cicatricosus](#) N.F. Sohl, 1964
- cinerea, Tornatella cinerea R.B. Watson, 1886 - syn of: [Pupa affinis](#) (A. Adams, 1855)
- cingulata, [Neactaeonina cingulata](#) (H. Strebel, 1908)
- cingulata, Acteonina cingulata H. Strebel, 1908 - syn of: [Neactaeonina cingulata](#) (H. Strebel, 1908)
- circumstriatum, [Crenilabium circumstriatum](#) M.M. Schepman, 1909
- clathrata, [Pupa clathrata](#) M. Yokoyama, 1922

- **clathrata**, *Acteon clathrata* R.A. Philippi, 1836 – syn of: [Euparthenia humboldti](#) (A. Risso, 1826)
- **coccinata**, [Pupa coccinata](#) (L.A. Reeve, 1842)
- **cohibilis**, [Acteon cohibilis](#) Á. Valdés, 2008
- **comptus**, [Acteon comptus](#) Á. Valdés, 2008
- **coronadoensis**, [Rictaxis punctocaelatus coronadoensis](#) R.E.C. Stearns, 1898
- **cratericulatus**, [Maxacteon cratericulatus](#) (C. Hedley, 1906)
- **craticulatus**, *Maxacteon craticulatus* C. Hedley, 1906 – syn of: [Maxacteon cratericulatus](#) (C. Hedley, 1906)
- **cretacea**, [Acteon cretacea](#) W.M. Gabb, 1860
- **cumingii**, *Acteon cumingii* A. Adams, 1855 – syn of: [Mysouffa cumingii](#) A. Adams, 1855
- **cumingii**, [Mysouffa cumingii](#) A. Adams, 1855
- **curtulus**, *Acteon curtulus* W.H. Dall, 1890 – syn of: [Microglyphis curtula](#) (W.H. Dall, 1890)
- **danaida**, [Acteon danaida](#) W.H. Dall, 1881
- **dancei**, [Acteon dancei](#)
- **daviesi**, [Pupa daviesi](#) R.N. Kilburn, 1975
- **delicatulus**, *Acteon delicatulus* W.H. Dall, 1889 – syn of: [Acteon delicatus](#) W.H. Dall, 1889
- **delicatus**, [Acteon delicatus](#) W.H. Dall, 1889
- **dianae**, *Acteon dianae* A. Adams, 1855 – syn of: [Leucotina casta](#) (A. Adams, 1853)
- **dolichoroseus**, [Acteon dolichoroseus](#) T. Iredale, 1936
- **edentula**, [Neactaeonina edentula](#) (R.B. Watson, 1883)
- **editus**, [Acteon editus](#) Á. Valdés, 2008
- **efasciatus**, *Acteon efasciatus* T.A. de M. Monterosato – syn of: [Acteon tornatilis unicolor](#) A. Scacchi, 1836
- **elegans**, *Acteon elegans* J.L.A. Quatrefages, 1844 – syn of: [Elysia viridis](#) (G. Montagu, 1804)
- **eloisae**, *Acteon eloisae* R.T. Abbott, 1973 – syn of: [Punctacteon eloiseae](#) (R.T. Abbott, 1973)
- **eloiseae**, [Punctacteon eloiseae](#) (R.T. Abbott, 1973)
- **elongata**, *Tornatella elongata* R.A. Philippi, 1837 – syn of: [Euparthenia bulinea](#) (R.T. Lowe, 1841)
- **elongatus**, [Acteon elongatus](#)
- **etheridgii**, *Acteon etheridgii* T. Bell, 1870 – syn of: [Crenilabium exile](#) (J.G. Jeffreys, 1870)
- **exiguus**, [Acteon exiguus](#) O.A.L. Mörch, 1875
- **exile**, [Crenilabium exile](#) (J.G. Jeffreys, 1870)
- **exilis**, *Pupa exilis* C.B. Adams, 1849 – syn of: [Carychium jardineanum](#) (E. Chitty, 1853)
- **exilis**, *Acteon exilis* J.G. Jeffreys, 1870 – syn of: [Crenilabium exile](#) (J.G. Jeffreys, 1870)
- **fabreanus**, *Punctacteon fabreanus* (J.C.H. Crosse, 1874) – syn of: [Maxacteon fabreanus](#) (J.C.H. Crosse, 1874)
- **fabreanus**, [Maxacteon fabreanus](#) (J.C.H. Crosse, 1874)
- **fasciatus**, *Acteon fasciatus* J.B.P.A. Lamarck, 1812 – syn of: [Acteon tornatilis](#) (C. Linnaeus, 1758)
- **finlayi**, [Acteon finlayi](#) J.T.L. McGinty, 1955
- **flammea**, *Pupa flammea* J.F. Gmelin, 1791 – syn of: [Maxacteon flammeus](#) (J.G. Bruguière, 1789)
- **flammea**, *Solidula flammea* J.F. Gmelin, 1791 – syn of: [Maxacteon flammeus](#) (J.G. Bruguière, 1789)
- **flammeus**, [Maxacteon flammeus](#) (J.G. Bruguière, 1789)
- **flammeus**, *Acteon flammeus* J.G. Bruguière, 1789 – syn of: [Maxacteon flammeus](#) (J.G. Bruguière, 1789)
- **fortis**, [Acteon fortis](#) K.H.J. Thiele, 1925
- **fragilis**, [Neactaeonina fragilis](#) K.H.J. Thiele, 1912
- **fraterculus**, *Acteon fraterculus* R.W. Dunker, 1882 – syn of: [Pupa affinis](#) (A. Adams, 1855)
- **fructuosus**, [Acteon fructuosus](#) T. Iredale, 1936
- **fumata**, [Pupa solidula fumata](#) (L.A. Reeve, 1865)
- **fusiformis**, *Pupa fusiformis* C.B. Adams, 1845 – syn of: [Anoma flexuosa](#) L. Pfeiffer, 1866
- **glabra**, *Pupa glabra* L.A. Reeve, 1842 – syn of: [Pupa sulcata](#) (J.F. Gmelin, 1791)
- **globulinus**, [Liocarenus globulinus](#) (E. Forbes, 1844)
- **gracilis**, *Pupa gracilis* T.W. Kirk, 1882 – syn of: [Pupa affinis](#) (A. Adams, 1855)
- **grimaldii**, *Acteon grimaldii* P. Dautzenberg & H. Fischer, 1896 – syn of: [Mysouffa turrita](#) (R.B. Watson, 1883)
- **grisebla**, *Pupa grisebla* P.F. Röding, 1798 – syn of: [Pupa solidula](#) (C. Linnaeus, 1758)
- **hancocki**, [Maxacteon hancocki](#) W.B. Rudman, 1971
- **hebes**, [Acteon hebes](#) A.E. Verrill, 1885
- **herosae**, [Acteon herosae](#) Á. Valdés, 2008
- **heteroclita**, *Acteon heteroclita* G. Montagu, 1808 – syn of: [Blauneria heteroclita](#) (G. Montagu, 1808)
- **hexodon**, *Pupa hexodon* C.B. Adams, 1849 – syn of: [Vertigo ovata](#) T. Say, 1822
- **hopei**, *Acteon hopei* J.B. Vérany, 1853 – syn of: [Thuridilla hopei](#) (J.B. Vérany, 1853)
- **huttoni**, *Acteon huttoni* A.E.M. Cossmann, 1895 – syn of: [Leucotina casta](#) (A. Adams, 1853)
- **hyalina**, [Pupa hyalina](#) J.C. Verco, 1907
- **idoneus**, [Acteon idoneus](#) T.A. Conrad, 1833
- **incisus**, [Acteon incisus](#) W.H. Dall, 1881
- **incrassata**, *Pupa incrassata* G.B. Sowerby, 1876 – syn of: [Cerion incrassatum](#) (G.B. Sowerby, 1876)
- **inexpectata**, [Neactaeonina inexpectata](#) R.K. Dell, 1956
- **insculptus**, *Crenilabium insculptus* A.E. Verrill, 1880 – syn of: [Crenilabium exile](#) (J.G. Jeffreys, 1870)
- **intermedius**, *Acteon intermedius* G.F. Angas, 1879 – syn of: [Pupa affinis](#) (A. Adams, 1855)
- **ionfasciatus**, [Acteon ionfasciatus](#) Á. Valdés, 2008





- **jamaicensis**, Pupa jamaicensis C.B. Adams, 1849 - syn of: [Gastrocopta pellucida](#) L. Pfeffer, 1841
- juvenis, [Acteon juvenis](#) W.H. Dall, 1927
- **kajiyamai**, [Punctacteon kajiyamai](#) T. Habe, 1976
- **kawamurai**, [Maxacteon kawamurai](#) (T. Habe, 1952)
- **kawamurai**, Punctacteon kawamurai (T. Habe, 1952) - syn of: [Maxacteon kawamurai](#) (T. Habe, 1952)
- **kirai**, [Punctacteon kirai](#) (T. Habe, 1949)
- **kirki**, [Pupa affinis kirki](#) (F.W. Hutton, 1873)
- **lactea**, Acteon lactea A. Michaud, 1829 - syn of: [Euparthenia humboldti](#) (A. Risso, 1826)
- lactuca, [Acteon lactuca](#) Unknown
- lacunatus, [Acteon lacunatus](#) W.H. Dall, 1927
- laetus, [Acteon laetus](#) K.H.J. Thiele, 1925
- **lata**, Pupa lata C.B. Adams, 1849 - syn of: [Urocoptis sanguinea](#) L. Pfeffer, 1845
- liostracoides, [Acteon liostracoides](#) W.H. Dall, 1927
- **longissimus**, [Japonactaeon longissimus](#) Á. Valdés, 2008
- **loyautensis**, [Acteon loyautensis](#) Á. Valdés, 2008
- **luteofasciatus**, [Pseudacteon luteofasciatus](#) (P. Müller, 1829)
- lyonsiana, Pupa lyonsiana C.M.F. Ancey - syn of: [Gastrocopta lyonsiana](#) (C.M.F. Ancey)
- lyrata, Pupa lyrata A.A. Gould, 1843 - syn of: [Lyropupa lyrata](#) A.A. Gould, 1843
- magdalenae, Pupa magdalenae C.M.F. Ancey - syn of: [Lyropupa lyrata](#) A.A. Gould, 1843
- **maltzani**, [Acteon maltzani](#) P. Dautzenberg, 1910
- **marginalba**, Pupa marginalba L. Pfeffer, 1840 - syn of: [Gastrocopta rupicola](#) T. Say, 1821
- **marginata**, Volvaria marginata Ant. Bivona-Bernardi, 1832 - syn of: [Granulina marginata](#) (Ant. Bivona-Bernardi, 1832)
- mariae, [Acteon mariae](#) A. Adams, 1855
- meekii, [Ovulactaeon meekii](#) W.H. Dall, 1889
- melampoides, [Acteon melampoides](#) W.H. Dall, 1881
- **menkeana**, Pupa menkeana L. Pfeffer, 1853 - syn of: [Gulella menkeana](#) (L. Pfeffer, 1853)
- **miliacea**, Volvaria miliacea J.B.P.A. Lamarck, 1822 - syn of: [Gibberula miliaria](#) (C. Linnaeus, 1758)
- milleri, [Maxacteon milleri](#) W.B. Rudman, 1971
- minutus, [Acteon minutus](#) Unknown
- mirabilis, Pupa mirabilis C.M.F. Ancey, 1890 - syn of: [Lyropupa mirabilis](#) (C.M.F. Ancey, 1890)
- **mirim**, [Acteon mirim](#) C.M. Cunha, 2011
- **moeshimaensis**, [Obrussena moeshimaensis](#) T. Habe, 1952
- **monterosatoi**, [Acteon monterosatoi](#) P. Dautzenberg, 1889
- **nakayamai**, [Acteon nakayamai](#) T. Habe, 1952
- **natalensis**, Acteon natalensis K.H. Barnard, 1963 - syn of: [Acteocina fusiformis](#) A. Adams, 1850
- newcombi, Pupa newcombi L. Pfeffer, 1853 - syn of: [Nesopupa newcombi](#) (L. Pfeffer, 1853)
- newcombi seminulum, Pupa newcombi seminulum O. Böttger - syn of: [Nesopupa newcombi seminulum](#) (O. Böttger)
- niecaensis, [Pupa niecaensis](#) K.H. Barnard, 1963
- **nipponensis**, [Japonactaeon nipponensis](#) (G. Yamakawa, 1911)
- **nipponensis**, Acteon nipponensis G. Yamakawa, 1911 - syn of: [Japonactaeon nipponensis](#) (G. Yamakawa, 1911)
- **nitidula**, [Pupa nitidula](#) (J.B.P.A. Lamarck, 1816)
- **nitidus**, Crenilabium nitidus A.E. Verrill, 1882 - syn of: [Crenilabium exile](#) (J.G. Jeffreys, 1870)
- nitidus, [Acteon nitidus](#) L.W. Stephenson, 1941
- **nivea**, Pupa nivea G.F. Angas, 1871 - syn of: [Pupa affinis](#) (A. Adams, 1855)
- **oryza**, Volvaria oryza J.B.P.A. Lamarck, 1822 - syn of: [Gibberula oryza](#) (J.B.P.A. Lamarck, 1822)
- oryza, [Acteon oryza](#) Unknown
- **osexiguus**, [Acteon osexiguus](#) Á. Valdés, 2008
- **ovalis**, Acteon ovalis E.M. Da Costa, 1778 - syn of: [Acteon tornatilis](#) (C. Linnaeus, 1758)
- ovulum, Tornatella ovulum L. Pfeffer, 1840 - syn of: [Microtralia ovulum](#) (L. Pfeffer, 1840)
- pacificum, [Crenilabium pacificum](#) J.T. Kuroda & T. Habe, 1958
- painei, [Rictaxis painei](#) (W.H. Dall, 1903)
- panamensis, [Acteon panamensis](#) W.H. Dall, 1908
- parallelus, [Acteon parallelus](#) W.H. Dall, 1927
- particolor, [Acteon particolor](#) W.H. Dall, 1927
- pascuana, [Pupa pascuana](#) B.K. Raines, 2003
- **pelecais**, [Acteon pelecais](#) Ev. Marcus, 1972
- **pellucida**, Acteon pellucida W. Macgillivray, 1844 - syn of: [Acteon tornatilis](#) (C. Linnaeus, 1758)
- peponum, Pupa peponum A.A. Gould, 1847 - syn of: [Lamellidea peponum](#) A.A. Gould, 1847
- perconicus, Actaeon perconicus W.H. Dall, 1890 - syn of: [Microglyphis perconica](#) (W.H. Dall, 1890)
- **perforatus**, [Acteon perforatus](#) W.H. Dall, 1881
- pertenuis, [Acteon pertenuis](#) T.H. Aldrich, 1921
- **pilsbryi**, Acteon pilsbryi A.E.M. Cossmann, 1902 - syn of: [Pupa affinis](#) (A. Adams, 1855)
- pistilliformis, [Acteon pistilliformis](#) N.F. Sohl, 1964
- **praestitus**, Acteon praestitus H.J. Finlay, 1924 - syn of: [Leucotina casta](#) (A. Adams, 1853)
- **primus**, Crenilabium primus L. de Folin, 1871 - syn of: [Crenilabium exile](#) (J.G. Jeffreys, 1870)

- profundus, [Acteon profundus](#) Á. Valdés, 2008
- propius, Acteon propius W.H. Dall, 1927 – syn of: [Acteon proprius](#) W.H. Dall, 1927
- proprius, [Acteon proprius](#) W.H. Dall, 1927
- pudicus, [Acteon pudicus](#) A. Adams, 1855
- pulchrior, [Acteon pulchrior](#) J.C. McVill, 1904
- punctocaelatus, [Rictaxis punctocaelatus](#) (P.P. Carpenter, 1864)
- punctocaelatus coronadoensis, [Rictaxis punctocaelatus coronadoensis](#) R.E.C. Stearns, 1898
- punctocaelatus vancouverensis, [Rictaxis punctocaelatus vancouverensis](#) I.M. Oldroyd, 1927
- punctocoelata, Rictaxis punctocoelata (P.P. Carpenter, 1864) – syn of: [Rictaxis punctocaelatus](#) (P.P. Carpenter, 1864)
- punctostriatus, [Japonactaeon punctostriatus](#) (C.B. Adams, 1840)
- punctostriatus, Rictaxis punctostriatus C.B. Adams, 1840 – syn of: [Japonactaeon punctostriatus](#) (C.B. Adams, 1840)
- pusillus, [Japonactaeon pusillus](#) (W. Macgillivray, 1843)
- quadriplicata, Volvaria quadriplicata A. Risso, 1826 – syn of: [Gibberula miliaria](#) (C. Linnaeus, 1758)
- retusus, [Acteon retusus](#) J.C. Verco, 1907
- rhektos, [Acteon rhektos](#) Á. Valdés, 2008
- ringei, Actaeon ringei H. Strebel, 1905 – syn of: [Toledonia vagabunda](#) (J.F. Mabile, 1885)
- ringiculoides, [Acteon ringiculoides](#) Á. Valdés, 2008
- rosea, Pupa rosea C.B. Adams, 1846 – syn of: [Urocoptis sanguinea](#) L. Pfeiffer, 1845
- roseomaculata, Pupa roseomaculata T. Iredale, 1936 – syn of: [Pupa solidula](#) (C. Linnaeus, 1758)
- roseus, [Acteon roseus](#) C. Hedley, 1906
- rubella, Pupa rubella C.B. Adams, 1845 – syn of: [Urocoptis cylindrus](#) L.W. Dillwyn, 1817
- sagamiensis, Punctacteon sagamiensis J.T. Kuroda & T. Habe, 1971 – syn of: [Maxacteon sagamiensis](#) J.T. Kuroda & T. Habe, 1971
- sanguinea, [Rictaxis sanguinea](#) Á. Valdés, 2008
- secale, [Acteon secale](#) A.A. Gould, 1859
- sekii, [Pupa sekii](#) T. Habe, 1958
- sekii, Pupa sekii T. Habe, 1958 – syn of: [Pupa sekii](#) T. Habe, 1958
- semicingulatus, [Acteon semicingulatus](#) W.H. Dall, 1927
- semisculptus, [Acteon semisculptus](#) E.A. Smith, 1890
- semistriatus, Acteon semistriatus M. Gilbert, 1952 – syn of: [Acteon tornatilis](#) (C. Linnaeus, 1758)
- senegalensis, [Acteon senegalensis](#) (S.A.A. Petit De La Saussaye, 1851)
- senegalensis, Acteon senegalensis H. von Maltzan, 1885 – syn of: [Acteon maltzani](#) P. Dautzenberg, 1910
- septemPLICata, Volvaria septemPLICata A. Risso, 1826 – syn of: [Gibberula miliaria](#) (C. Linnaeus, 1758)
- sexPLICata, Volvaria sexPLICata A. Risso, 1826 – syn of: [Gibberula miliaria](#) (C. Linnaeus, 1758)
- siebaldii, Acteon siebaldii L.A. Reeve, 1842 – syn of: [Japonactaeon siebaldii](#) (L.A. Reeve, 1842)
- sieboldii, Acteon sieboldii (L.A. Reeve, 1842) – syn of: [Japonactaeon sieboldii](#) (L.A. Reeve, 1842)
- sieboldii, [Japonactaeon sieboldii](#) (L.A. Reeve, 1842)
- sinica, [Pupa sinica](#) G.Y. Lin, 1989
- sinuatum, [Callostracon sinuatum](#) C.E. Hamlin, 1884
- solidula, [Pupa solidula](#) (C. Linnaeus, 1758)
- solidula fumata, [Pupa solidula fumata](#) (L.A. Reeve, 1865)
- soyoae, [Acteon soyoae](#) T. Habe, 1961
- sparsisulcatum, [Callostracon sparsisulcatum](#) (D'Orbigny)
- sphaeroides, Bullinopersilia sphaeroides F. Nordsieck, 1972 – syn of: [Ferussacia folliculus](#) (J.F. Gmelin, 1791)
- splendidulus, [Acteon splendidulus](#) O.A.L. Mörch, 1875
- striatus, Acteon striatus G.B. I Sowerby – syn of: [Acteon tornatilis](#) (C. Linnaeus, 1758)
- strigosa, [Pupa strigosa](#) (A.A. Gould, 1859)
- strigosa sekii, Pupa strigosa sekii T. Habe, 1958 – syn of: [Pupa sekii](#) T. Habe, 1958
- subcylindrica, Volvaria subcylindrica T. Brown, 1827 – syn of: [Retusa umbilicata](#) (G. Montagu, 1803)
- subincisus, [Acteon subincisus](#) T.A. Okutani, 1968
- subroseus, [Acteon subroseus](#) T. Iredale, 1936
- subulatus, Acteon subulatus S.V. Wood, 1848 – syn of: [Acteon tornatilis](#) (C. Linnaeus, 1758)
- sulcata, [Pupa sulcata](#) (J.F. Gmelin, 1791)
- suturalis, [Pupa suturalis](#) (A. Adams, 1855)
- tenellus, Acteon tenellus S.L. Lovén, 1846 – syn of: [Acteon tornatilis](#) (C. Linnaeus, 1758)
- teramachii, [Acteon teramachii](#) T. Habe, 1950
- tessellata, [Pupa tessellata](#) (L.A. Reeve, 1842)
- thaanumi, Pupa thaanumi H.A. Pilsbry, 1917 – syn of: [Pupa affinis](#) (A. Adams, 1855)
- throckmortoni, [Acteon throckmortoni](#) L.W. Stephenson, 1941
- tornatilis, [Acteon tornatilis](#) (C. Linnaeus, 1758)
- tornatilis ancilla, Acteon tornatilis ancilla T.A. de M. Monterosato, 1917 – syn of: [Acteon tornatilis](#) (C. Linnaeus, 1758)
- tornatilis bullaeformis, Acteon tornatilis bullaeformis J.G. Jeffreys, 1867 – syn of: [Acteon tornatilis](#) (C. Linnaeus, 1758)
- tornatilis bulliaeformis, Acteon tornatilis bulliaeformis J.G. Jeffreys, 1867 – syn of: [Acteon tornatilis](#) (C. Linnaeus, 1758)
- tornatilis nipponensis, Acteon tornatilis nipponensis G. Yamakawa, 1911 + – syn of: [Japonactaeon nipponensis](#) (G. Yamakawa, 1911)
- tornatilis unicolor, [Acteon tornatilis unicolor](#) A. Scacchi, 1836
- torrei, Acteon torrei C.G. Aguayo & H.A. Rehder, 1936 – syn of: [Bullina torrei](#) (C.G. Aguayo & H.A. Rehder, 1936)

- *tragulata*, [Pupa tragulata](#) T. Iredale, 1936
 - *traskii*, [Acteon traskii](#) R.E.C. Stearns, 1898
 - *turrita*, *Tomlinula turrita* (R.B. Watson, 1883) - syn of: [Mysouffa turrita](#) (R.B. Watson, 1883)
 - *turrita*, [Mysouffa turrita](#) (R.B. Watson, 1883)
 - *tyrrhenicum*, [Callostracon tyrrhenicum](#) (C. Smriglio & P. Mariottini, 1996)
 - *tyrrhenicum*, *Callostracon tyrrhenicum* C. Smriglio & P. Mariottini, 1996 - syn of: [Callostracon tyrrhenicum](#) (C. Smriglio & P. Mariottini, 1996)
 - *umbilicalis*, *Neactaeonina umbilicalis* A.N. Golikov & Fedjakov, 1987 - syn of: [Toledonia limnaeoides](#) (N.H. Odhner, 1913)
 - *unicolor*, [Acteon tornatilis unicolor](#) A. Scacchi, 1836
 - *vagabunda*, *Acteon vagabunda* J.F. Mabile, 1885 - syn of: [Toledonia vagabunda](#) (J.F. Mabile, 1885)
 - *vagabundus*, *Acteon vagabundus* J.F. Mabile, 1885 - syn of: [Toledonia vagabunda](#) (J.F. Mabile, 1885)
 - *vagabundus*, *Acteon vagabundus* J.F. Mabile, 1885 - syn of: [Toledonia vagabunda](#) (J.F. Mabile, 1885)
 - *valentina*, [Acteon valentina](#)
 - *vancouverensis*, [Rictaxis punctocaelatus vancouverensis](#) I.M. Oldroyd, 1927
 - *vangoethemi*, [Acteon vangoethemi](#)
 - *variegatus*, [Punctacteon variegatus](#) (J.G. Bruguière, 1789)
 - *venustus*, [Acteon venustus](#) (D'Orbigny, 1840)
 - *virgatus*, [Acteon virgatus](#) (L.A. Reeve, 1842)
 - *wetherellii*, *Acteon wetherellii* H.C. Lea, 1833 † - syn of: [Acteocina canaliculata](#) (T. Say, 1826)
 - *yamamurae*, [Acteon yamamurae](#) T. Habe, 1976
-



----- Family: ACTEONIDAE d'Orbigny, 1843
Habitat= Sea, Taxonomic order
Taxa=312, Genus=25, Subgenus=2, Species=145, Subspecies=5, Synonyms=134, Images=82

Genus: Acteon P.D. Montfort, 1810 (syn: Actaeon, Bullinopersilla, Kanila, Metacteon, Myosota, Tornatella - 81 SP, 40 IMG)

	5406000041 Acteon aethiopicus E.C. Von Martens, 1902	No Georeferenced data available	
	5406000039 Acteon annectens O. Meyer, 1885	No Georeferenced data available	
	5406000038 Acteon antarcticus K.H.J. Thiele, 1912 Antarctica	No Georeferenced data available	
	5406000067 Acteon aphyodes Á. Valdés, 2008 Fiji Islands 15 mm		
	5406000037 Acteon archibenthicola T. Habe, 1955 East China Sea 15 mm		
	5694000351 Acteon baracoensis J. Espinosa & J.A. Ortea, 2014 Cuba		
	5406000035 Acteon biplicatus (H. Strebelt, 1908) South Argentina 4 mm		
	5406000068 Acteon boteroi Á. Valdés, 2008 New Caledonia, Grand Passage 12 mm		



5406000069
**Acteon
buccinus**
Á. Valdés, 2008
New Caledonia, Grand Passage
10 mm



2300000005
**Acteon
candens**
H.A. Rehder, 1939
Costa Rica
5 mm




5406000033
**Acteon
castus**
(R.B. Hinds, 1844)
West America


No Georeferenced data available




2300000010
**Acteon
cebuanus**
T.C. Lan, 1985
Philippines, Aliguay Island
18 mm



5406000070
**Acteon
chauliodous**
Á. Valdés, 2008
Bassin des Loyauté, New Caledonia
6 mm



2300900109
**Acteon
chrytomatus**
Á. Valdés, 2008
East China Sea
7,5 mm




5406000032
**Acteon
cicatricosus**
N.F. Sohl, 1964

No Georeferenced data available



5406000071
**Acteon
cohibilis**
Á. Valdés, 2008
New Caledonia






5406000072

Acteon comptus

Á. Valdés, 2008

New Caledonia



5406000031

Acteon cretacea

W.M. Gabb, 1860

No Georeferenced data available



2300000015

Acteon danaida

W.H. Dall, 1881

Alagoas, Brasil
7,8 mm



5694000348

Acteon dancei

G.T. Poppe, S.P. Tagaro,
& P. Stahlschmidt, 2015

Philippines, Liloan
10 mm



2300000020

Acteon delicatus

W.H. Dall, 1889

Curaçao Island
5,6 mm



synonyms:

- Acteon delicatulus W.H. Dall, 1889



5406000030

Acteon dolichoroseus

T. Iredale, 1936

No Georeferenced data available



5406000073

Acteon editus

Á. Valdés, 2008

New Caledonia







5406000028

Acteon elongatus

Z.J.A. De Castellanos, E. Rolán,
& S. Bartolotta, 1987


South Argentina
8 mm



no IMAGES available	5406000027 <u>Acteon</u> <u>exiguus</u> O.A.L. Mörch, 1875	No Georeferenced data available	
	2300000035 <u>Acteon</u> <u>finlayi</u> J.T.L. McGinty, 1955 Cuba 18,9 mm		
	2300000045 <u>Acteon</u> <u>fortis</u> K.H.J. Thiele, 1925 South Africa, Durban 9,2 mm		
no IMAGES available	5406000074 <u>Acteon</u> <u>fructuosus</u> T. Iredale, 1936 Victoria, Australia		
no IMAGES available	2300000050 <u>Acteon</u> <u>hebes</u> A.E. Verrill, 1885 New Jersey		
	5406000075 <u>Acteon</u> <u>herosae</u> Á. Valdés, 2008 New Caledonia		
no IMAGES available to be checked	5406000025 <u>Acteon</u> <u>idoneus</u> T.A. Conrad, 1833	No Georeferenced data available	
	2300000055 <u>Acteon</u> <u>incisus</u> W.H. Dall, 1881 Yucatan, Mexico		



2300900119
Acteon
ionfasciatus
Á. Valdés, 2008
New Caledonia



2300000060
Acteon
juvenis
W.H. Dall, 1927
America

No Georeferenced data available



5406000024
Acteon
lactuca
Unknown

No Georeferenced data available



2300000075
Acteon
lacunatus
W.H. Dall, 1927
America

No Georeferenced data available



5694000352
Acteon
laetus
Thiele, 1925

No Georeferenced data available



2300000080
Acteon
liostracoides
W.H. Dall, 1927
America

No Georeferenced data available



5406000076
Acteon
loyautensis
Á. Valdés, 2008
New Caledonia



2300000140
Acteon
maltzani
P. Dautzenberg, 1910
Angola, Luanda
11,6 mm




synonyms:

- Acteon senegalensis H. von Maltzan, 1885

no IMAGES available	5406000023 <u>Acteon</u> <u>mariae</u> A. Adams, 1855	No Georeferenced data available	
no IMAGES available	2300000090 <u>Acteon</u> <u>melampoides</u> W.H. Dall, 1881 Cuba		
no IMAGES available to be checked	5406000021 <u>Acteon</u> <u>minutus</u> Unknown	No Georeferenced data available	
	5632000006 <u>Acteon</u> <u>mirim</u> C.M. Cunha, 2011 Canopus Bank, Brasil 3,5 mm		
	2300000095 <u>Acteon</u> <u>monterosatoi</u> P. Dautzenberg, 1889 Italy, Naples 2,2 mm		
	2300000100 <u>Acteon</u> <u>nakayamai</u> T. Habe, 1952 Philippines, Aliguay island 19,2 mm		
no IMAGES available to be checked	5406000020 <u>Acteon</u> <u>nitidus</u> L.W. Stephenson, 1941	No Georeferenced data available	
no IMAGES available to be checked	5406000019 <u>Acteon</u> <u>oryza</u> Unknown	No Georeferenced data available	



5406000077
Acteon
osexiguus
Á. Valdés, 2008
New Caledonia



5406000017
Acteon
panamensis
W.H. Dall, 1908
West America

No Georeferenced data available



2300000105
Acteon
parallelus
W.H. Dall, 1927
America

No Georeferenced data available



2300000110
Acteon
particolor
W.H. Dall, 1927
America

No Georeferenced data available



5406000016
Acteon
pelecals
Ev. Marcus, 1972
Uruguay
8 mm



2300000115
Acteon
perforatus
W.H. Dall, 1881
Cuba



5406000015
Acteon
pertenuis
T.H. Aldrich, 1921

No Georeferenced data available




5406000014
Acteon
pistilliformis
N.F. Sohl, 1964

No Georeferenced data available



5406000078
Acteon profundus
Á. Valdés, 2008
New Caledonia



5406000013
Acteon proprius
W.H. Dall, 1927



No Georeferenced data available

synonyms:

- Acteon proprius W.H. Dall, 1927



2300900035
Acteon pudicus
A. Adams, 1855
Hawaii, Oahu
11 mm




5406000012
Acteon pulchrrior
J.C. Melville, 1904

No Georeferenced data available



2300900070
Acteon retusus
J.C. Verco, 1907
Victoria, Australia



5406000079
Acteon rhektos
Á. Valdés, 2008
New Caledonia



5406000080
Acteon ringiculoides
Á. Valdés, 2008
New Caledonia





5406000011
Acteon roseus
C. Hedley, 1906

No Georeferenced data available



2300000130
Acteon
secale
A.A. Gould, 1859
Philippines, Mactan Island
5,7 mm





2300000135
Acteon
semicingulatus
W.H. Dall, 1927
America

No Georeferenced data available



5406000010
Acteon
semisculptus
E.A. Smith, 1890
Saint Helena




5694000354
Acteon
senegalensis
(Petit de la Saussaye, 1851)

No Georeferenced data available



2300000145
Acteon
soyoae
T. Habe, 1961
East China Sea
5 mm



5406000008
Acteon
splendidulus
O.A.L. Mörch, 1875

No Georeferenced data available




5406000007
Acteon
subincisus
T.A. Okutani, 1968

No Georeferenced data available



5406000006
Acteon
subroseus
T. Iredale, 1936
Australia, Noosa
19,4 mm





2300000150

**Acteon
teramachii**

T. Habe, 1950

East China Sea
15 mm



5406000005

**Acteon
throckmortoni**

L.W. Stephenson, 1941

No Georeferenced data available



2300000155

**Acteon
tornatilis**

(C. Linnaeus, 1758)

Malaga, Spain
22,2 mm



synonyms:

- Acteon augustoi A. Nobre, 1932
- Acteon bifasciata J.F. Gmelin, 1791
- Acteon bullaeformis J.G. Jeffreys, 1867
- Voluta luteofasciata J.K. Megerle Von Mühlfeld, 1824
- Acteon ovals E.M. Da Costa, 1778
- Acteon semistriatus M. Gilbert, 1952
- Acteon subulatus S.V. Wood, 1848
- Bula tornatilis C. Linnaeus, 1758
- Acteon tornatilis ancilla T.A. de M. Monterosato, 1917
- Acteon tornatilis bullaeformis J.G. Jeffreys, 1867

- Voluta bifasciata J.F. Gmelin, 1791
- Acteon fasciatus J.B.P.A. Lamarck, 1812
- Turbo ovals E.M. Da Costa, 1778
- Acteon pellucida W. Macgillivray, 1844
- Acteon striatus G.B. I Sowerby
- Acteon tenellus S.L. Lovén, 1846
- Voluta tornatilis C. Linnaeus, 1758
- Acteon tornatilis bullaeformis J.G. Jeffreys, 1867



5406000004

**Acteon
tornatilis
unicolor**

A. Scacchi, 1836

No Georeferenced data available

synonyms:

- Acteon efasciatus T.A. de M. Monterosato



2300000160

**Acteon
traskii**

R.E.C. Stearns, 1898

Ecuador
5 mm



5694000349

**Acteon
valentina**

G.T. Poppe, S.P. Tagaro,
& P. Stahlschmidt, 2015

Philippines, Liloan
6,7 mm








5694000350

**Acteon
vangoethemi**

G.T. Poppe, S.P. Tagaro,
& P. Stahlschmidt, 2015

Philippines, Mactan Island
10 mm



no IMAGES available	5406000001 <u>Acteon</u> <u>venustus</u> (D'Orbigny, 1840) West America	No Georeferenced data available	
	2300000170 <u>Acteon</u> <u>virgatus</u> (L.A. Reeve, 1842) Philippines, Camotes Island 21 mm		
	2300850005 <u>Acteon</u> <u>yamamurae</u> T. Habe, 1976 China, Bo sea 7,5 mm		
Genus: Crenilabium A.E.M. Cossmann, 1889 (syn: Crenilabrum, Lissacteon - 5 SP, 2 IMG)			
no IMAGES available	2300900121 <u>Crenilabium</u> <u>aciculatum</u> A.E.M. Cossmann, 1889	No Georeferenced data available	
	2300900113 <u>Crenilabium</u> <u>birmani</u> L.R.L. Simone, 2006 Brasil, Sao Paulo		
no IMAGES available to be checked	2300900122 <u>Crenilabium</u> <u>circumstriatum</u> M.M. Schepman, 1909	No Georeferenced data available	
	2300200005 <u>Crenilabium</u> <u>exile</u> (J.G. Jeffreys, 1870) Civitavecchia, Italy 3,5 mm		
synonyms: ● Acteon browni H.K. Jordan, 1895 ● Acteon exilis J.G. Jeffreys, 1870 ● Crenilabium nitidus A.E. Verrill, 1882 ● Acteon etheridgii T. Bell, 1870 ● Crenilabium insculptus A.E. Verrill, 1880 ● Crenilabium primus L. de Folin, 1871			
no IMAGES available	5406000044 <u>Crenilabium</u> <u>pacificum</u> J.T. Kuroda & T. Habe, 1958 New Caledonia		

Genus: Inopinodon P. Bouchet, 1975 (1 SP, 0 IMG)




2300900117
Inopinodon
azoricus
(É.A.A. Locard, 1897)

No Georeferenced data available

Genus: Japonactaeon Is. Taki, 1956 (5 SP, 5 IMG)



2300900120
Japonactaeon
longissimus
Á. Valdés, 2008
Philippines, Mindoro



2300304000
Japonactaeon
nipponensis
(G. Yamakawa, 1911)
Yamaguchi, Japan



synonyms:

- Acteon nipponensis G. Yamakawa, 1911

- Acteon tornatilis nipponensis G. Yamakawa, 1911 †



2300050025
Japonactaeon
punctostriatus
(C.B. Adams, 1840)
Florida
2,9 mm



synonyms:

- Rictaxis punctostriatus C.B. Adams, 1840



2300300000
Japonactaeon
pusillus
(W. Macgillivray, 1843)
Italy, Capraia Island
8,6 mm



2300004000
Japonactaeon
sieboldii
(L.A. Reeve, 1842)
East China Sea
14 mm




synonyms:

- Acteon sieboldii L.A. Reeve, 1842
- Acteon sieboldii (L.A. Reeve, 1842)

Genus: Liocarenus G.F. Harris & H.W. Burrows, 1891 (syn: Fortisia - 1 SP, 1 IMG)



2300350000
Liocarenus
globulinus
(E. Forbes, 1844)
Italy, Fiumicino
3 mm



Genus: Maxacteon W.B. Rudman, 1971 (6 SP, 5 IMG)



2300900123
Maxacteon
cratericulatus

(C. Hedley, 1906)

New Zealand



synonyms:


- Maxacteon craticulatus C. Hedley, 1906



2300000030
Maxacteon
fabreanus

(J.C.H. Crosse, 1874)

Philippines, Bohol Island
14 mm



synonyms:


- Punctacteon fabreanus (J.C.H. Crosse, 1874)



2300000040
Maxacteon
flammeus

(J.G. Bruguière, 1789)

South Africa, Natal, Durban Bay
19,6 mm



synonyms:

- Pupa flammea J.F. Gmelin, 1791
- Solidula flammea J.F. Gmelin, 1791
- Acteon flammeus J.G. Bruguière, 1789



- Buccinum flammeum J.G. Bruguière, 1789



5406000026
Maxacteon
hancocki

W.B. Rudman, 1971


Bay of Islands, New Zealand
5 mm



5406000057
Maxacteon
kawamurai

(T. Habe, 1952)

Japan



synonyms:

- Punctacteon kawamurai (T. Habe, 1952)



5406000022
Maxacteon
milleri

W.B. Rudman, 1971

New Zealand




Genus: Mysouffa E.G.G. Marcus, 1974 (2 SP, 1 IMG)



2300500000
Mysouffa
cumingii

A. Adams, 1855

Brasil, Rio de Janeiro
20,8 mm



synonyms:

- Acteon cumingii A. Adams, 1855



5406000050
Mysouffa
turrita
(R.B. Watson, 1883)

No Georeferenced data available

synonyms:

- Acteon grimaldii P. Dautzenberg & H. Fischer, 1896
- Tomlinula turrita (R.B. Watson, 1883)

Genus: Neactaeonina K.H.J. Thiele, 1912 (5 SP, 2 IMG)



5694000353
Neactaeonina
argentina
Zelaya, Schejter & Ituarte, 2011

No Georeferenced data available



5406000053
Neactaeonina
cingulata
(H. Strebel, 1908)
Antarctica


No Georeferenced data available

synonyms:

- Acteonina cingulata H. Strebel, 1908



5406000052
Neactaeonina
edentula
(R.B. Watson, 1883)
Argentinian Platform, Chubut Province
14 mm





2300900125
Neactaeonina
fragilis
K.H.J. Thiele, 1912
Antarctica

No Georeferenced data available




5406000051
Neactaeonina
inexpectata
R.K. Dell, 1956
Chatham Rise, New Zealand



Genus: Obrussena T. Iredale, 1930 (syn: Obrussa - 2 SP, 2 IMG)




5406000055
Obrussena
bracteata
(T. Iredale, 1925)
Philippines, Siquijor
3,4 mm







5406000054
Obrussena
moeshimaensis
T. Habe, 1952
Japan



Genus: Pseudacteon K.H.J. Thiele, 1925 (1 SP, 1 IMG)





2300000085
Pseudacteon
luteofasciatus
(P. Müller, 1829)
Bozcaada Island, Turkey
8,6 mm




Genus: Punctacteon J.T. Kuroda & T. Habe, 1961 (5 SP, 5 IMG)



2300900010
Punctacteon
amakusaensis
T. Habe, 1961
Philippines, Calituban Island
11,5 mm



2300000025
Punctacteon
eloiseae
(R.T. Abbott, 1973)
Oman
34,6 mm




synonyms:


- *Acteon eloiseae* R.T. Abbott, 1973




2300000065
Punctacteon
kajiyamai
T. Habe, 1976
Philippines, Palawan Island
14 mm



2300000070
Punctacteon
kirai
(T. Habe, 1949)
Philippines, Aiguay Island
14,1 mm



5406000002
Punctacteon
variegatus
(J.G. Bruguière, 1789)
Philippines, Palawan Island
26 mm



synonyms:

- *Bulmus variegatus* J.G. Bruguière, 1789

Genus: Pupa P.F. Röding, 1798 (syn: Buccinulus, Dactylus, Solidulus, Solidula, Strigopupa - 18 SP, 13 IMG)



2300900000
Pupa
affinis
(A. Adams, 1855)
Malaysia
27,6 mm




synonyms:

- Pupa albus F.W. Hutton, 1873
- Acteon fraterculus R.W. Dunker, 1882
- Acteon intermedius G.F. Angas, 1879
- Acteon pilsbryi A.E.M. Cossmann, 1902


- Tomatella cinerea R.B. Watson, 1886
- Pupa gracilis T.W. Kirk, 1882
- Pupa nivea G.F. Angas, 1871
- Pupa thaanumi H.A. Pilsbry, 1917



2300900025
Pupa
affinis
kirki
(F.W. Hutton, 1873)
New Zealand, Bland Bay
16,2 mm



2300900005
Pupa
alveola
(S.M. Souverbie, 1863)
Philippines, Aliguay Island
20,2 mm





5406000066
Pupa
candidula
(T.A. de M. Monterosato, 1923)



No Georeferenced data available




5406000063
Pupa
clathrata
M. Yokoyama, 1922
Japan





5406000062
Pupa
coccinata
(L.A. Reeve, 1842)
Réunion
23,7 mm



2300900015
Pupa
daviesi
R.N. Kilburn, 1975
South Africa, Port Elizabeth
17,5 mm



5674000472
Pupa
hyalina
J.C. Verco, 1907
Australia, Streaky Bay





5674000473
Pupa
niecaensis
K.H. Barnard, 1963

No Georeferenced data available



2300900030
Pupa
nitidula
(J.B.P.A. Lamarck, 1816)
Philippines, Aliguay Island
18 mm



2300900060
Pupa
pascuana
B.K. Raines, 2003

No Georeferenced data available



5406000059
Pupa
sekii
T. Habe, 1958
Philippines, Aliguay Island
7,5 mm



synonyms:

- Pupa sekii T. Habe, 1958

- Pupa strigosa sekii T. Habe, 1958



5632000008
Pupa
sinica
G.Y. Lin, 1989
South China Sea



2300900040
Pupa
solidula
(C. Linnaeus, 1758)
Philippines, Palawan Island
31 mm




synonyms:

- Pupa griseola P.F. Röding, 1798
- Dactylus punctatus H.C.F. Schumacher, 1817
- Bulla solidula C. Linnaeus, 1758


- Oliva punctatus H.C.F. Schumacher, 1817
- Pupa roseomaculata T. Iredale, 1936



5406000060
Pupa
solidula
fumata
(L.A. Reeve, 1865)
Australia, Sydney
15 mm



2300900045
Pupa
strigosa
(A.A. Gould, 1859)
Japan, Kotoga beach
12,9 mm






2300900050

Pupa
sulcata

(J.F. Gmelin, 1791)

Philippines, Aliguay Island
21 mm



synonyms:

- Pupa glabra L.A. Reeve, 1842




5406000046

Pupa
suturalis

(A. Adams, 1855)

Western Australia, Exmouth
11,1 mm



2300900055

Pupa
tessellata

(L.A. Reeve, 1842)

Hawaii
14 mm




5406000081

Pupa
tragulata

T. Iredale, 1936

Australia, New South Wales



Genus: Rictaxis W.H. Dall, 1871 (5 SP, 3 IMG)




2300050000

Rictaxis
albus

(G.B. III Sowerby, 1874)

Algoa Bay, South Africa
20,6 mm



5406000043

Rictaxis
aspera

(J.B.P.A. Lamarck)

No Georeferenced data available



2300050005

Rictaxis
painei

(W.H. Dall, 1903)

Santa Catalina Island, California



2300050010

Rictaxis
punctocaelatus

(P.P. Carpenter, 1864)

San Diego, California
14 mm



synonyms:

- Rictaxis punctocaelata (P.P. Carpenter, 1864)



2300050015
Rictaxis
punctocaelatus
coronadoensis
R.E.C. Stearns, 1898



No Georeferenced data available



2300050020
Rictaxis
punctocaelatus
vancouverensis
I.M. Oldroyd, 1927
California, Santa Catalina Island



5406000082
Rictaxis
sanguinea
Á. Valdés, 2008
Tonga



Genus: Tenuiactaeon T.H. Aldrich, 1921 (1 SP, 0 IMG)




5406000040
Tenuiactaeon
ambiguus
(F.W. Hutton, 1885)
New Zealand



Genus: Bathyacteon Á. Valdés, 2008 (1 SP, 0 IMG)



5406000042
Bathyacteon
aequatorialis
(K.H.J. Thiele, 1925)
New Caledonia



Genus: Callostracon G. Repetto & I. Bianco, 2012 (syn: Ovactaeonina - 5 SP, 2 IMG)



5480000008
Callostracon
amabile
(R.B. Watson, 1886)
Cadiz, Spain
4 mm



synonyms:

- Colostracon amabile R.B. Watson, 1886
- Acteon amabilis R.B. Watson, 1886



5480000004
Callostracon
charis
(R.B. Watson, 1886)

No Georeferenced data available

synonyms:

- Acteon charis R.B. Watson, 1886



5480000003
Callostracon
sinuatum
C.E. Hamlin, 1884

No Georeferenced data available



5480000002
Callostracon
sparsisulcatum
(D'Orbigny)

No Georeferenced data available



5480000001
Callostracon
tyrrenicum
(C. Smriglio & P. Mariottini, 1996)
Italy, Civitavecchia
2 mm



synonyms:

- *Colostracon tyrrenicum* C. Smriglio & P. Mariottini, 1996


Genus: Ovulactaeon W.H. Dall, 1889 (1 SP, 0 IMG)



5406000056
Ovulactaeon
meekii
W.H. Dall, 1889
Bahamas



Family: ACTEONIDAE



red squares show where each species has been georeferenced

each square has a size of 2 degrees

an interactive version of this image can be accessed at

<http://www.bagniliggia.it/WMSD/FamilyMap/ACTEONIDAEmap.htm>

please note that this is not the complete coverage of this family
the Data Base is not exhaustive and only one specimen per species has been georeferenced

this map is only the graphic summary of the WMSDB Data Base up to now

the total number of georeferenced species in this map is: 102 from a total of 150