




Family: CUSPIDARIIDAE

Author: Claudio Galli - claudio@bagniliggia.it (updated 07/set/2015)

Class: BIVALVIA

--- Clade: HETERODONTA-EUHETERODONTA-CUSPIDARIOIDEA

----- Family: CUSPIDARIIDAE Dall, 1886 (Sea)

- Alphabetic order - when **first name** is in bold the species has images

Taxa=428, Genus=18, Subgenus=4, Species=266, Subspecies=4, Synonyms=135, Images=126

- abbreviata, [Tropidomya abbreviata](#) (E. Forbes, 1843)
- abrupta, [Austroneaera abrupta](#) (J.A. Allen & R.E. Morgan, 1981)
- abrupta, Cuspidaria abrupta J.A. Allen & R.E. Morgan, 1981 - syn of: [Austroneaera abrupta](#) (J.A. Allen & R.E. Morgan, 1981)
- abrupta, [Rhinoclama abrupta](#) J.A. Allen & R.E. Morgan, 1981
- abyssicola, [Cardiomya abyssicola](#) A.E. Verrill & K.J. Bush, 1898
- abyssicola nipponica, Cardiomya abyssicola nipponica T.A. Okutani, 1962 - syn of: [Cardiomya reticulata](#) (J.T. Kuroda, 1948)
- abyssopacifica, [Cuspidaria abyssopacifica](#) T.A. Okutani, 1975
- actoni, Cardiomya actoni (G.P. Deshayes, 1833) - syn of: [Cardiomya costellata](#) (G.P. Deshayes, 1835)
- actoni, Cuspidaria actoni N. Tiberi, 1855 - syn of: [Cardiomya costellata](#) (G.P. Deshayes, 1835)
- acutecarinata, [Myonera acutecarinata](#) (P. Dautzenberg & H. Fischer, 1906)
- adamsi, [Rhinoclama adamsi](#) (R.E. Morgan & D. Heppell, 1981)
- adamsi, Cuspidaria adamsi K.H.J. Thiele, 1934 - syn of: [Rhinoclama adamsi](#) (R.E. Morgan & D. Heppell, 1981)
- adenensis, Cuspidaria adenensis F.P. Jousseaume, 1888 - syn of: [Sphenia rueppellii](#) A. Adams, 1851
- adunca, [Leiomya adunca](#) (A.A. Gould, 1861)
- aequatorialis, Cuspidaria aequatorialis K.H.J. Thiele & S.G.A. Jaeckel, 1931 - syn of: [Protocuspidaria aequatorialis](#) (K.H.J. Thiele & S.G.A. Jaeckel, 1931)
- agulhasensis, Cuspidaria agulhasensis K.H.J. Thiele & Jarckel, 1931 - syn of: [Cuspidaria optima](#) G.B. III Sowerby, 1904
- alcocki, [Cardiomya alcocki](#) (E.A. Smith, 1894)
- alcocki fortisculpta, Cardiomya alcocki fortisculpta J.T. Kuroda, 1948 - syn of: [Cardiomya fortisculpta](#) J.T. Kuroda, 1948
- alleni, [Myonera alleni](#) J. Poutiers & F.R. Bernard, 1995
- alleni, Cuspidaria alleni J.A. Allen & R.E. Morgan, 1981 - syn of: [Myonera alleni](#) J. Poutiers & F.R. Bernard, 1995
- alta, [Rhinoclama alta](#) (J.C. Verco, 1908)
- altenai, [Cuspidaria altenai](#) J. Knudsen, 2005
- alternata, [Cardiomya alternata](#) (D'Orbigny, 1853)
- alveata, [Cardiomya alveata](#) (C. Hedley, 1907)
- andamanica, [Cardiomya andamanica](#) H.B. Preston, 1916
- angasi, [Cuspidaria angasi](#) (E.A. Smith, 1885)
- angasi annandalei, [Cuspidaria angasi annandalei](#) H.B. Preston, 1915
- angularis, [Myonera angularis](#) (J.G. Jeffreys, 1876)
- angularis, Neaera angularis J.G. Jeffreys, 1876 - syn of: [Myonera angularis](#) (J.G. Jeffreys, 1876)
- angularis quadrostrata, Cuspidaria angularis quadrostrata J. Poutiers, 1984 - syn of: [Bathyneaea quadrostrata](#) (J. Poutiers, 1984)
- angusticauda, [Cardiomya angusticauda](#) O.A. Scarlato, 1972
- annandalei, [Cuspidaria annandalei](#) H.B. Preston, 1915
- annandalei, [Cuspidaria angasi annandalei](#) H.B. Preston, 1915
- apodema, [Cuspidaria apodema](#) W.H. Dall, 1916
- approximata, [Cuspidaria approximata](#) E.A. Smith, 1896
- arcoida, [Cuspidaria arcoida](#) T.A. Okutani & R. Kawamura, 2002
- arctica, [Cuspidaria arctica](#) (G.O. Sars, 1859)
- arcuata, [Cuspidaria arcuata](#) (W.H. Dall, 1881)
- arcuata, Neaera arcuata W.H. Dall, 1881 - syn of: [Cuspidaria arcuata](#) (W.H. Dall, 1881)
- ardiniana, Cuspidaria ardiniana S. Biondi-Giunti, 1860 - syn of: [Cuspidaria rostrata](#) (L. Spengler, 1793)
- ascoldica, [Cuspidaria ascoldica](#) O.A. Scarlato, 1972
- atlantica, Cuspidaria atlantica J.A. Allen & Morgen, 1981 - syn of: [Myonera alleni](#) J. Poutiers & F.R. Bernard, 1995
- atlantica, [Myonera atlantica](#) J.A. Allen & R.E. Morgan, 1981
- attenuata, Cuspidaria attenuata E. Forbes, 1843 - syn of: [Cuspidaria rostrata](#) (L. Spengler, 1793)
- aupouria, [Rhinoclama aupouria](#) (R.K. Dell, 1950)
- azorica, [Cuspidaria azorica](#) (E.A. Smith, 1885)
- azorica, Neaera azorica E.A. Smith, 1885 - syn of: [Protocuspidaria azorica](#) (E.A. Smith, 1885)
- balboae, [Cardiomya balboae](#) W.H. Dall, 1916
- barnardi, [Cuspidaria barnardi](#) J. Knudsen, 1970
- behringensis, [Cardiomya behringensis](#) (W. Leche, 1883)
- benthedii, [Rhinoclama benthedii](#) (J. Poutiers, 1984)
- bernardi, [Bathyneaea bernardi](#) E.M. Krylova, 1993
- bicarinata, [Cuspidaria bicarinata](#) (J.G. Jeffreys, 1882)
- bicarinata, [Myonera bicarinata](#) E.A. Smith, 1896
- bicarinata, Neaera bicarinata J.G. Jeffreys, 1882 - syn of: [Cuspidaria bicarinata](#) (J.G. Jeffreys, 1882)
- brachyrhynchus, [Cuspidaria brachyrhynchus](#) R. Sturany, 1899
- brazieri, [Plectodon brazieri](#) (E.A. Smith, 1885)

- **brazieri**, *Cuspidaria brazieri* E.A. Smith, 1885 – syn of: [Plectodon brazieri](#) (E.A. Smith, 1885)
- **braziliensis**, *Plectodon braziliensis* E.A. Smith, 1915 – syn of: [Plectodon granulatus](#) (W.H. Dall, 1881)
- **brevirostris**, [Austroneaera brevirostris](#) A.W.B. Powell, 1937
- **brevirostris**, [Rhinoclama brevirostris](#) A.W.B. Powell, 1937
- **brevirostris**, *Cuspidaria brevirostris* T. Brown, 1829 – syn of: [Cuspidaria cuspidata](#) (A.G. Olivi, 1792)
- **brooki**, [Austroneaera brooki](#) (B.A. Marshall, 2002)
- **brooki**, *Rhinoclama brooki* B.A. Marshall, 2002 – syn of: [Austroneaera brooki](#) (B.A. Marshall, 2002)
- **brucei**, *Myonera brucei* J.C. McNeill & R. Standen, 1907 – syn of: [Cuspidaria undata](#) (A.E. Verrill, 1884)
- **bruuni**, [Cardiomya bruuni](#) R.K. Dell, 1956
- **buccina**, [Cuspidaria buccina](#) F.R. Bernard, 1989
- **cadiziana**, [Cardiomya cadiziana](#) M. Huber, 2010
- **caduca**, [Rengea caduca](#) (E.A. Smith, 1894)
- **caduca**, *Myonera caduca* E.A. Smith, 1894 – syn of: [Rengea caduca](#) (E.A. Smith, 1894)
- **californica**, [Cardiomya californica](#) W.H. Dall, 1886
- **canariensis**, [Myonera canariensis](#) (T.W. De Boer, 1985)
- **capensis**, [Cuspidaria capensis](#) (E.A. Smith, 1885)
- **casta**, [Cardiomya casta](#) (R.B. Hinds, 1843)
- **centobi**, [Cuspidaria centobi](#) (P. Bouchet & A. Warén, 1979)
- **centobi**, *Myonera centobi* (P. Bouchet & A. Warén, 1979) – syn of: [Cuspidaria centobi](#) (P. Bouchet & A. Warén, 1979)
- **chilensis**, [Luzonia chilensis](#) (W.H. Dall, 1890)
- **chinensis**, [Cuspidaria chinensis](#) (J.E. Gray in E. Griffith & E. Pidgeon, 1833)
- **chunfui**, *Cardiomya chunfui* T.C. Lan, 2000 – syn of: [Cardiomya alcocki](#) (E.A. Smith, 1894)
- **chuni**, [Cardiomya chuni](#) (K.H.J. Thiele & S.G.A. Jaeckel, 1931)
- **circinata**, [Cuspidaria circinata](#) (J.G. Jeffreys, 1876)
- **clathrata**, [Soyomya clathrata](#) (J. Poutiers & F.R. Bernard, 1995)
- **claviculata**, *Neaera claviculata* W.H. Dall, 1881 – syn of: [Halonympha claviculata](#) (W.H. Dall, 1881)
- **cleryana**, [Cardiomya cleryana](#) (D'Orbigny, 1842)
- **coanscotti**, [Austroneaera coanscotti](#) M. Huber, 2010
- **cochinensis**, [Cuspidaria cochinchensis](#) H.B. Preston, 1916
- **cochlearis**, *Neaera cochlearis* R.B. Hinds, 1844 – syn of: [Leptomya cochlearis](#) (R.B. Hinds, 1844)
- **concentrica**, [Cuspidaria concentrica](#) K.H.J. Thiele, 1912
- **concinna**, [Cardiomya concinna](#) (R.B. Hinds, 1843)
- **consimilis**, [Cuspidaria nobilis consimilis](#) T. Habe, 1961
- **consociata**, *Cuspidaria consociata* E.A. Smith, 1885 – syn of: [Cuspidaria circinata](#) (J.G. Jeffreys, 1876)
- **contracta**, [Cuspidaria contracta](#) (J.G. Jeffreys, 1882)
- **convexa**, [Cuspidaria convexa](#) J.P.L. Pelseneer, 1911
- **corpulenta**, [Cardiomya costellata corpulenta](#) W.H. Dall, 1881
- **corrugata**, [Cuspidaria corrugata](#) B. Prashad, 1932
- **corrugata**, *Cuspidaria corrugata* J.P.L. Pelseneer, 1911 – syn of: [Cuspidaria corrugata](#) B. Prashad, 1932
- **costata**, [Cardiomya costata](#) (G.B. I Sowerby, 1834)
- **costata**, *Neaera costata* K.J. Bush, 1885 – syn of: [Cardiomya ornatissima](#) (D'Orbigny, 1853)
- **costellata**, [Cardiomya costellata](#) (G.P. Deshayes, 1835)
- **costellata corpulenta**, [Cardiomya costellata corpulenta](#) W.H. Dall, 1881
- **costellata lactea**, *Cuspidaria costellata lactea* J.G. Jeffreys, 1865 – syn of: [Cardiomya costellata](#) (G.P. Deshayes, 1835)
- **cowani**, [Cuspidaria cowani](#) F.R. Bernard, 1967
- **crassa**, *Cuspidaria crassa* T.A. de M. Monterosato, 1880 – syn of: [Cuspidaria cuspidata](#) (A.G. Olivi, 1792)
- **curta**, *Cardiomya curta* J.G. Jeffreys, 1876 – syn of: [Cardiomya cadiziana](#) M. Huber, 2010
- **curta**, *Cuspidaria curta* J.G. Jeffreys, 1876 – syn of: [Cardiomya cadiziana](#) M. Huber, 2010
- **cuspidata**, [Cuspidaria cuspidata](#) (A.G. Olivi, 1792)
- **cuspidata**, *Neaera cuspidata* R.B. Hinds, 1843 – syn of: [Cuspidaria cuspidata](#) (A.G. Olivi, 1792)
- **cuspidata cinerea**, *Neaera cuspidata cinerea* J.G. Jeffreys, 1865 – syn of: [Cuspidaria cuspidata](#) (A.G. Olivi, 1792)
- **cuspidata curta**, *Neaera cuspidata curta* J.G. Jeffreys, 1865 – syn of: [Cuspidaria cuspidata](#) (A.G. Olivi, 1792)
- **dautzenbergi**, [Myonera dautzenbergi](#) B. Prashad, 1932
- **delli**, [Cuspidaria delli](#) J. Knudsen, 1970
- **demistriata**, [Myonera demistriata](#) (J.A. Allen & R.E. Morgan, 1981)
- **demistriata**, *Cuspidaria demistriata* J.A. Allen & R.E. Morgan, 1981 – syn of: [Bathyneaea hadalis](#) (J. Knudsen, 1970)
- **depressa**, *Cuspidaria depressa* J.G. Jeffreys, 1882 – syn of: [Halonympha depressa](#) (J.G. Jeffreys, 1882)
- **diagonalis**, [Tropidomya diagonalis](#) (J.A. Allen & R.E. Morgan, 1981)
- **didyma**, [Cardiomya didyma](#) (R.B. Hinds, 1843)
- **disa**, [Bathyneaea disa](#) (F.R. Bernard, 1989)
- **dispar**, [Myonera dispar](#) W.H. Dall, P. Bartsch & H.A. Rehder, 1938
- **dissociata**, [Cuspidaria dissociata](#) R. Sturany, 1899
- **dorsirecta**, [Austroneaera dorsirecta](#) (J.C. Verco, 1908)
- **dorsirecta**, [Rhinoclama dorsirecta](#) J.C. Verco, 1908
- **dubia**, [Rhinoclama dubia](#) (J.P.L. Pelseneer, 1911)

- **dubia**, *Cuspidaria dubia* B. Prashad, 1932 - syn of: [Rhinoclama dubia](#) (J.P.L. Pelseneer, 1911)
- **dulcis**, *Cardiomya dulcis* H.A. Pilsbry & H.N. Lowe, 1932 - syn of: [Cardiomya costata](#) (G.B. I Sowerby, 1834)
- **eastera**, [Austroneaera eastera](#) B.K. Raines & M. Huber, 2012
- **ecuadoriana**, [Cardiomya ecuadoriana](#) (A.A. Olsson, 1961)
- **elegans**, [Cuspidaria elegans](#) (R.B. Hinds, 1843)
- **elephantina**, [Cuspidaria elephantina](#) T.C. Lan, 2000
- **elliptica**, [Cuspidaria elliptica](#) S.I. Di Geronimo, 1974
- **erma**, [Cuspidaria erma](#) B.C. Cotton, 1931
- **exarata**, [Cuspidaria exarata](#) J.C. Verco, 1908
- **exigua**, [Cuspidaria exigua](#) (J.G. Jeffreys, 1876)
- **fairchildi**, [Cuspidaria fairchildi](#) H.H. Suter, 1908
- **fallax**, [Cardiomya fallax](#) (E.A. Smith, 1885)
- **filatovae**, [Rhinoclama filatovae](#) (F.R. Bernard, 1979)
- **filatovae**, [Cardiomya filatovae](#) O.A. Scarlato, 1972
- **filocarinata**, *Rhinoclama filocarinata* E.A. Smith, 1885 - syn of: [Rhinoclama notabilis](#) (J.G. Jeffreys, 1876)
- **finlayi**, [Austroneaera finlayi](#) A.W.B. Powell, 1937
- **finlayi**, [Rhinoclama finlayi](#) A.W.B. Powell, 1937
- **fluctuosa**, *Myonera fluctuosa* J.T. Kuroda, 1948 - syn of: [Rengea caduca](#) (E.A. Smith, 1894)
- **fluctuosa**, *Rengea fluctuosa* J.T. Kuroda, 1948 - syn of: [Rengea caduca](#) (E.A. Smith, 1894)
- **formosa**, [Cuspidaria formosa](#) A.E. Verrill & K.J. Bush, 1898
- **forticostata**, [Cardiomya forticostata](#) (G.B. III Sowerby, 1904)
- **fortisculpta**, [Cardiomya fortisculpta](#) J.T. Kuroda, 1948
- **fragilis**, *Neaera fragilis* A. Adams, 1856 - syn of: [Theora lata](#) (R.B. Hinds, 1843)
- **fragilissima**, [Cardiomya fragilissima](#) (E.A. Smith, 1885)
- **fraterna**, [Cuspidaria fraterna](#) A.E. Verrill & K.J. Bush, 1898
- **fujitai**, [Cardiomya fujitai](#) (J.T. Kuroda, 1948)
- **garretti**, [Myonera garretti](#) W.H. Dall, 1908
- **gemma**, *Cardiomya gemma* A.E. Verrill & K.J. Bush, 1898 - syn of: [Cardiomya costellata](#) (G.P. Deshayes, 1835)
- **gigantea**, [Myonera gigantea](#) (A.E. Verrill, 1884)
- **gigantea**, [Cuspidaria gigantea](#) B. Prashad, 1932
- **gilchristi**, [Cardiomya gilchristi](#) (G.B. III Sowerby, 1904)
- **glacialis**, [Cuspidaria glacialis](#) (G.O. Sars, 1878)
- **globulosa**, [Bathyneera globulosa](#) E.M. Krylova, 1993
- **glypta**, *Cardiomya glypta* K.J. Bush in A.E. Verrill & K.J. Bush, 1898 - syn of: [Cardiomya ornatissima](#) (D'Orbigny, 1853)
- **gouldiana**, [Cardiomya gouldiana](#) (R.B. Hinds, 1843)
- **gouldiana septentrionalis**, [Cardiomya gouldiana septentrionalis](#) J.T. Kuroda, 1948
- **gracilis**, [Cuspidaria gracilis](#) (J.G. Jeffreys, 1882)
- **gracilis**, *Cuspidaria gracilis* F. Nordsieck, 1969 - syn of: [Cuspidaria gracilis](#) (J.G. Jeffreys, 1882)
- **granulata**, *Cuspidaria granulata* W.H. Dall, 1881 - syn of: [Plectodon granulatus](#) (W.H. Dall, 1881)
- **granulata velvetina**, *Leiomya granulata velvetina* W.H. Dall, 1886 - syn of: [Plectodon granulatus](#) (W.H. Dall, 1881)
- **granulatus**, [Plectodon granulatus](#) (W.H. Dall, 1881)
- **greenii**, *Cardiomya greenii* E.A. Smith, 1889 - syn of: [Cardiomya striata](#) (J.G. Jeffreys, 1876)
- **guineensis**, [Cuspidaria guineensis](#) J. Knudsen, 1970
- **haasi**, [Cuspidaria haasi](#) J. Knudsen, 1970
- **hadalis**, [Bathyneera hadalis](#) (J. Knudsen, 1970)
- **halei**, [Cuspidaria halei](#) B.C. Cotton & F.C. Godfrey, 1938
- **halimera**, [Rhinoclama halimera](#) (W.H. Dall, 1886)
- **hawaiiensis**, [Cuspidaria hawaiiensis](#) W.H. Dall, P. Bartsch & H.A. Rehder, 1938
- **hindsiana**, [Cuspidaria hindsiana](#) (C.B. Adams, 1864)
- **hindsiana kagoshimensis**, *Cuspidaria hindsiana kagoshimensis* T. Habe, 1961 - syn of: [Cuspidaria hindsiana](#) (C.B. Adams, 1864)
- **hirasei**, [Cuspidaria hirasei](#) J.T. Kuroda, 1948
- **hyalina**, [Cuspidaria hyalina](#) (R.B. Hinds, 1843 ex Sowerby MS)
- **imbricata**, *Cuspidaria imbricata* É.A.A. Locard, 1898 - syn of: [Cuspidaria circinata](#) (J.G. Jeffreys, 1876)
- **imbricata**, *Neaera imbricata* J.G. Jeffreys, 1881 - syn of: [Cuspidaria circinata](#) (J.G. Jeffreys, 1876)
- **infelix**, [Cuspidaria infelix](#) K.H.J. Thiele, 1912
- **inflata**, [Rhinoclama inflata](#) (J.G. Jeffreys, 1882)
- **inflata**, *Leiomya inflata* J.G. Jeffreys, 1882 - syn of: [Rhinoclama inflata](#) (J.G. Jeffreys, 1882)
- **inflata**, *Neaera inflata* J.G. Jeffreys, 1882 - syn of: [Rhinoclama inflata](#) (J.G. Jeffreys, 1882)
- **interstitialis**, [Cardiomya interstitialis](#) H. Takeda, 1953
- **iridella**, *Cuspidaria iridella* J.T. Kuroda, 1948 - syn of: [Pseudoneaera semipellucida](#) (J.T. Kuroda, 1948)
- **iridescens**, *Neaera iridescens* R.B. Hinds, 1843 - syn of: [Theora iridescens](#) (R.B. Hinds, 1843)
- **isolirata**, *Cardiomya isolirata* F.R. Bernard, 1969 - syn of: [Cardiomya pectinata](#) (P.P. Carpenter, 1865)
- **iturupica**, [Cardiomya iturupica](#) O.A. Scarlato, 1972
- **japonica**, [Cuspidaria japonica](#) J.T. Kuroda, 1948
- **jeffreysi**, [Cuspidaria jeffreysi](#) (W.H. Dall, 1881)

- **jugosa**, [Cuspidaria jugosa](#) (W. Wood, 1857)
- **jugosa**, *Cuspidaria jugosa* G.O. Sars, 1878 - syn of: [Cuspidaria lamellosa](#) (G.O. Sars, 1878)
- **kaiwa**, [Myonera kaiwa](#) C.D. de Castro Oliveira & R.S. Absaão, 2009
- **kashimana**, [Cardiomya kashimana](#) T.A. Okutani & K. Sakurai, 1964
- **kawamurai**, *Cuspidaria kawamurai* J.T. Kuroda, 1948 - syn of: [Cuspidaria gigantea](#) B. Prashad, 1932
- **kerguelensis**, [Cuspidaria kerguelensis](#) (E.A. Smith, 1885)
- **knudseni**, [Cardiomya knudseni](#) (J.A. Allen & R.E. Morgan, 1981)
- **krylovae**, [Cuspidaria krylovae](#) J.A. Allen, 2011
- **kurodai**, [Cuspidaria kurodai](#) T.A. Okutani, 1975
- **kurohijii**, [Soyomya kurohijii](#) (T.A. Okutani, 1972)
- **kyushuensis**, [Cuspidaria kyushuensis](#) T.A. Okutani, 1962
- **lamellifera**, [Myonera lamellifera](#) (W.H. Dall, 1881)
- **lamellosa**, [Cuspidaria lamellosa](#) (G.O. Sars, 1878)
- **lanieri**, [Cardiomya lanieri](#) (A.M. Strong & L.G. Hertlein, 1937)
- **lata**, *Neaera lata* R.B. Hinds, 1843 - syn of: [Theora lata](#) (R.B. Hinds, 1843)
- **latesulcata**, [Cuspidaria latesulcata](#) (J.E. Tenison-Woods, 1878)
- **laticella**, [Bathyneera laticella](#) (W.H. Dall, 1886)
- **ledaeformis**, *Cuspidaria ledaeformis* P. Dautzenberg & H. Fischer, 1897 - syn of: [Halonympha ledaeformis](#) (P. Dautzenberg & H. Fischer, 1897)
- **lepidus**, [Plectodon lepidus](#) B.A. Marshall, 2002
- **levifrons**, [Cardiomya levifrons](#) (B.C. Cotton, 1930)
- **ligula**, [Plectodon ligula](#) (M. Yokoyama, 1922)
- **ligula**, *Plectodon ligula* M. Yokoyama, 1922 - syn of: [Plectodon ligula](#) (M. Yokoyama, 1922)
- **limatula**, [Myonera limatula](#) (W.H. Dall, 1881)
- **lindbergi**, *Cardiomya lindbergi* O.A. Scarlato, 1972 - syn of: [Cardiomya gouldiana](#) (R.B. Hinds, 1843)
- **lindbergi batialis**, *Cardiomya lindbergi batialis* O.A. Scarlato, 1972 - syn of: [Cardiomya gouldiana](#) (R.B. Hinds, 1843)
- **lischkei**, [Myonera lischkei](#) (E.A. Smith, 1891)
- **longirostris**, *Cuspidaria longirostris* J.B.P.A. Lamarck, 1818 - syn of: [Cuspidaria rostrata](#) (L. Spengler, 1793)
- **lubangensis**, [Cuspidaria lubangensis](#) J. Poutiers, 1981
- **lucifuga**, *Cuspidaria lucifuga* P. Fischer, 1886 - syn of: [Cuspidaria undata](#) (A.E. Verrill, 1884)
- **luymesii**, [Cuspidaria luymesii](#) J. Knudsen, 2005
- **lynnae**, [Krylovina lynnae](#) P.H. Valentich-Scott & E.V. Coan, 2012
- **macrorhynchus**, [Cuspidaria macrorhynchus](#) E.A. Smith, 1895
- **marmorea**, *Cuspidaria marmorea* F.R. Bernard, 1989 - syn of: [Rhinoclama filatovae](#) (F.R. Bernard, 1979)
- **maxima**, [Cuspidaria maxima](#) P. Dautzenberg & H. Fischer, 1897
- **media**, [Cuspidaria media](#) A.E. Verrill & K.J. Bush, 1898
- **meridionalis**, [Cuspidaria meridionalis](#) (E.A. Smith, 1885)
- **meteoris**, [Cuspidaria meteoris](#) E.M. Krylova, 2006
- **mexicana**, *Myonera mexicana* J. Knudsen, 1970 - syn of: [Myonera garretti](#) W.H. Dall, 1908
- **microrrhina**, [Cuspidaria microrrhina](#) W.H. Dall, 1886
- **minima**, [Cuspidaria minima](#) (E.N. Egorova, 1993)
- **minor**, [Pseudoneaera minor](#) K.H.J. Thiele & S.G.A. Jaekel, 1931
- **mitis**, [Cuspidaria mitis](#) B. Prashad, 1932
- **moeshimana**, [Cuspidaria moeshimana](#) T. Habe, 1952
- **moluccana**, *Cuspidaria moluccana* A. Adams & L.A. Reeve, 1850 - syn of: [Cuspidaria elegans](#) (R.B. Hinds, 1843)
- **monasteira**, *Cuspidaria monasteira* W.H. Dall, 1890 - syn of: [Cuspidaria monasteira](#) W.H. Dall, 1890
- **monasteira**, [Cuspidaria monasteira](#) W.H. Dall, 1890
- **morelandi**, [Cuspidaria morelandi](#) R.K. Dell, 1956
- **morganae**, [Cuspidaria morganae](#) J.A. Allen, 2011
- **morganae**, *Luzonia morganae* J.A. Allen, 2011 - syn of: [Cuspidaria morganae](#) J.A. Allen, 2011
- **moria**, [Cuspidaria moria](#) R.K. Dell, 1956
- **morrisae**, [Cuspidaria morrisae](#) J. Poutiers & F.R. Bernard, 1995
- **multicarinata**, *Cardiomya multicarinata* B. Prashad, 1932 - syn of: [Cardiomya alcocki](#) (E.A. Smith, 1894)
- **multicostata**, [Cuspidaria multicostata](#) E.N. Egorova, 1993
- **munieri**, *Cuspidaria munieri* P. Dautzenberg & H. Fischer, 1897 - syn of: [Cuspidaria circinata](#) (J.G. Jeffreys, 1876)
- **murrayi**, [Rengea murrayi](#) (E.A. Smith, 1885)
- **nana**, *Cuspidaria nana* I.M. Oldroyd, 1918 - syn of: [Sphenia luticola](#) (A. Valenciennes, 1846)
- **nasuta**, [Cuspidaria nasuta](#) (C.B. Adams, 1864)
- **natalensis**, [Cuspidaria natalensis](#) J. Knudsen, 1970
- **niponica**, [Cardiomya niponica](#) (T.A. Okutani, 1962)
- **nitens**, [Rhinoclama nitens](#) (É.A.A. Locard, 1898)
- **nitida**, [Cuspidaria nitida](#) A. Adams & L.A. Reeve, 1850
- **nobilis**, [Cuspidaria nobilis](#) (C.B. Adams, 1864)
- **nobilis consimilis**, [Cuspidaria nobilis consimilis](#) T. Habe, 1961
- **notabilis**, [Rhinoclama notabilis](#) (J.G. Jeffreys, 1876)
- **nybelini**, *Myonera nybelini* N.H. Odhner, 1960 - syn of: [Cuspidaria undata](#) (A.E. Verrill, 1884)

- **obesa**, [Cuspidaria obesa](#) (S.L. Lovén, 1846)
- **obesa**, *Neaera obesa* H.J. Possett, 1895 – syn of: [Cuspidaria glacialis](#) (G.O. Sars, 1878)
- **obesa**, *Cuspidaria obesa* S.L. Lovén, 1846 – syn of: [Cuspidaria obesa](#) (S.L. Lovén, 1846)
- **obliqua**, [Cardiomya obliqua](#) (H.H. Boer, 1985)
- **obtusirostris**, [Cuspidaria obtusirostris](#) T.A. Okutani, 1962
- **occidua**, [Cuspidaria occidua](#) B.C. Cotton, 1931
- **ochotensis**, [Cardiomya ochotensis](#) O.A. Scarlato, 1972
- **octaporosa**, [Octoporia octaporosa](#) (J.A. Allen & R.E. Morgan, 1981)
- **okezoko**, [Cuspidaria okezoko](#) T.A. Okutani, 1985
- **oldroydi**, *Cardiomya oldroydi* W.H. Dall in I.M. Oldroyd, 1924 – syn of: [Cardiomya pectinata](#) (P.P. Carpenter, 1865)
- **optima**, [Cuspidaria optima](#) G.B. III Sowerby, 1904
- **orientalis**, [Cardiomya orientalis](#) (K.H.J. Thiele & S.G.A. Jaekel, 1931)
- **ornatissima**, [Cardiomya ornatissima](#) (D'Orbigny, 1853)
- **ornatissima**, [Cuspidaria ornatissima](#) W.H. Dall, 1881
- **ornatissima perrostrata**, *Cardiomya ornatissima perrostrata* W.H. Dall, 1881 – syn of: [Cardiomya perrostrata](#) (W.H. Dall, 1881)
- **pailoloana**, [Myonera pailoloana](#) (W.H. Dall, P. Bartsch & H.A. Rehder, 1938)
- **paleifera**, [Bathyneaea paleifera](#) E.M. Krybva, 1993
- **panamensis**, [Cuspidaria panamensis](#) W.H. Dall, 1908
- **papyria**, [Cuspidaria papyria](#) (J.G. Jeffreys, 1876)
- **parapodema**, [Cuspidaria parapodema](#) F.R. Bernard, 1969
- **parkeri**, [Cuspidaria parkeri](#) J. Knudsen, 1970
- **parva**, [Cuspidaria parva](#) A.E. Verrill & K.J. Bush, 1898
- **patagonica**, [Cuspidaria patagonica](#) (E.A. Smith, 1885)
- **paucistriata**, [Myonera paucistriata](#) W.H. Dall, 1886
- **pectinata**, [Cardiomya pectinata](#) (P.P. Carpenter, 1865)
- **pellucida**, [Cuspidaria pellucida](#) (W. Stimpson, 1853)
- **periplomoides**, [Pseudoneaera periplomoides](#) K. Sakurai & T. Habe in T. Habe, 1961
- **perrostrata**, [Cardiomya perrostrata](#) (W.H. Dall, 1881)
- **persculpta**, *Cardiomya persculpta* B. Prashad, 1932 – syn of: [Cardiomya alcocki](#) (E.A. Smith, 1894)
- **philippinensis**, [Luzonia philippinensis](#) (R.B. Hinds, 1843)
- **philippinensis**, *Cuspidaria philippinensis* A. Adams, 1861 – syn of: [Rhinoclama adamsi](#) (R.E. Morgan & D. Heppell, 1981)
- **pinna**, [Cardiomya pinna](#) (J.C. Verco, 1908)
- **planetica**, [Cardiomya planetica](#) (W.H. Dall, 1908)
- **platensis**, [Cuspidaria platensis](#) (E.A. Smith, 1885)
- **plicata**, *Cuspidaria plicata* K.H.J. Thiele, 1912 – syn of: [Cuspidaria tenella](#) E.A. Smith, 1907
- **podobeda**, [Octoporia podobeda](#) E.M. Krylova, 1994
- **potti**, [Cuspidaria potti](#) R. Sturany, 1901
- **poutiera**, [Octoporia poutiera](#) J.A. Allen, 2011
- **pretiosa**, [Myonera pretiosa](#) A.E. Verrill & K.J. Bush, 1898
- **prolatissima**, [Cuspidaria prolatissima](#) J. Poutiers, 1981
- **pruinus**, [Plectodon pruinus](#) B.A. Marshall, 2002
- **pseustes**, *Cardiomya pseustes* W.H. Dall, 1908 – syn of: [Cardiomya planetica](#) (W.H. Dall, 1908)
- **pseutes**, *Cardiomya pseutes* W.H. Dall, 1908 – syn of: [Cardiomya planetica](#) (W.H. Dall, 1908)
- **pulchella**, *Cardiomya pulchella* A. Adams, 1871 – syn of: [Cardiomya singaporensis](#) (R.B. Hinds, 1843)
- **pura**, *Neaera pura* G.F. Angas, 1871 – syn of: [Leptomya pura](#) (G.F. Angas, 1871)
- **quadrostrata**, [Bathyneaea quadrostrata](#) (J. Poutiers, 1984)
- **radiata**, *Cardiomya radiata* P. Calcar, 1840 – syn of: [Cardiomya costellata](#) (G.P. Deshayes, 1835)
- **raoulensis**, [Rhinoclama raoulensis](#) A.W.B. Powell, 1958
- **raoulensis**, [Austroneaera raoulensis](#) A.W.B. Powell, 1958
- **rara**, *Cuspidaria rara* K.H.J. Thiele & S.G.A. Jaekel, 1931 – syn of: [Cuspidaria optima](#) G.B. III Sowerby, 1904
- **rectimarginata**, [Cardiomya rectimarginata](#) R.K. Dell, 1962
- **regalis**, [Plectodon regalis](#) B.A. Marshall, 2002
- **renovata**, *Cuspidaria renovata* N. Tiberi, 1855 – syn of: [Cuspidaria rostrata](#) (L. Spengler, 1793)
- **reticulata**, [Cardiomya reticulata](#) (J.T. Kuroda, 1948)
- **robinosa**, *Cardiomya robinosa* T.A. Okutani & K. Sakurai, 1964 – syn of: [Cardiomya behringensis](#) (W. Leche, 1883)
- **rosea**, [Cuspidaria rosea](#) (R.B. Hinds, 1843)
- **rostra**, [Myonera rostra](#) J. Poutiers & F.R. Bernard, 1995
- **rostrata**, [Cuspidaria rostrata](#) (L. Spengler, 1793)
- **rostrata major**, *Cuspidaria rostrata major* P. Dautzenberg & H. Fischer, 1897 – syn of: [Cuspidaria rostrata](#) (L. Spengler, 1793)
- **rostrata microrrhina**, *Cuspidaria rostrata microrrhina* W.H. Dall, 1886 – syn of: [Cuspidaria microrrhina](#) W.H. Dall, 1886
- **rostratocostellata**, *Cardiomya rostratocostellata* G. Acton, 1856 – syn of: [Cardiomya costellata](#) (G.P. Deshayes, 1835)
- **rugata**, [Rhinoclama rugata](#) (C.B. Adams, 1864)
- **ruginosa**, *Myonera ruginosa* J.G. Jeffreys, 1882 – syn of: [Protocuspidaria ruginosa](#) (J.G. Jeffreys, 1882)
- **ruginosa**, *Cuspidaria ruginosa* J.G. Jeffreys, 1882 – syn of: [Protocuspidaria ruginosa](#) (J.G. Jeffreys, 1882)
- **rugosa**, [Octoporia rugosa](#) E.M. Krybva, 1994

- saba, [Cardiomya saba](#) J. Knudsen, 1982
- sadoensis, [Cuspidaria sadoensis](#) T.A. Okutani & K. Itô, 1983
- sagamiana, *Cardiomya sagamiana* T.A. Okutani & K. Sakurai, 1964 - syn of: [Cardiomya tosaensis](#) (J.T. Kuroda, 1948)
- scaber, [Plectodon scaber](#) P.P. Carpenter, 1865
- scabra, *Leiomya scabra* P.P. Carpenter, 1865 - syn of: [Plectodon scaber](#) P.P. Carpenter, 1865
- semicostata, [Cardiomya semicostata](#) (B. Prashad, 1932)
- semipellucida, [Pseudoneaera semipellucida](#) (J.T. Kuroda, 1948)
- semirostrata, [Cuspidaria semirostrata](#) É.A.A. Locard, 1898
- semistrigosa, [Rhinoclama semistrigosa](#) (J.G. Jeffreys, 1882)
- septentrionalis, [Cardiomya gouldiana septentrionalis](#) J.T. Kuroda, 1948
- sibogai, [Cardiomya sibogai](#) (B. Prashad, 1932)
- similis, *Cardiomya similis* E.M. Krylova, 1994 - syn of: [Cardiomya cleryana](#) (D'Orbigny, 1842)
- simillima, *Cardiomya simillima* E.A. Smith, 1915 - syn of: [Cardiomya cleryana](#) (D'Orbigny, 1842)
- simplex, [Luzonia simplex](#) (J.A. Allen & R.E. Morgan, 1981)
- simplex walleri, *Luzonia simplex walleri* F.R. Bernard, 1989 - syn of: [Luzonia chilensis](#) (W.H. Dall, 1890)
- simulans, [Rhinoclama simulans](#) (R. Tate, 1897)
- singaporensis, [Cardiomya singaporensis](#) (R.B. Hinds, 1843)
- sinica, [Cardiomya sinica](#) F.S. Xu, 1980
- sinuosa, [Octoporia sinuosa](#) E.M. Krylova, 1994
- smirnovi, [Cuspidaria smirnovi](#) E.N. Egorova, 1998
- smithii, [Vulcanomya smithii](#) W.H. Dall, 1886
- solidula, [Cuspidaria solidula](#) B. Prashad, 1932
- steindachneri, [Cuspidaria steindachneri](#) R. Sturany, 1899
- striata, [Cardiomya striata](#) (J.G. Jeffreys, 1876)
- striata, *Cuspidaria striata* J.G. Jeffreys, 1876 - syn of: [Cardiomya striata](#) (J.G. Jeffreys, 1876)
- striata bicarinata, *Cardiomya striata bicarinata* J.G. Jeffreys, 1882 - syn of: [Cuspidaria bicarinata](#) (J.G. Jeffreys, 1882)
- striolata, [Cardiomya striolata](#) (É.A.A. Locard, 1898)
- subglacialis, *Cuspidaria subglacialis* W.H. Dall, 1913 - syn of: [Cuspidaria glacialis](#) (G.O. Sars, 1878)
- subtorta, [Cuspidaria subtorta](#) (G.O. Sars, 1878)
- subtorte, *Cuspidaria subtorte* G.O. Sars, 1878 - syn of: [Cuspidaria subtorta](#) (G.O. Sars, 1878)
- suganumai, [Cuspidaria suganumai](#) S. Nomura, 1940
- sulcata, *Cuspidaria sulcata* S.L. Lovén, 1846 - syn of: [Cardiomya costellata](#) (G.P. Deshayes, 1835)
- sulcata, *Cardiomya sulcata* S.L. Lovén, 1846 - syn of: [Cardiomya costellata](#) (G.P. Deshayes, 1835)
- sulcifera, [Myonera sulcifera](#) (J.G. Jeffreys, 1882)
- surinamensis, [Cardiomya surinamensis](#) C.O. Van Regteren Altena, 1971
- taiwanica, [Cardiomya taiwanica](#) T.A. Okutani & T.C. Lan, 1999
- tamandua, [Cuspidaria tamandua](#) R.S. Absalão & C.D. de Castro Oliveira, 2011
- tanabensis, *Leiomya tanabensis* T. Habe, 1960 - syn of: [Leiomya adunca](#) (A.A. Gould, 1861)
- tangaroa, [Austroneaera tangaroa](#) (B.A. Marshall, 2002)
- tangaroa, *Rhinoclama tangaroa* B.A. Marshall, 2002 - syn of: [Austroneaera tangaroa](#) (B.A. Marshall, 2002)
- tasmanica, [Myonera tasmanica](#) (J. Knudsen, 1970)
- tasmanica, [Rhinoclama tasmanica](#) (J.E. Tenison-Woods, 1876)
- tasmanica, [Pseudoneaera tasmanica](#) J.E. Tenison-Woods, 1878
- tenella, [Cuspidaria tenella](#) E.A. Smith, 1907
- teramachii, *Cuspidaria teramachii* J.T. Kuroda, 1948 - syn of: [Cuspidaria corrugata](#) B. Prashad, 1932
- teres, [Rhinoclama teres](#) (J.G. Jeffreys, 1882)
- testai, *Rhinoclama testai* J. Knudsen, 1970 - syn of: [Rhinoclama notabilis](#) (J.G. Jeffreys, 1876)
- thaumasias, [Pseudoneaera thaumasias](#) R. Sturany, 1901
- tillamookensis, [Bathyneura tillamookensis](#) (W.H. Dall, 1916)
- tomlini, [Cuspidaria tomlini](#) B. Prashad, 1932
- tosaensis, [Cardiomya tosaensis](#) (J.T. Kuroda, 1948)
- trailli, [Rhinoclama trailli](#) (F.W. Hutton, 1873)
- treosaetes, *Cuspidaria treosaetes* W.H. Dall, 1925 - syn of: [Cuspidaria trosaetes](#) W.H. Dall, 1925
- trigona, [Cuspidaria trigona](#) (R.B. Hinds, 1843)
- trigonalis, [Pseudoneaera trigonalis](#) (R. Tate, 1897)
- trosaetes, [Cuspidaria trosaetes](#) W.H. Dall, 1925
- truncata, [Jeffreysomya truncata](#) (J.G. Jeffreys, 1882)
- truncata, [Cuspidaria truncata](#) C. Hedley, 1905
- truncata, *Pseudoneaera truncata* J.G. Jeffreys, 1882 - syn of: [Jeffreysomya truncata](#) (J.G. Jeffreys, 1882)
- tsugaruensis, [Rhinoclama tsugaruensis](#) Yamazaki, 2008
- tuhua, [Cuspidaria tuhua](#) R.K. Dell, 1962
- turgida, [Cuspidaria turgida](#) A.E. Verrill & K.J. Bush, 1898
- typica, *Cuspidaria typica* G.D. Nardo, 1847 - syn of: [Cuspidaria cuspidata](#) (A.G. Olivi, 1792)
- typus, *Cuspidaria typus* G.D. Nardo, 1840 - syn of: [Cuspidaria cuspidata](#) (A.G. Olivi, 1792)
- undata, [Cuspidaria undata](#) (A.E. Verrill, 1884)

- **undata**, Myonera undata A.E. Verrill, 1884 - syn of: [Cuspidaria undata](#) (A.E. Verrill, 1884)
 - unistriata, [Cardiomya unistriata](#) J.A. Allen, 2011
 - valdiviae, [Rhinoclama valdiviae](#) (K.H.J. Thiele & S.G.A. Jaeckel, 1931)
 - variola, [Cuspidaria variola](#) F.R. Bernard, 1979
 - **ventricosa**, [Cuspidaria ventricosa](#) A.E. Verrill & K.J. Bush, 1898
 - **vitrea**, Trepidomya vitrea S.L. Lovén, 1846 - syn of: [Trepidomya abbreviata](#) (E. Forbes, 1843)
 - **vitrea**, Cuspidaria vitrea S.L. Lovén, 1846 - syn of: [Trepidomya abbreviata](#) (E. Forbes, 1843)
 - **walleri**, Cuspidaria walleri F.R. Bernard, 1989 - syn of: [Luzonia chilensis](#) (W.H. Dall, 1890)
 - **wangellica**, [Pseudogrippina wangellica](#) B.A. Marshall, 2002
 - wapixana, [Cuspidaria wapixana](#) R.S. Absalão & C.D. de Castro Oliveira, 2011
 - wellmani, [Pseudoneaera wellmani](#) (C.A. Fleming, 1948)
 - willetti, [Cuspidaria willetti](#) C.A. Fleming, 1948
 - wollastonii, [Cuspidaria wollastonii](#) (E.A. Smith, 1885)
-


Class: BIVALVIA
--- Clade: HETERODONTA-EUHETERODONTA-CUSPIDARIOIDEA


----- Family: CUSPIDARIIDAE Dall, 1886
Habitat= Sea, Taxonomic order
Taxa=428, Genus=18, Subgenus=4, Species=266, Subspecies=4, Synonyms=135, Images=126

Genus: Cardiomya A. Adams, 1864 (syn: Kurodamya, Spathophora - 55 SP, 20 IMG)



6350250000
Cardiomya abyssicola
A.E. Verrill & K.J. Bush, 1898
Chesapeake Bay







6350250005
Cardiomya alcocki
(E.A. Smith, 1894)
East China Sea
12 mm





synonyms:

- Cardiomya chunfui T.-C. Lan, 2000
- Cardiomya persculpta B. Prashad, 1932
- Cardiomya multicarinata B. Prashad, 1932



6350000000
Cardiomya alternata
(D'Orbigny, 1853)
America

No Georeferenced data available




synonyms:

- Sphenia alternata D'Orbigny, 1853



6350250100
Cardiomya alveata
(C. Hedley, 1907)
New South Wales








7244000010
Cardiomya andamanica
H.B. Preston, 1916


No Georeferenced data available





6350650509
Cardiomya angusticauda
O.A. Scarlato, 1972
Japan







6350250010
Cardiomya balboae
W.H. Dall, 1916
Galapagos







6350250015
Cardiomya
behringensis
(W. Leche, 1883)
East China Sea
12,6 mm



synonyms:

- Cardiomya robighosa T.A. Okutani & K. Sakurai, 1964



6350650517
Cardiomya
bruuni
R.K. Dell, 1956
New Zealand



7244000011
Cardiomya
cadiziana
M. Huber, 2010
Portugal



synonyms:

- Cuspidaria curta J.G. Jeffreys, 1876
- Cardiomya curta J.G. Jeffreys, 1876



6350250020
Cardiomya
californica
W.H. Dall, 1886
California, Santa Catalina Island



6350650763
Cardiomya
casta
(R.B. Hinds, 1843)

No Georeferenced data available



7244000012
Cardiomya
chuni
(K.H.J. Thiele & S.G.A. Jaeckel, 1931)

No Georeferenced data available



6350250025
Cardiomya
cleryana
(D'Orbigny, 1842)
Uruguay
13 mm



synonyms:

- Sphenia cleryana D'Orbigny, 1842
- Cardiomya similis E.M. Krylova, 1994

- Cardiomya similina E.A. Smith, 1915



7244000013
Cardiomya
concinna
(R.B. Hinds, 1843)

No Georeferenced data available



6350250030
Cardiomya
costata
(G.B. I Sowerby, 1834)
Costa Rica



synonyms:

- Cardiomya dulcis H.A. Pilsbry & H.N. Lowe, 1932



6350000035
Cardiomya
costellata
(G.P. Deshayes, 1835)
Bermuda
11 mm




synonyms:

- Cuspidaria actoni N. Tiberi, 1855
- Cardiomya actoni (G.P. Deshayes, 1833)
- Cuspidaria costellata lactea J.G. Jeffreys, 1865
- Anatina radiata P. Calcara, 1840
- Corbula rostrato G. Acton, 1856
- Cardiomya rostratocostellata G. Acton, 1856
- Cardiomya sulcata S.L. Lovén, 1846

- Corbula costellata G.P. Deshayes, 1835
- Cardiomya gemma A.E. Verrill & K.J. Bush, 1898
- Cardiomya radiata P. Calcara, 1840
- Corbula rostratocostellata G. Acton, 1856
- Cuspidaria sulcata S.L. Lovén, 1846



6350650525
Cardiomya
costellata
corpulenta
W.H. Dall, 1881
Curaçao Island
6 mm



6350650541
Cardiomya
didyma
(R.B. Hinds, 1843)
West America

No Georeferenced data available



6350250035
Cardiomya
ecuadoriana
(A.A. Olsson, 1961)
Ecuador
5 mm




6350250115
Cardiomya
fallax
(E.A. Smith, 1885)


No Georeferenced data available



6350000065
Cardiomya
filatovae
O.A. Scarlato, 1972
Japan



6350650549
Cardiomya
forticostata
(G.B. III Sowerby, 1904)
South Africa





6350650165
Cardiomya fortisculpta
J.T. Kuroda, 1948
East China Sea
17 mm



synonyms:

- *Cardiomya alcocki fortisculpta* J.T. Kuroda, 1948





7244000014
Cardiomya fragilissima
(E.A. Smith, 1885)
Antarctica

No Georeferenced data available



6350650557
Cardiomya fujitai
(J.T. Kuroda, 1948)
Japan



7244000015
Cardiomya gilchristi
(G.B. III Sowerby, 1904)

No Georeferenced data available



6350000090
Cardiomya gouldiana
(R.B. Hinds, 1843)
East China Sea
12 mm




synonyms:

- *Cardiomya lindbergi* O.A. Scarlato, 1972



- *Cardiomya lindbergi batialis* O.A. Scarlato, 1972



6350650565
Cardiomya gouldiana septentrionalis
J.T. Kuroda, 1948
Philippines, Siquijor
8,3 mm



6350650573
Cardiomya interstitialis
H. Takeda, 1953
Japan



7244000016
Cardiomya iturupica
O.A. Scarlato, 1972

No Georeferenced data available



6350250055
Cardiomya
kashimana

T.A. Okutani & K. Sakurai, 1964

East China Sea
8 mm



6350650747
Cardiomya
knudseni

(J.A. Allen & R.E. Morgan, 1981)

No Georeferenced data available



6350650581
Cardiomya
lanieri

(A.M. Strong & L.G. Hertlein, 1937)

Galapagos



6350250120
Cardiomya
levifrons

(B.C. Cotton, 1930)

No Georeferenced data available



7244000017
Cardiomya
niponica

(T.A. Okutani, 1962)

No Georeferenced data available



6350650357
Cardiomya
obliqua

(H.H. Boer, 1985)

Europe



No Georeferenced data available



6350650597
Cardiomya
ochotensis

O.A. Scarlato, 1972

Japan




7244000018
Cardiomya
orientalis

(K.H.J. Thiele & S.G.A. Jaeckel, 1931)

No Georeferenced data available



6350250070
Cardiomya ornatissima
(D'Orbigny, 1853)
Florida
5,8 mm




synonyms:

- Neaera costata K.J. Bush, 1885
- Sphenia ornatissima D'Orbigny in R. de la Sagra, 1853
- Cardiomya glypta K.J. Bush in A.E. Verrill & K.J. Bush, 1898



6350250075
Cardiomya pectinata
(P.P. Carpenter, 1865)
Colombia
40 mm



synonyms:

- Cardiomya isolrata F.R. Bernard, 1969
- Cardiomya oldroydi W.H. Dall in I.M. Oldroyd, 1924



6350250080
Cardiomya perrostrata
(W.H. Dall, 1881)
Panama East
9 mm




synonyms:

- Cardiomya ornatissima perrostrata W.H. Dall, 1881



6350250105
Cardiomya pinna
(J.C. Verco, 1908)
South Australia



6350250085
Cardiomya planetica
(W.H. Dall, 1908)
Washington, USA
10,3 mm




synonyms:

- Cardiomya pseustes W.H. Dall, 1908
- Cardiomya pseutes W.H. Dall, 1908



6350650613
Cardiomya rectimarginata
R.K. Dell, 1962
New Zealand








6350650621
Cardiomya reticulata
(J.T. Kuroda, 1948)
Indo Pacific

No Georeferenced data available

synonyms:


- Cardiomya abyssicola nipponica T.A. Okutani, 1962

no IMAGES available	6350650748 <u>Cardiomya saba</u> J. Knudsen, 1982	No Georeferenced data available	
no IMAGES available	6350004160 <u>Cardiomya semicostata</u> (B. Prashad, 1932)	No Georeferenced data available	
no IMAGES available	6350004165 <u>Cardiomya sibogai</u> (B. Prashad, 1932)	No Georeferenced data available	
no IMAGES available	6350250110 <u>Cardiomya singaporensis</u> (R.B. Hinds, 1843) China	No Georeferenced data available	
synonyms: ● <i>Cardiomya pulchella</i> A. Adams, 1871			
	6350650637 <u>Cardiomya sinica</u> F.S. Xu, 1980 Philippines, Siquijor Island 5,4 mm		
	6350250095 <u>Cardiomya striata</u> (J.G. Jeffreys, 1876) Rockall trough, Ireland 11 mm		
synonyms: ● <i>Cardiomya greenii</i> E.A. Smith, 1889 ● <i>Cuspidaria striata</i> J.G. Jeffreys, 1876			
no IMAGES available	6350650645 <u>Cardiomya striolata</u> (É.A.A. Locard, 1898) Lusitanian	No Georeferenced data available	
no IMAGES available	6350650749 <u>Cardiomya surinamensis</u> C.O. Van Regteren Altena, 1971	No Georeferenced data available	



no IMAGES available	7244000019 <u>Cardiomya taiwanica</u> T.A. Okutani & T.C. Lan, 1999	No Georeferenced data available	
no IMAGES available	6350650653 <u>Cardiomya tosaensis</u> (J.T. Kuroda, 1948) Bahamas		
synonyms: ● <i>Cardiomya sagamiana</i> T.A. Okutani & K. Sakurai, 1964			
no IMAGES available	7244000076 <u>Cardiomya unistriata</u> J.A. Allen, 2011	No Georeferenced data available	
Genus: Cuspidaria G.D. Nardo, 1840 (syn: Allenineara, Aulacophora, Neaera, Subcuspidaria - 117 SP, 66 IMG)			
no IMAGES available	6350650013 <u>Cuspidaria abyssopacifica</u> T.A. Okutani, 1975 Japan		
no IMAGES available	6350650750 <u>Cuspidaria altenai</u> J. Knudsen, 2005	No Georeferenced data available	
no IMAGES available	6350004025 <u>Cuspidaria angasi</u> (E.A. Smith, 1885) Tasmania		
no IMAGES available	7244000086 <u>Cuspidaria angasi annandalei</u> H.B. Preston, 1915 Australia	No Georeferenced data available	
no IMAGES available	7244000020 <u>Cuspidaria annandalei</u> H.B. Preston, 1915	No Georeferenced data available	





6350000005
Cuspidaria
apodema
W.H. Dall, 1916
Sitka, Alaska





6350004120
Cuspidaria
approximata
E.A. Smith, 1896
Gulf of Oman




6350650737
Cuspidaria
arcoida
T.A. Okutani & R. Kawamura, 2002
Japan
10,7 mm



6350000010
Cuspidaria
arctica
(G.O. Sars, 1859)
Kongsfjorden, Norway



6350000015
Cuspidaria
arcuata
(W.H. Dall, 1881)
Yucatan, Mexico





synonyms:



- Neaera arcuata W.H. Dall, 1881




6350650029
Cuspidaria
ascoldica
O.A. Scarlato, 1972
Japan



6350650045
Cuspidaria
azorica
(E.A. Smith, 1885)
Azores



6350650751
Cuspidaria
barnardi
J. Knudsen, 1970
off S. E. Africa (32°00'S, 32°41'E)





7244000091
Cuspidaria
bicarinata
(J.G. Jeffreys, 1882)
Florida Keys




synonyms:

- Neaera bicarinata J.G. Jeffreys, 1882
- Cardiomya striata bicarinata J.G. Jeffreys, 1882



6350004125
Cuspidaria
brachyrhynchus
R. Sturany, 1899
Red Sea



7244000021
Cuspidaria
buccina
F.R. Bernard, 1989

No Georeferenced data available



6350650077
Cuspidaria
capensis
(E.A. Smith, 1885)
Europe

No Georeferenced data available



7244000047
Cuspidaria
centobi
(P. Bouchet & A. Warén, 1979)



No Georeferenced data available

synonyms:

- Myonera centobi (P. Bouchet & A. Warén, 1979)



6350650093
Cuspidaria
chinensis
(J.E. Gray in E. Griffith,
& E. Pidgeon, 1833)
Japan, Ki
24,1 mm



6350000025
Cuspidaria
circinata
(J.G. Jeffreys, 1876)
Portugal
4 mm










synonyms:

- Cuspidaria consociata E.A. Smith, 1885
- Neaera imbricata J.G. Jeffreys, 1881
- Cuspidaria munieri P. Dautzenberg & H. Fischer, 1897
- Cuspidaria imbricata É.A.A. Locard, 1898




7244000022
Cuspidaria
cochinensis
H.B. Preston, 1916

No Georeferenced data available

no IMAGES available	6350650109 <u>Cuspidaria</u> <u>concentrica</u> K.H.J. Thiele, 1912 Antarctica	No Georeferenced data available	
	6350650117 <u>Cuspidaria</u> <u>contracta</u> (J.G. Jeffreys, 1882) Portugal		
	6350004035 <u>Cuspidaria</u> <u>convexa</u> J.P.L. Pelseneer, 1911 China Japan		
	6350000205 <u>Cuspidaria</u> <u>corrugata</u> B. Prashad, 1932 Philippines, Aliguay Island 29 mm		
synonyms: ● Cuspidaria corrugata J.P.L. Pelseneer, 1911 ● Cuspidaria teramachi J.T. Kuroda, 1948			
no IMAGES available	7244000023 <u>Cuspidaria</u> <u>cowani</u> F.R. Bernard, 1967	No Georeferenced data available	
	6350000040 <u>Cuspidaria</u> <u>cuspidata</u> (A.G. Olivi, 1792) Bozcaada Island, Turkey 27,4 mm		
synonyms: ● Thracia brevirostra T. Brown, 1844 ● Cuspidaria brevirostris T. Brown, 1829 ● Cuspidaria crassa T.A. de M. Monterosato, 1880 ● Neaera cuspidata R.B. Hinds, 1843 ● Neaera cuspidata curta J.G. Jeffreys, 1865 ● Cuspidaria typus G.D. Nardo, 1840		● Anatina brevirostris T. Brown, 1829 ● Tellina cuspidata A.G. Olivi, 1792 ● Neaera cuspidata cinerea J.G. Jeffreys, 1865 ● Cuspidaria typica G.D. Nardo, 1847	
	7244000024 <u>Cuspidaria</u> <u>delli</u> J. Knudsen, 1970 Tasman Sea (45°51'S, 164°32'E)		
no IMAGES available	6350004130 <u>Cuspidaria</u> <u>dissociata</u> R. Sturany, 1899 Red Sea		



6350004045
Cuspidaria
elegans
(R.B. Hinds, 1843)
Philippines, Aliquay Island
15,4 mm



synonyms:

- *Cuspidaria moluccana* A. Adams & L.A. Reeve, 1850





7244000025
Cuspidaria
elephantina
T.C. Lan, 2000


No Georeferenced data available




6350000055
Cuspidaria
elliptica
S.I. Di Geronimo, 1974
Mediterranean Sea
4 mm




6350004050
Cuspidaria
erma
B.C. Cotton, 1931
Tasmania



6350004055
Cuspidaria
exarata
J.C. Verco, 1908
Australia, Brunswick Heads
37 mm




6350000060
Cuspidaria
exigua
(J.G. Jeffreys, 1876)
Greenland



6350650141
Cuspidaria
fairchildi
H.H. Suter, 1908
New Zealand





6350000070
Cuspidaria
formosa
A.E. Verrill & K.J. Bush, 1898
New York, Long Island






6350000075
Cuspidaria
fraterna
A.E. Verrill & K.J. Bush, 1898
USA, Rhode Island



6350004000
Cuspidaria
gigantea
B. Prasad, 1932
Okinawa
45,6 mm




synonyms:

- Cuspidaria kawamurai J.T. Kuroda, 1948



6350000085
Cuspidaria
glacialis
(G.O. Sars, 1878)
Washington
11,9 mm




synonyms:

- Neaera obesa H.J. Posset, 1895
- Cuspidaria subglacialis W.H. Dall, 1913




7244000027
Cuspidaria
gracilis
(J.G. Jeffreys, 1882)
Bank Porcupine





synonyms:

- Cuspidaria gracilis F. Nordsieck, 1969




7244000028
Cuspidaria
guineensis
J. Knudsen, 1970
E. Atlantic, off W. Africa, (1°42'N, 7°51'E)



6350650197
Cuspidaria
haasi
J. Knudsen, 1970
off C. America (9°23'N, 89°32'W)



6350004060
Cuspidaria
halei
B.C. Cotton & F.C. Godfrey, 1938
Victoria




6350650205
Cuspidaria
hawaiiensis
W.H. Dall, P. Bartsch,
& H.A. Rehder, 1938
Hawaii
6,5 mm





6350004065
Cuspidaria
hindsiana
(C.B. Adams, 1864)
Japan, Kochi
20 mm




synonyms:

- *Cuspidaria hindsiana kagoshimensis* T. Habe, 1961



6350000095
Cuspidaria
hirasei
J.T. Kuroda, 1948
East China Sea
19 mm



7244000029
Cuspidaria
hyalina
(R.B. Hinds, 1843 ex Sowerby MS)

No Georeferenced data available



6350650229
Cuspidaria
infelix
K.H.J. Thiele, 1912
Antarctica

No Georeferenced data available




6350004135
Cuspidaria
japonica
J.T. Kuroda, 1948
East China Sea
21,2 mm



6350000105
Cuspidaria
jeffreysi
(W.H. Dall, 1881)
Florida
16,1 mm







6350000110
Cuspidaria
jugosa
(W. Wood, 1857)
Brekstad, Norway
7 mm




6350650237
Cuspidaria
kerguelensis
(E.A. Smith, 1885)
Antarctica

No Georeferenced data available

no IMAGES available	7244000078 Cuspidaria krylovae J.A. Allen, 2011 Atlantis II Cruise, Station 156, 3460 m		
no IMAGES available	6350650245 Cuspidaria kurodai T.A. Okutani, 1975 Japan		
	6350004005 Cuspidaria kyushuensis T.A. Okutani, 1962 Okinawa		
no IMAGES available	6350000120 Cuspidaria lamellosa (G.O. Sars, 1878) America	No Georeferenced data available	
synonyms: Cuspidaria jugosa G.O. Sars, 1878			
	6350004070 Cuspidaria latesulcata (J.E. Tenison-Woods, 1878) Australia, Brunswick Heads 24,2 mm		
no IMAGES available	6350004140 Cuspidaria lubangensis J. Poutiers, 1981	No Georeferenced data available	
no IMAGES available	6350650753 Cuspidaria luymesii J. Knudsen, 2005	No Georeferenced data available	
	6350000125 Cuspidaria macrorhynchus E.A. Smith, 1895 East China Sea 34 mm		



6350650269
Cuspidaria
maxima
P. Dautzenberg & H. Fischer, 1897
Azores



6350000130
Cuspidaria
media
A.E. Verrill & K.J. Bush, 1898
USA, Rhode Island



6350004075
Cuspidaria
meridionalis
(E.A. Smith, 1885)

No Georeferenced data available




7244000030
Cuspidaria
meteoris
E.M. Krylova, 2006

No Georeferenced data available



6350000135
Cuspidaria
microrhina
W.H. Dall, 1886
Florida
29,1 mm



synonyms:

- Cuspidaria rostrata microrhina W.H. Dall, 1886



6350650754
Cuspidaria
minima
(E.N. Egorova, 1993)
Antarctica


No Georeferenced data available



6350004145
Cuspidaria
mitis
B. Prasad, 1932
East China Sea
23,54 mm




6350650277
Cuspidaria
moeshimana
T. Habe, 1952
Japan





7244000031
Cuspidaria
monasteira
W.H. Dall, 1890
Ceara, Brasil



synonyms:

- Cuspidaria monasteira W.H. Dall, 1890



6350650293
Cuspidaria
morelandi
R.K. Dell, 1956
New Zealand



7244000079
Cuspidaria
morganae
J.A. Allen, 2011

No Georeferenced data available

synonyms:


- Luzonia morganae J.A. Allen, 2011




6350650301
Cuspidaria
morioria
R.K. Dell, 1956
New Zealand





6350004150
Cuspidaria
morrisae
J. Poutiers & F.R. Bernard, 1995
New Caledonia




6350250060
Cuspidaria
multicostata
E.N. Egorova, 1993
Massachusetts



6350650317
Cuspidaria
nasuta
(C.B. Adams, 1864)
East China Sea
18,3 mm





7244000032
Cuspidaria
natalensis
J. Knudsen, 1970
off S. E. Africa (29°49'S, 33°19'E)






6350650341
Cuspidaria
nitida
A. Adams & L.A. Reeve, 1850
Japan




6350000140
Cuspidaria
nobilis
(C.B. Adams, 1864)
Philippines, Aliguay Island
46 mm



6350650349
Cuspidaria
nobilis
consimilis
T. Habe, 1961
East China Sea
50 mm



6350000145
Cuspidaria
obesa
(S.L. Lovén, 1846)
Svalbard
13 mm




synonyms:

- Cuspidaria obesa S.L. Lovén, 1846



6350650365
Cuspidaria
obtusirostris
T.A. Okutani, 1962
Japan




6350004080
Cuspidaria
occidua
B.C. Cotton, 1931

No Georeferenced data available



6350000150
Cuspidaria
okezoko
T.A. Okutani, 1985
East China Sea
15 mm



6350650725
Cuspidaria
optima
G.B. III Sowerby, 1904
East London, South Africa
27,5 mm



synonyms:

- Cuspidaria agulhasensis K.H.J. Thiele & Jarckel, 1931
- Cuspidaria rara K.H.J. Thiele & S.G.A. Jaeckel, 1931




7244000070
Cuspidaria
ornatissima
W.H. Dall, 1881

No Georeferenced data available



6350650381
Cuspidaria
panamensis
W.H. Dall, 1908
Gulf of Panama



7244000033
Cuspidaria
papyria
(J.G. Jeffreys, 1876)

No Georeferenced data available



6350000155
Cuspidaria
parapodemum
F.R. Bernard, 1969
Washington, USA
12,5 mm



6350000160
Cuspidaria
parkeri
J. Knudsen, 1970
Gulf of California (22°32'N, 109°43'W)




6350000165
Cuspidaria
parva
A.E. Verrill & K.J. Bush, 1898
America
4,2 mm

No Georeferenced data available



6350650389
Cuspidaria
patagonica
(E.A. Smith, 1885)
Desolacion Island, Chile
30 mm



6350000170
Cuspidaria
pellucida
(W. Stimpson, 1853)
America

No Georeferenced data available



6350650405
Cuspidaria
platensis
(E.A. Smith, 1885)
Brasil
7 mm

No Georeferenced data available



7244000034
Cuspidaria
potti
R. Sturany, 1901

No Georeferenced data available



6350004155
Cuspidaria
prolaticissima
J. Poutiers, 1981
East China Sea
26,6 mm




6350650764
Cuspidaria
rosea
(R.B. Hinds, 1843)

No Georeferenced data available



6350000175
Cuspidaria
rostrata
(L. Spengler, 1793)
Spain
15 mm




synonyms:

- Cuspidaria ardiniana S. Biondi-Giuntj, 1860
- Anatina longirostris J.B.P.A. Lamarck, 1818
- Cuspidaria renovata N. Tiberj, 1855
- Cuspidaria rostrata major P. Dautzenberg & H. Fischer, 1897

- Cuspidaria attenuata E. Forbes, 1843
- Cuspidaria longirostris J.B.P.A. Lamarck, 1818
- Mya rostrata L. Spengler, 1793



6350000180
Cuspidaria
sadoensis
T.A. Okutani & K. Itô, 1983
Philippines, Aliguay Island
19,4 mm



6350650421
Cuspidaria
semi-rostrata
É.A.A. Locard, 1898
Lusitanian

No Georeferenced data available



6350650755
Cuspidaria
smirnovi
E.N. Egorova, 1998
Antarctica

No Georeferenced data available



6350004085
Cuspidaria
solidula

B. Prashad, 1932



No Georeferenced data available



6350004170
Cuspidaria
steindachneri

R. Sturany, 1899



Japan
27 mm



6350000190
Cuspidaria
subtorta

(G.O. Sars, 1878)

Kongsfjorden, Norway



synonyms:


- Cuspidaria subtorta G.O. Sars, 1878



6350000195
Cuspidaria
suganumai

S. Nomura, 1940

Japan
22,5 mm



7244000092
Cuspidaria
tamandua

R.S. Absalão,
& C.D. de Castro Oliveira, 2011


No Georeferenced data available



6350650437
Cuspidaria
tenella

E.A. Smith, 1907

Falkland Islands
13 mm



synonyms:

- Cuspidaria plicata K.H.J. Thiele, 1912



6350004090
Cuspidaria
tomlini

B. Prashad, 1932

No Georeferenced data available





7244000071
Cuspidaria
trigona

(R.B. Hinds, 1843)

No Georeferenced data available



6350000210
Cuspidaria trosaetes
W.H. Dall, 1925
Philippines, Camotes Island
4,1 mm



synonyms:


- Cuspidaria treosaetes W.H. Dall, 1925



6350004095
Cuspidaria truncata
C. Hedley, 1905
New South Wales





6350650469
Cuspidaria tuhua
R.K. Dell, 1962
New Zealand



6350000215
Cuspidaria turgida
A.E. Verrill & K.J. Bush, 1898
Nantucket, Massachusetts



6350000220
Cuspidaria undata
(A.E. Verrill, 1884)
C. Indian Ocean (1°0'N, 76°17'E)
23,8 mm



synonyms:

- Myonera brucei J.C. Melvil & R. Standen, 1907
- Myonera nybelini N.H. Odhner, 1960
- Cuspidaria lucifuga P. Fischer, 1886
- Myonera undata A.E. Verrill, 1884



6350000225
Cuspidaria variola
F.R. Bernard, 1979

No Georeferenced data available



6350000230
Cuspidaria ventricosa
A.E. Verrill & K.J. Bush, 1898
Nantucket, Massachusetts



7244000093
Cuspidaria wapixana
R.S. Absalão,
& C.D. de Castro Oliveira, 2011

No Georeferenced data available


no
IMAGES
available

6350650493

Cuspidaria
willetti

C.A. Fleming, 1948

New Zealand



no
IMAGES
available

6350000235

Cuspidaria
wollastonii

(E.A. Smith, 1885)

Northern Atlantic

No Georeferenced data available

Subgenus: Cuspidaria (Luzonia) W.H. Dal & E.A. Smith in W.H. Dal, 1890 (3 SP, 1 IMG)



6350000020

Luzonia
chilensis

(W.H. Dal, 1890)

Chile South



synonyms:

- Luzonia simplex walleri F.R. Bernard, 1989
- Cuspidaria walleri F.R. Bernard, 1989

no
IMAGES
available

7244000096

Luzonia
philippinensis

(Hinds, 1843)

No Georeferenced data available

no
IMAGES
available

7244000085

Luzonia
simplex

(J.A. Allen & R.E. Morgan, 1981)

No Georeferenced data available

Genus: Leiomya A. Adams, 1864 (1 SP, 0 IMG)

no
IMAGES
available

6350650661

Leiomya
adunca

(A.A. Gould, 1861)

Pacific

No Georeferenced data available

synonyms:

- Leiomya tanabensis T. Habe, 1960

Genus: Myonera W.H. Dal, 1886 (syn: Bathynearea, Labromysa, Semicardiomya - 21 SP, 13 IMG)

no
IMAGES
available

7244000045

Myonera
acutecarinata

(P. Dautzenberg & H. Fischer, 1906)

No Georeferenced data available



7244000046
Myonera
alleni

J. Poutiers & F.R. Bernard, 1995

No Georeferenced data available

synonyms:

- Cuspidaria alleni J.A. Allen & R.E. Morgan, 1981
- Cuspidaria atlantica J.A. Allen & Morgan, 1981



6350650677
Myonera
angularis

(J.G. Jeffreys, 1876)
Portugal




synonyms:

- Neaera angularis J.G. Jeffreys, 1876



7244000082
Myonera
atlantica

J.A. Allen & R.E. Morgan, 1981
Bank Porcupine



6350450040
Myonera
bicarinata

E.A. Smith, 1896
Europe

No Georeferenced data available



6350650069
Myonera
canariensis

(T.W. De Boer, 1985)
Europe

No Georeferenced data available



6350450000
Myonera
dautzenbergi

B. Prashad, 1932
Philippines, Aliquay Island
14,8 mm



6350650757
Myonera
demistriata


(J.A. Allen & R.E. Morgan, 1981)

No Georeferenced data available



7244000095
Myonera
dispar

W.H. Dall, P. Bartsch,
& H.A. Rehder, 1938
Hawaii, Molokai






6350450005

**Myonera
garretti**

W.H. Dall, 1908

Gulf of Panama



synonyms:

- *Myonera mexicana* J. Knudsen, 1970




6350000080

**Myonera
gigantea**

(A.E. Verrill, 1884)

Mozambique Channel
48,1 mm



6350650758

**Myonera
kaiwa**

C.D. de Castro Oliveira,
& R.S. Absaão, 2009

Brasil

No Georeferenced data available



6350450010

**Myonera
lamellifera**

(W.H. Dall, 1881)

Bahamas
7 mm



6350450015

**Myonera
limatula**

(W.H. Dall, 1881)

Florida Keys




6350650693

**Myonera
lischkei**

(E.A. Smith, 1891)

Japan



6350650373

**Myonera
pailoana**

(W.H. Dall, P. Bartsch,
& H.A. Rehder, 1938)

Hawaii
7 mm



7244000069

**Myonera
paucistriata**

W.H. Dall, 1886

Florida Keys





6350650709
Myonera pretiosa
 A.E. Verrill & K.J. Bush, 1898
 Gulf of Mexico




6350450045
Myonera rostra
 J. Poutiers & F.R. Bernard, 1995


No Georeferenced data available



6350000200
Myonera sulcifera
 (J.G. Jeffreys, 1882)
 Portugal




7244000072
Myonera tasmanica
 (J. Knudsen, 1970)
 Tasman Sea (45°47'S, 164°39'E)



Genus: **Plectodon** P.P. Carpenter, 1864 (7 SP, 5 IMG)



6350004100
Plectodon brazieri
 (E.A. Smith, 1885)
 Tasmania




synonyms:

- Cuspidaria brazieri E.A. Smith, 1885



6350500000
Plectodon granulatus
 (W.H. Dall, 1881)
 Egmont Key, Florida
 8 mm



synonyms:

- Plectodon braziliensis E.A. Smith, 1915
- Leiomya granulata velvetina W.H. Dall, 1886
- Cuspidaria granulata W.H. Dall, 1881



7244000051
Plectodon lepidus
 B.A. Marshall, 2002
 New Zealand



6350504000
Plectodon ligula
 (M. Yokoyama, 1922)
 Turtle Island, Taiwan




synonyms:

- *Plectodon ligula* M. Yokoyama, 1922




7244000052
Plectodon
pruinus

B.A. Marshall, 2002
New Zealand, Three Kings Islands



7244000053
Plectodon
regalis

B.A. Marshall, 2002
New Zealand



6350500005
Plectodon
scaber

P.P. Carpenter, 1865
Mexico



synonyms:


- *Leiomys scabra* P.P. Carpenter, 1865

Genus: Pseudoneaera R. Sturany, 1901 (syn: Bendonaeera, Pseudoneara - 7 SP, 2 IMG)



6350650745
Pseudoneaera
minor

K.H.J. Thiele & S.G.A. Jaeckel, 1931
Philippines, Camotes Island
4,1 mm



6350650397
Pseudoneaera
periplomoides


K. Sakurai & T. Habe in T. Habe, 1961
Indo Pacific

No Georeferenced data available



6350100000
Pseudoneaera
semipellucida

(J.T. Kuroda, 1948)
East China Sea
18 mm




synonyms:

- *Cuspidaria iridella* J.T. Kuroda, 1948



6350100005
Pseudoneaera
tasmanica

J.E. Tenison-Woods, 1878
Tasmania



6350100010
Pseudoneaera
thaumasia

R. Sturany, 1901
Red Sea






6350100015
Pseudoneaera
trigonalis
(R. Tate, 1897)

No Georeferenced data available



6350650485
Pseudoneaera
wellmani
(C.A. Fleming, 1948)
New Zealand



Genus: Rengea J.T. Kuroda & T. Habe, 1971 (2 SP, 1 IMG)



6350650729
Rengea
caduca
(E.A. Smith, 1894)
East China Sea
33 mm



synonyms:

- Myonera caduca E.A. Smith, 1894
- Rengea fluctuosa J.T. Kuroda, 1948

- Myonera fluctuosa J.T. Kuroda, 1948



7244000059
Rengea
murrayi
(E.A. Smith, 1885)

No Georeferenced data available

Genus: Rhinoclama A. Powell, 1937 (syn: Austroneraea, Rhinomya - 23 SP, 9 IMG)




7244000060
Rhinoclama
abrupta
J.A. Allen & R.E. Morgan, 1981

No Georeferenced data available



6350650021
Rhinoclama
adamsi
(R.E. Morgan & D. Heppell, 1981)
Japan




synonyms:

- Cuspidaria adamsi K.H.J. Thiele, 1934
- Cuspidaria philippinensis A. Adams, 1861



6350004105
Rhinoclama
alta
(J.C. Verco, 1908)
South Australia





6350650037
Rhinoclama
aupouria
(R.K. Dell, 1950)
New Zealand



6350004030
Rhinoclama
benthedii
(J. Poutiers, 1984)

No Georeferenced data available



7244000087
Rhinoclama
brevirostris
A.W.B. Powell, 1937
New Zealand


No Georeferenced data available



7244000088
Rhinoclama
dorsirecta
J.C. Verco, 1908
South Australia



6350000050
Rhinoclama
dubia
(J.P.L. Peleeneer, 1911)
Philippines, Aliguay Island
20,1 mm



synonyms:

- Cuspidaria dubia B. Prashad, 1932



7244000075
Rhinoclama
filatovae
(F.R. Bernard, 1979)

No Georeferenced data available

synonyms:


- Cuspidaria marmorea F.R. Bernard, 1989



7244000089
Rhinoclama
finlayi
A.W.B. Powell, 1937
New Zealand



6350400005
Rhinoclama
halimera
(W.H. Dall, 1886)
Cape Fear, North Carolina





6350000100
Rhinoclama inflata
(J.G. Jeffreys, 1882)
Scotland, UK
7 mm




synonyms:

- *Leiomya inflata* J.G. Jeffreys, 1882
- *Neaera inflata* J.G. Jeffreys, 1882



6350650333
Rhinoclama nitens
(É.A.A. Locard, 1898)
Mauritania
6,2 mm



7244000061
Rhinoclama notabilis
(J.G. Jeffreys, 1876)
NW Atlantic (46°17'30"N, 50°42'W)




synonyms:


- *Rhinoclama filocarinata* E.A. Smith, 1885
- *Rhinoclama testai* J. Knudsen, 1970




7244000062
Rhinoclama raoulensis
A.W.B. Powell, 1958
Kermadec Islands



6350650413
Rhinoclama rugata
(C.B. Adams, 1864)
Australia, Port Jackson



6350650429
Rhinoclama semistrigosa
(J.G. Jeffreys, 1882)
Portugal



6350004115
Rhinoclama simulans
(R. Tate, 1897)
Western Australia



7244000073
Rhinoclama tasmanica
(J.E. Tenison-Woods, 1876)

No Georeferenced data available



6350650445
Rhinoclama
teres
(J.G. Jeffreys, 1882)
Cadiz, Spain
8 mm



6350650453
Rhinoclama
trilli
(F.W. Hutton, 1873)
New Zealand
11 mm



7244000064
Rhinoclama
tsugaruensis
Yamazaki, 2008

No Georeferenced data available



7244000065
Rhinoclama
valdiviae
(K.H.J. Thiele & S.G.A. Jaeckel, 1931)

No Georeferenced data available


Genus: Soyomya T.A. Okutani, 1985 (2 SP, 1 IMG)



7244000001
Soyomya
clathrata
(J. Poutiers & F.R. Bernard, 1995)
New Caledonia




6350000115
Soyomya
kurohiji
(T.A. Okutani, 1972)
Philippines, Aliguay Island
22 mm



Genus: Tropidomya W.H. Dall & E.A. Smith, 1886 (syn: Goniophora - 2 SP, 1 IMG)



6350200000
Tropidomya
abbreviata
(E. Forbes, 1843)
Strait of Gibraltar
9 mm






synonyms:

- Cuspidaria vitrea S.L. Lovén, 1846
- Tropidomya vitrea S.L. Lovén, 1846




7244000066
Tropidomya
diagonalis
(J.A. Allen & R.E. Morgan, 1981)

No Georeferenced data available

no IMAGES available	7244000002 Austroneaera abrupta (J.A. Allen & R.E. Morgan, 1981)	No Georeferenced data available	
no IMAGES available	6350650061 Austroneaera brevirostris A.W.B. Powell, 1937 New Zealand		
	7244000003 Austroneaera brooki (B.A. Marshall, 2002) New Zealand, Kermadec Islands		
no IMAGES available	7244000004 Austroneaera coanscotti M. Huber, 2010	No Georeferenced data available	
no IMAGES available	6350004110 Austroneaera dorsirecta (J.C. Verco, 1908)	No Georeferenced data available	
no IMAGES available	7244000094 Austroneaera eastera B.K. Raines & M. Huber, 2012	No Georeferenced data available	
no IMAGES available	6350650157 Austroneaera finlayi A.W.B. Powell, 1937 New Zealand		
no IMAGES available	7244000090 Austroneaera raoulensis A.W.B. Powell, 1958 Kermadec Islands		



7244000006
Austroneaera
tangaroa
(B.A. Marshall, 2002)
New Zealand



synonyms:

- Rhinoclama tangaroa B.A. Marshall, 2002

Genus: Krylovina Valentich-Scott, 2012 (1 SP, 0 IMG)



7244000097
Krylovina
lynnae
P.H. Valentich-Scott & E.V. Coan, 2012
Mexico, Baja California



Genus: Octoporia O.A. Scarlato & Y.I. Starobogatov, 1983 (5 SP, 0 IMG)



6350650759
Octoporia
octaporosa
(J.A. Allen & R.E. Morgan, 1981)
Brasil

No Georeferenced data available



7244000048
Octoporia
podobeda
E.M. Krybva, 1994

No Georeferenced data available



7244000083
Octoporia
poutiera
J.A. Allen, 2011

No Georeferenced data available



7244000049
Octoporia
rugosa
E.M. Krybva, 1994

No Georeferenced data available



7244000050
Octoporia
sinuosa
E.M. Krybva, 1994




No Georeferenced data available

Genus: Vulcanomya W.H. Dall, 1886 (1 SP, 0 IMG)



7244000067
Vulcanomya
smithii
W.H. Dall, 1886

No Georeferenced data available

no IMAGES available	6350004010 <u>Bathyneaea</u> <u>bernardi</u> E.M. Krybva, 1993	No Georeferenced data available	
no IMAGES available	7244000007 <u>Bathyneaea</u> <u>disa</u> (F.R. Bernard, 1989)	No Georeferenced data available	
no IMAGES available	7244000008 <u>Bathyneaea</u> <u>globulosa</u> E.M. Krybva, 1993	No Georeferenced data available	
	6350004015 <u>Bathyneaea</u> <u>hadalis</u> (J. Knudsen, 1970) Banda Trench (5°36'S, 131°06'E)		
synonyms: Cuspidaria demistriata J.A. Allen & R.E. Morgan, 1981			
	6350650746 <u>Bathyneaea</u> <u>laticella</u> (W.H. Dall, 1886) Curacao		
no IMAGES available	7244000009 <u>Bathyneaea</u> <u>paleifera</u> E.M. Krybva, 1993	No Georeferenced data available	
no IMAGES available	6350004020 <u>Bathyneaea</u> <u>quadrostrata</u> (J. Poutiers, 1984)	No Georeferenced data available	
synonyms: Cuspidaria angularis quadrostrata J. Poutiers, 1984			
	6350450030 <u>Bathyneaea</u> <u>tillamookensis</u> (W.H. Dall, 1916) Tillamook Bay, Oregon		

SubFamily: CUSPIDARIINAE - **Genus: Jeffreysomya** H. Nordsieck, 1969 (1 SP, 1 IMG)




7244000068
Jeffreysomya
truncata
(J.G. Jeffreys, 1882)
Portugal



synonyms:

- Pseudoneaera truncata J.G. Jeffreys, 1882


SubFamily: CUSPIDARIINAE - **Genus: Pseudogrippina** B.A. Marshall, 2002 (1 SP, 1 IMG)



7244000058
Pseudogrippina
wangellica
B.A. Marshall, 2002
New Zealand



Family: CUSPIDARIIDAE



red squares show where each species has been georeferenced

each square has a size of 2 degrees

an interactive version of this image can be accessed at

<http://www.bagniliggia.it/WMSD/FamilyMap/CUSPIDARIIDAEmap.htm>

please note that this is not the complete coverage of this family

the Data Base is not exhaustive and only one specimen per species has been georeferenced

this map is only the graphic summary of the WMSDB Data Base up to now

the total number of georeferenced species in this map is: 172 from a total of 270