

Acta Malacologica Inquisitionis

Journal of Malacological Research



Volume 1 no. 1

Content:

Dekkers, A.M. : A treatise on the
Taxonomy of Strombidae

15 April 2023



Acta Malacologica Inquisitionis

Journal of Malacological Research

ISSN pending

Editorial board: Aart M. Dekkers and Henk Dekker

Email: editors2ami@gmail.com

For article submissions, use email above. Text should be formatted using 12 point Times New Roman in Microsoft® Word format (doc/docx). Plates, figures, charts, etc. separate from text, submit through a file sending service (please wait for instructions after sending the text per email).

Articles are subjected to peer review.

Articles are published online only with Open Access. Subscription is not possible.

Authors are stimulated to store their article after publication of the journal issue on digital repositories.

The journal is published at irregular intervals, depending the availability of accepted manuscripts.

Mission statement

The goal of this journal is to make a platform for short publications regarding the *taxonomy* of marine or brackish recent and fossil Mollusca. Especially manuscripts elucidating synonymy of published names are welcomed, as well as articles describing a few new species. Manuscripts on freshwater or terrestrial species are not accepted. Also papers on ecology, behavior, morphology, etc. are not accepted.

First issue

This is the first issue of the new online magazine. It is designed to request an ISSN number for future publications with taxonomic impact.

Front cover: *Strombus inermis* Swainson, 1822 in Duclos, 1844: pl. 25 figs 3-4.



A treatise on the Taxonomy of Strombidae (version 2023)

Aart M. Dekkers

Oasestraat 79, 1448 NR Purmerend, the Netherlands.

ORCID: <https://orcid.org/0009-0005-0248-7144>

aart.dekkers@wxs.nl

ABSTRACT

The taxonomy of the family Strombidae Rafinesque, 1815 is presented composed from the following sources: WoRMS database (World Register of Marine Species) or MolluscaBase, Existing literature and personal understanding of the phylogeny of Strombidae. Key-literature is listed in a literature section. It is not a definite listing: new species are described every year and new literature but also older literature is still missing in the literature section. Especially the extinct (fossil) species need adding and updating.

GENERAL INTRODUCTION

The reasons why

The reason for the first version (version 2022) of this publication on the taxonomy of the family Strombidae Rafinesque, 1815 was the different or obsolete taxonomy lists available that prevent the easy reproduction of the correct names for use with a strombid shell in the author's private collection. The work on the list started somewhere in the autumn of 2020.

The last published taxonomic list was in Liverani (2014), which is the addition to the previous Kreipl et al. (1999), both in the loose leave issues (to be placed in binders) in the



Conchology series. Of course the basis for every study on Strombidae are both famous works of Abbott (1960, 1961).

In the mean time writing this enhanced taxonomical list, Tom Eichhorst has published a brief update in the American Conchologist issue 50(1) which is a composite of several sources that were combined to the insights of Tom himself. The idea behind it was similar to mine.

The current taxonomic list is composed from the following sources:

- WoRMS database (World Register of Marine Species) or MolluscaBase
- Existing literature
- Personal understanding of the phylogeny of Strombidae

The WoRMS database, though advertised as authoritative; well, its not in all cases. "The aim of a World Register of Marine Species (WoRMS) is to provide an authoritative and comprehensive list of names of marine organisms, including information on synonymy. While the highest priority goes to valid names, other names in use are included so that this register can serve as a guide to interpret taxonomic literature". Although the database is managed by taxonomic editors who are usually experts in a particular area of marine life, they cannot be expected to know everything. The WoRMS database contains minor omissions and inaccuracies that are difficult to avoid. Also, many references are lacking (here in the case of Strombidae); often the only reference is to Liverani (2014) and not to the relevant original description. In the beginning of the database, a lot of data was incomplete and still is because it takes a lot of time to get all the necessary information into the database by the volunteers.

Then there is always the possibility of a different approach to taxa. For example, Raven (2021) considered some genera introduced earlier in 2021 as subgenera, and as a result of the update of the WoRMS database, we can find these genera as subgenera therein.

Here we run into some shortcomings of the WoRMS database, which are perhaps due to the software programming behind it.

First of all, subgenera are not on the first entry level, but presented as "accepted, alternate representation" which means users of the database will often only use the main genus and not the subgenus. This is a loss of potential useful phylogenetic information. It would be much better if used on the same basic level, directly visible and with the proper species attributed to it.

Second, subspecies are on the second entry level and can be found by clicking on the species: the subspecies will appear on the screen. So, if the user does not click through, this information is also not seen.

The list compiled here has all the information at the same level, giving the user the information in one view.


Furthermore, the list has been compiled within the framework of my own personal view of the taxonomy of the Strombidae.



A reference section on the essential literature is added after the taxonomic list.

This work is also an encouragement to the editors of WoRMS for easy updating the records, and hopefully, one day, this list is not necessary anymore.

The fossil taxa are far from complete and more will be added in the future.



Strombus gigas in Kiener, 1843



How to use this work

A quick help on the taxonomic list

Genera and subgenera are in **blue** in the lettertype WoRMS uses.

Fossil taxa are represented with a dagger behind the taxon like in:

Antestrombus chipolanus (Dall, 1890) †

Genera have the type species listed.

If a species is listed which is originally described under another genus, the original genus is represented in square brackets behind the taxon and describer, like [*Strombus*]

The genera are recorded in alphabetical order

Species are recorded in alphabetical order, but first the recent followed by the fossil ones

Synonyms of the species are given in the original combination of genus+species and author

If a described taxon is not an available name, there is additional information to that entry

Not all synonyms are included

Notes are applied when thought necessary

A quick help on the literature section

Not listed literature does not mean its not interesting

The cited literature is a short section on the available literature, but is considered important for understanding the names used for the taxons in the taxon list

The literature list is divided into sections:

- Monographs on Strombidae
- Other works including important strombid taxon descriptions
- Original works on Strombidae species or genera
- Literature devoted to fossils, including Strombidae

(If you do not find it what you are looking for, check the other sections)

The literature section is NOT compiled by alphabetical author credit, but very unusually, by year of publication (not date of publication). The lists are far from complete and publications will be added in the future.



Future

It is intended to update the list, if changes in the described taxons make it necessary. The family Strombidae is “hot” given the many revisions and descriptions in recent years. Many changes are further foreseeable. Enjoy the renewed enthousiasm for this interesting family, and the use of this overview.

This list is updated up to 31st of March 2023.

TAXONOMIC LIST

Class Gastropoda Cuvier, 1795

Subclass Caenogastropoda L.R. Cox, 1960

Order Littorinimorpha Golikov & Starobogatov, 1975

Superfamily Stromboidea Rafinesque, 1815

Strombidae Rafinesque, 1815

***Alatostrombus* Raven, 2021 †**

Type species: *Alatostrombus acutalatus* Raven, 2021 † by original designation

Alatostrombus acutalatus Raven, 2021 †

Alatostrombus sedanensis (K. Martin, 1899) † [*Strombus* (*Strombus*)] – Lower Miocene

***Aliger* Thiele, 1929**

Type species: *Strombus gallus* Linnaeus, 1758 by original designation

Syn.: *Strombus* (*Eustrombus*) Wenz, 1940; type species *Strombus gigas* Linnaeus, 1758 by original designation

Aliger gallus (Linnaeus, 1758) [*Strombus*]



Aliger gigas (Linnaeus, 1758) [*Strombus*]

Syn.: *Strombus nidus aquilae* Vernus, 1892

Aliger dominator dominator (Pilsbry & C. W. Johnson, 1917) † [*Strombus*]

Syn.: *Strombus maoensis* Maury, 1917 †

Aliger dominator delabechei (Rutsch, 1931) † [*Strombus*]

Aliger galliformis (Pilsbry & Johnson, 1917) †

Amabiliplicatus Dekkers & S. J. Maxwell, 2020

Type species: *Lambis plicata* Röding, 1798 by original designation

Note: As subgenus in *Dolomena* by Raven (2021)

Amabiliplicatus sibbaldii (G. B. Sowerby II, 1842) [*Strombus*]

Amabiliplicatus yerburyi (E. A. Smith, 1891) [*Strombus*]

Syn.: *Strombus deformis* Duclos, 1844

Syn.: *Strombus kieneri* Issel & Tapparone Canefri, 1876 [nomen novum for *S. deformis* sensu Kiener, 1843]

Amabiliplicatus plicata (Röding, 1798) [*Lambis*]

Syn.: *Strombus deformis* J. E. Gray in Griffith & Pidgeon, 1833

Antestrombus S. J. Maxwell, Dekkers, Rymer & Congdon, 2020 †

Type species: *Strombus chipolanus* Dall, 1890 by original designation

Antestrombus chipolanus (Dall, 1890) † [*Strombus*]

Antestrombus dodoneus (J. A. Gardner, 1947) † [*Strombus*]

Antestrombus mardieae (Petuch, 1994) † [*Strombus*]

Austrombus S. N. Nielsen, 2005 †

Type species: *Conus medinae* R. A. Philippi, 1887 † by original designation

Herein not accepted as a Strombidae genus.

Austrombus medinae (R. A. Philippi, 1887) † [*Conus*]

Barneystrombus Blackwood, 2009

Type species: *Strombus kleckhamae* Cernohorsky, 1971 by original designation



Note: previously included in *Dolomena*.

Barneystrombus boholensis (Mühlhäusser, 1981) [*Strombus* (*Dolomena*) *kleckhamae boholensis*]

Barneystrombus kleckhamae (Cernohorsky, 1971) [*Strombus* (*Dolomena*)]

Canarium Schumacher, 1817

Subgenus: *Canarium* (*Canarium*) Schumacher, 1817

Type species: *Canarium ustulatum* Schumacher, 1817, accepted as *Canarium urceus* (Linnaeus, 1758), by monotypy

Canarium andamanense Dekkers, H. Dekker & S. J. Maxwell, 2022

Canarium anatellum (Duclos, 1844) [*Strombus*]

Canarium darwinense S. J. Maxwell & Dekkers, 2021

Canarium daveyi Dekkers & S. J. Maxwell, 2020

Canarium esculentum S. J. Maxwell, Rymer, Congdon & Dekkers, 2020

Canarium geelvinkbaaiense Dekkers & S. J. Maxwell, 2020

Canarium incisum (W. Wood, 1828) [*Strombus*]

Canarium klineorum (Abbott, 1960) [*Strombus* (*Canarium*)]

Canarium labiatum (Röding, 1798) [*Lambis*]

Canarium manintveldi Dekkers & S. J. Maxwell, 2020

Canarium nipponium S. J. Maxwell & Dekkers, 2021

Canarium olydium (Duclos, 1844) [*Strombus*]

Canarium orrae (Abbott, 1960) [*Strombus* (*Canarium*)]

Canarium urceus (Linnaeus, 1758) [*Strombus*]

Syn.: *Canarium ustulatum* Schumacher, 1817

Canarium youngorum Dekkers & S. J. Maxwell, 2020

Canarium stoutjesdijki Dekkers, 2022 †

Subgenus: *Canarium* (*Conundrum*) Liverani, Dekkers & S. J. Maxwell, 2021

Type species: *Strombus mutabilis* Swainson, 1821 by original designation



Canarium betuleti (Kronenberg, 1991) [*Strombus* (*Canarium*)]

Canarium klineorum (Abbott, 1960) [*Strombus* (*Canarium*)]

Canarium microunceus Kira, 1959

Canarium mutabile (Swainson, 1821) [*Strombus*]

Syn.: *Strombus epimellus* Duclos in Chenu, 1844

Syn.: *Strombus floridus* Lamarck, 1822

Syn.: *Strombus floridus* forma *zebriolatus* Adam & Leloup, 1938

Syn.: *Strombus flosculosus* Mörch, 1852

Syn.: *Strombus* (*Canarium*) *mutabilis* forma *rufescens* Prella, 2006 [unavailable: published as a varietal name after 1960]

Canarium ochroglottis (Abbott, 1960) [*Strombus* (*Canarium*)]

Canarium ostergaardi (Pilsbry, 1921) † and probably recent [*Strombus*]

Canarium wilsonorum (Abbott, 1967) [*Strombus* (*Canarium*) *wilsoni*]

Subgenus: *Canarium* (*Elegantum*) Liverani, Dekkers & S. J. Maxwell, 2021

Type species: *Canarium elegans* (G. B. Sowerby II, 1842) by original designation

Canarium elegans (G. B. Sowerby II, 1842) [*Strombus*]

Canarium erythrinum (Dillwyn, 1817) [*Strombus*]

Syn.: *Strombus ruppelli* Reeve, 1850

Canarium radians (Duclos, 1844) [*Strombus*]

Canarium rugosum (G. B. Sowerby I, 1825) [*Strombus*]

Syn.: *Strombus corrugatus* A. Adams & Reeve, 1850

Subgenus: *Canarium* (*Stereostrombus*) Liverani, Dekkers & S. J. Maxwell, 2021

Type species: *Strombus scalariformis* Duclos, 1833 by original designation

Syn.: *Strombus* (*Hawaiiistrombus*) Bandel, 2007

unavailable name under Art. 13.1.1 (no description), but registered as valid by WoRMS

Canarium hellii (Kiener, 1843) [*Strombus*]

Syn.: *Strombus cancellatus* Pease, 1861 (invalid: junior homonym of *Strombus cancellatus* Lamarck, 1816)



Canarium scalariforme (Duclos, 1833) [*Strombus*]

Syn.: *strombus haemastoma* G. B. Sowerby II, 1842

Canarium † (not yet attributed to subgenera):

Canarium bawenauruense Wissema, 1947 † [*Canarium (Canarium)*]

Canarium gendinganense (K. Martin, 1899) † [*Strombus (Canarium)*]

Canarium ickeae (Beets, 1987) † [*Strombus (Canarium)*]

Canarium rembangense (Martin, 1899) † [*Strombus (Strombus)*]

Canarium spolongense (Martin, 1916) † [*Strombus (Canarium)*]

Canarium unifasciatum (Martin, 1884) † [*Strombus (Canarium?)*]

Carenrostrina De Gregorio, 1894 †

Carenrostrina postalensis (Bayan, 1870) † [*Rostellaria? (Carenrostrina)*]

Conomurex P. Fischer, 1884

Type species: *Strombus luhuanus* Linnaeus, 1758 by monotypy

Syn.: Decostrombus Bandel, 2007

unavailable name under Art. 13.1.1 (no description)

Conomurex coniformis (G. B. Sowerby II, 1842) [*Strombus*]

Syn.: *Conomurex decorus masirensis* Moolenbeek & H. Dekker, 1993

Conomurex decorus (Röding, 1798) [*Lambis*]

Syn.: *Strombus cylindricus* Swainson, 1821

Syn.: *Strombus laevilabris* Menke, 1828

Syn.: *Strombus lutruanus* Dillwyn, 1817

Syn.: *Strombus mauritanus* Lamarck, 1822

Syn.: *Lambis miniata* Link, 1807

Syn.: *Strombus tubercularis* Anton, 1838

Conomurex fasciatus (Born, 1778) [*Strombus*]

Syn.: *Strombus alatus* Vernus, 1892

Syn.: *Strombus dehelensis* Ostini & Rigoletto, 1983

Syn.: *Lambis elegantissima* Röding, 1798

Syn.: *Strombus flavigula* Tryon, 1885

Syn.: *Strombus lineatus* Lamarck, 1822

Syn.: *Strombus polyfasciatus* Dillwyn, 1817



Syn.: *Strombus subulata* Herbst, 1787

Syn.: *Strombus fasciatus* var. *elegans* Romagna-Manoja, 1973 [unavailable: published as a varietal name after 1960; non *Strombus elegans* G. B. Sowerby II, 1842]

Conomurex luhuanus (Linnaeus, 1758)

Conomurex persicus (Swainson, 1821)

Syn.: *Lambis flammeus* Link, 1807

Syn.: *Strombus (Conomurex) beluchiensis* Melvill & Standen, 1901

Syn.: *Strombus (Conomurex) belutschiensis* Melvill, 1898

Syn.: *Strombus decorus raybaudi* Nicolay & Manoja, 1983

Syn.: *Strombus ismarius* Duclos in Chenu, 1844

Dilatilabrum Cossmann, 1904 †

Type species: *Strombus fortisi* Brongniart 1823 by original designation

Dilatilabrum fortisi (Brongniart, 1823) † [*Strombus*] – Eocene, Bartonian

Syn.: *Strombus roncanus* De Serres, 1829

Dilatilabrum paulensis (Magne & Vergneau-Saubade, 1972) † [*Strombus*] – Oligocene

Dilatilabrum roegli (Harzhauser, 2001) † [*Strombus (Dilatilabrum)*] – Oligocene, Chattian

Dilatilabrum sublatissimus (d'Orbigny 1852) † [*Strombus*] – Oligocene, Rupelian

Dilatilabrum trigonum (Grateloup, 1834) † [*Strombus*] – Lower Miocene

Note: *Strombus (Dilatilabrum) tihensis* Abbass, 1963 from the Cretaceous, Cenomanian, of Egypt is regarded an uncertain taxon.

Dolomena Wenz, 1940

Type species: *Strombus pulchellus* Reeve, 1851 by original designation

Note: previously a genus containing many species (Abbott, 1960), but split up in several genera by Dekkers & S. J. Maxwell, 2020. Earlier, other genera were segregated from the 'lumping bucket' genus *Dolomena* (e.g. *Barneystrombus*, *Ministrombus*, *Neodilatilabrum*).

Dolomena columba (Lamarck, 1822) [*Strombus*]

Syn.: *Strombus tankervillei* Swainson, 1823

Dolomena pulchella (Reeve, 1851) [*Strombus*]

Syn.: *Strombus (Gallinula) malekulensis* Abrard, 1946 †

Dolomena hickeyi (Willan, 2000) [*Strombus (Labiostrombus)*]



Dolomena † (not yet reviewed)

Dolomena javana (K. Martin, 1879) † [*Strombus*] – Upper Miocene

Dolomena palabuanensis (K. Martin, 1899) † [*Strombus (Strombus)*] – Upper Miocene

Dolomena rembangensis (K. Martin, 1899) † [*Strombus (Strombus)*]

Dominus Dekkers & S. J. Maxwell, 2020

Type species.: *Strombus labiosus* W. Wood, 1828 by original designation

Note: As subgenus in *Dolomena* by Raven (2021)

Dominus abbotti (Dekkers & Liverani, 2011) [*Dolomena*]

Dominus fennemai (K. Martin, 1899) † [*Strombus (Strombus)*] – Pliocene

Dominus labiosa (W. Wood, 1828) [*Strombus*]

Dominus teschi (L. R. Cox, 1948) † [*Strombus (Labiostrombus)*] – Pliocene

Dominus wienekei (Wiersma & D. Monsecour, 2012) [*Dolomena*]

Doxander Wenz, 1940

Type species: *Strombus vittatus* Linnaeus, 1758 by original designation

Doxander campbellii (J. E. Gray in Griffith & Pidgeon, 1833) [*Strombus*]

Syn.: *Alaba sulcata* R. B. Watson, 1886 (based on a juvenile)

Doxander entropi (Man in 't Veld & Visser, 1993) [*Strombus (Doxander)*]

Doxander japonicus (Reeve, 1851) [*Strombus*]

Doxander operosus (Röding, 1798) [*Turris*]

Syn.: *Strombus (Doxander) vittatus apicatus* Man in 't Veld & Visser, 1993

Syn.: *Strombus turritus* Lamarck, 1822 (invalid; non *Strombus turritus* Röding, 1798)

Doxander queenslandicus S. J. Maxwell, 2022

Doxander vittatus (Linnaeus, 1758) [*Strombus*]

Syn.: *Strombus australis* Schröter, 1805

Syn.: *Strombus elatus* Anton, 1838

Syn.: *Strombus sulcatus* Holten, 1802

Doxander madiunensis (K. Martin, 1899) † [*Strombus (Strombus)*]

Edpetuchistrombus S. J. Maxwell, Dekkers, Rymer & Congdon, 2020 †

Type species: *Strombus aldrichi* Dall, 1890 by original designation



Edpetuchistrombus aldrichi (Dall, 1890) † [*Strombus*] – Early Miocene

Euprotomus Gill, 1870

Type species: *Strombus aurisdianae* Linnaeus, 1758 by monotypy

Euprotomus aratrum (Röding, 1798) [*Lambis*]

Syn.: *Strombus melanostomus* G. B. Sowerby I, 1825

Note: this synonym is generally used for specimens with dark (blackish) coloured ventral callus, but this is nothing more than a colour form.

Euprotomus aurisdianae (Linnaeus, 1758) [*Strombus*]

Euprotomus aurora Kronenberg, 2002

Euprotomus bulla (Röding, 1798) [*Lambis*]

Euprotomus chrysostomus (Kuroda, 1942) [*Strombus*]

Euprotomus hawaiiensis (Pilsbry, 1918) [*Strombus*]

Euprotomus iredalei iredalei (Abbott, 1960) [*Strombus* (*Euprotomus*)]

Syn.: *Strombus australis* J. E. Gray, 1826 (invalid, non *Strombus australis* Schröter, 1805)

Syn.: *Strombus australis* G. B. Sowerby II, 1842 (invalid, non *Strombus australis* Schröter, 1805)

Syn.: *Strombus* (*Euprotomus*) *vomer iredalei* Abbott, 1960 (original combination)

Euprotomus iredalei westralis Liverani & Pirazzini, 2023

Euprotomus kiwi Bozzetti & Sargent, 2011

Euprotomus vomer (Röding, 1798) [*lambis*]

Syn.: *Alata aratrum* sensu Iredale, 1910

Syn.: *Euprotomus donnellyi* Iredale, 1931

Syn.: *Strombus chemnitzii* L. Pfeiffer, 1840

Syn.: *Strombus novaezelandiae* Reeve, 1842

Syn.: *Strombus pacificus* Swainson, 1821

Syn.: *Strombus pavifrons* (misspelling)

Note: *Strombus hirasei* Kuroda, 1942 is accepted as hybrid of *Euprotomus vomer* x *E. bulla*

Europrotomus Kronenberg & Harzhauser, 2012 †

Type species: *Strombus schroeckingeri* (Hörnes in Hörnes & Auinger, 1884) by original designation

Europrotomus schroeckingeri (Hörnes in Hörnes & Auinger, 1884) † [*Strombus*] – Miocene:
Lower Badenian, Lower Langhian



Gibberulus Jousseume, 1888

Type species: *Strombus gibberulus* Linnaeus, 1758 by monotypy

Gibberulus albus (Mörch, 1850) [*Strombus*]

Gibberulus dekkersi S. J. Maxwell, Duran, Rowell & Rymer, 2021

Gibberulus gibberulus (Linnaeus, 1758) [*Strombus*]

Syn.: *Strombus labiatus* Perry, 1811

Gibberulus gibbosus (Röding, 1798) [*Lambis*]

Syn.: *Strombus* (*Canarium*) *praegibberulus* Abrard, 1947 †

Harpago Mörch, 1852

Type species: *Lambis harpago* Röding, 1798 by absolute tautonymy

Syn.: *Bothrodon* Kerr, 1926

Type species: *Bothrodon pridii* Kerr, 1926

Harpago arthriticus (Röding, 1798) [*Lambis*]

Syn.: *Strombus divergens* Perry, 1811

Syn.: *Strombus nigricans* Perry, 1811

Harpago chiragra (Linnaeus, 1758) [*Strombus*]

Syn.: *Pterocera kochii* Freyer, 1855

Syn.: *Bothrodon pridii* Kerr, 1926

Syn.: *Lambis undulata* Röding, 1798

Harpago rugosus (G. B. Sowerby II, 1842) [*Pterocera*]

Labiostrombus Oostingh, 1925

Type species: *Strombus epidromis* Linnaeus, 1758 by typification of replaced name

Syn.: *Gallinula* Mörch, 1852 (invalid, non *Gallinula* Brisson, 1760 [Aves];
Labiostrombus is a replacement name)

Type species: *Strombus epidromis* Linnaeus, 1758 by subsequent designation

Labiostrombus epidromis (Linnaeus, 1758) [*Strombus*]

Labiostrombus denti L. R. Cox, 1948 † [*Strombus* (*Labiostrombus*)]

Labiostrombus kemedjingensis K. Martin, 1916 † [*Strombus* (*Gallinula*)]

Labiostrombus schroederi (Wissema, 1947) † [*Canarium* (*Labiostrombus*)]



Laevistrombus Abbott, 1960

Type species: *Strombus canarium* Linnaeus, 1758 by original designation

Subgenus *Laevistrombus* (*Laevistrombus*) Abbott, 1960

Laevistrombus canarium (Linnaeus, 1758) [*Strombus*]

Laevistrombus guidoi (Man in 't Veld & DeTurck, 1998) [*Strombus* (*Laevistrombus*)]

Laevistrombus liveranii Dekkers, Rymer & S.J. Maxwell, 2021

Laevistrombus vanikorensis (Quoy & Gaimard, 1834) [*Strombus*]

Subgenus *Laevistrombus* (*Gonggongus*) Dekkers & S. J. Maxwell, 2021

Type species: *Lambis turturella* Röding, 1798 by original designation

Laevistrombus maxwelli Gra-tes, 2022

Laevistrombus taeniatus (Quoy & Gaimard, 1834) [*Strombus*]

Laevistrombus turturella (Röding, 1798) [*Lambis*]

***Laevispira* Raven, 2021 †**

Type species: *Dolomena bruneiensis* Harzhauser, Raven & Landau, 2018 by original designation

Laevispira bruneiensis (Harzhauser, Raven & Landau, 2018) † [*Dolomena*] – Late Miocene

Laevispira glaber (K. Martin, 1879) † [*Strombus*] - Upper Miocene

Laevispira karikalensis (Cossmann, 1903) † [*Strombus*] - Pliocene

Laevispira seriaensis Raven, 2021 † - Late Miocene

Laevispira triangulata (K. Martin, 1879) † [*Strombus*] - Upper Miocene

Laevispira varinginensis (K. Martin, 1899) † [*Strombus* (*Strombus*)] – Pliocene

***Lambis* Röding, 1798**

Type species: *Strombus lambis* Linnaeus, 1758 by absolute tautonymy

Syn.: *Millepes* Mörch, 1852

Type species: *Strombus millepeda* Linnaeus, 1758

Syn.: *Pterocera* Lamarck, 1799

Type species: *Strombus lambis* Linnaeus, 1758 by monotypy

**Syn.: *Pterocera (Heptadactylus) Mörch, 1852***Type species: *Strombus lambis* Linnaeus, 1758 by subsequent designation**Syn.: *Harpagus Vernus, 1892***Type species: *Lambis scorpius* (Linnaeus, 1758) (type by monotypy)
(not *Harpagus* Vigors, 1824 (Aves); not *Harpagus* Stephens, 1834 (Lepidoptera))*Lambis arachnoides* Shikama, 1971Syn.: *Lambis wheelwrighti* Greene, 1978*Lambis crocata* (Link, 1807) [*Pterocera*]Syn.: *Strombus aculeatus* Perry, 1811Syn.: *Pterocera aurantia* Lamarck, 1822*Lambis lambis* (Linnaeus, 1758) [*Strombus*]Syn.: *Lambis adamii* Bozzetti & T. Cossignani, 2003 (a dwarf form)Syn.: *Lambis cerea* Röding, 1798Syn.: *Lambis hermaphrodita* Röding, 1798Syn.: *Lambis laciniata* Röding, 1798Syn.: *Lambis lamboides* Röding, 1798Syn.: *Lambis lobata* Röding, 1798Syn.: *Lambis maculata* Röding, 1798*Lambis lilikae* Villar, 2016 [hybrid of *L. sowerbyi* x *L. lambis*]*Lambis millepeda* (Linnaeus, 1758) [*Strombus*]*Lambis montorum* T. Cossignani & Lorenz, 2020*Lambis pilsbryi* Abbott, 1961*Lambis robusta* (Swainson, 1821) [*Pterocera*]Syn.: *Pterocera pseudoscorpio* Lamarck, 1822Syn.: *Strombus tautiranus* Curtiss, 1938*Lambis scorpius scorpius* (Linnaeus, 1758) [*Strombus*]Syn.: *Pterocera nodosa* Lamarck, 1816*Lambis scorpius indomaris* Abbott, 1961Syn.: *Strombus sinuatus* Perry, 1811 (nnvalid, non *Strombus sinuatus* [Lightfoot], 1786)*Lambis truncata truncata* ([Lightfoot], 1786) [*Strombus*]Syn.: *Strombus bryonia* Gmelin, 1791*Lambis truncata sebae* (Kiener, 1843) [*Pterocera*]*Lambis truncata sowerbyi* (Mörch, 1872) [*Pterocera*]*Lambis verriesti* Dekkers & S. J. Maxwell, 2022



Lentigo Jousseume, 1886

Type species: *Strombus lentiginosus* Linnaeus, 1758 by monotypy

Lentigo lentiginosus (Linnaeus, 1758) [*Strombus*]

Syn.: *Lambis rana* Röding, 1798

Lentigo pipus (Röding, 1798) [*Lambis*]

Syn.: *Strombus adustus* Reeve, 1851

Syn.: *Strombus exustus* Swainson, 1822

Syn.: *Strombus papilio* Dillwyn, 1817

Lobatus [Swainson], 1837

Type species: *Strombus bituberculatus* Lamarck, 1822 by monotypy

Lobatus peruvianus (Swainson, 1823) [*Strombus*]

Lobatus raninus (Gmelin, 1791) [*Strombus*]

Syn.: *Strombus (Lobatus) wilsonorum* Petuch, 1994 †

Syn.: *Strombus bituberculatus* Lamarck, 1822

Syn.: *Strombus costosomuricatus* Mörch, 1852

Syn.: *Strombus fetus* P. Jung & Heitz, 2001 †

Syn.: *Lobatus magolecciai* Macsotay & Campos, 2001

Syn.: *Strombus praeranus* Kronenberg & Dekker, 2000 †

Syn.: *Strombus quadratus* Perry, 1811

Syn.: *Strombus raninus nanus* Bales, 1942

Syn.: *Strombus sulcatus* Fischer von Waldheim, 1807 (non *Strombus sulcatus* Holten, 1802)

Lobatus haitensis (G. B. Sowerby I in J. C. Moore, 1850) † [*Strombus*] – Miocene

Macrostrombus Petuch, 1994

Type species: *Strombus costatus* Gmelin, 1791 by original designation

Macrostrombus costatus (Gmelin, 1791) [*Strombus*]

Syn.: *Lambis accipitrina* Röding, 1798

Syn.: *Strombus accipiter* Dillwyn, 1817

Syn.: *Strombus costatus* Gmelin, 1791

Syn.: *Strombus costatus aguayoi* Jaume & del Valle, 1947

Syn.: *Strombus (Macrostrombus) costatus griffini* Petuch, 1994 †

Syn.: *Strombus costatus spectabilis* A. H. Verrill, 1950

Syn.: *Strombus inermis* Swainson, 1822

Syn.: *Strombus integer* Swainson, 1823

Syn.: *Strombus jeffersonia* Van Hynning, 1945



- Macrostrombus bartoni* Petuch & Drolshagen, 2011 † – Pleistocene
- Macrostrombus brachior* (Petuch, 1994) † [*Strombus* (*Macrostrombus*)] – Lower Pleistocene
- Macrostrombus briani* Petuch & Drolshagen, 2011 † – Pliocene
- Macrostrombus collierensis* Petuch & Drolshagen, 2011 † – Pliocene
- Macrostrombus diegelae* (Petuch, 1991) † [*Strombus* (*Eustrombus*)] – Pleistocene
- Macrostrombus dubari* Petuch & Drolshagen, 2011 † – Pleistocene
- Macrostrombus hertweckorum* (Petuch, 1991) † [*Strombus* (*Eustrombus*)] – Pliocene
- Macrostrombus jonesorum* (Petuch, 1994) † [*Strombus* (*Macrostrombus*)] – Pleistocene
- Macrostrombus leidyi* (Heilprin, 1887) † [*Strombus*] – Pliocene/Pleistocene
- Macrostrombus mayacensis* (Tucker & Wilson, 1933) † [*Strombus*] – Pliocene
- Macrostrombus mulepenensis* (Petuch, 1994) † [*Strombus* (*Macrostrombus*)]
- Macrostrombus oleiniki* Petuch & Drolshagen, 2011 † – Pleistocene
- Macrostrombus pascaleae* (Landau, Kronenberg & Silva, 2010) † [*Lobatus*]
- Macrostrombus sargenti* Petuch & Drolshagen, 2011 † – Pleistocene
- Macrostrombus tomeui* Petuch & Drolshagen, 2011 † – Pleistocene
- Macrostrombus whicheri* Petuch & Drolshagen, 2011 † – Pleistocene
- Macrostrombus williamsi* (Olsson & Petit, 1964) † [*Strombus*] – Pliocene

***Maculastrombus* Liverani, Dekkers & S.J. Maxwell, 2021**

Type species: *Strombus maculatus* G. B. Sowerby II, 1842 by original designation

Maculastrombus depauperatus (Dautzenberg & Bouge, 1933) [*Strombus*]

Maculastrombus maculatus (G. B. Sowerby II, 1842) [*Strombus*]

Maculastrombus rapanuensis Liverani, Wieneke & Kronenberg, 2021 [*Canarium*]

***Ministrombus* Dekkers, 2010**

Type species: *Strombus minimus* Linnaeus, 1771 by original designation

Note: *Ministrombus* Bandel, 2007 is unavailable from this work (no description), but registered as valid by WoRMS. First subsequent description was given by Dekkers (2010), who made the name available.

Ministrombus athenius (Duclos, 1844) [*Strombus*]



Ministrombus aurantius S. J. Maxwell, 2022

Ministrombus caledonicus S. J. Maxwell, 2022

Ministrombus minimus (Linnaeus, 1771) [*Strombus*]

Ministrombus oceanicus S. J. Maxwell, 2022

Ministrombus variabilis (Swainson, 1820) [*Strombus*]

Syn.: *Strombus (Dolomena) variabilis* var. *palauensis* Romagna-Manoja, 1974
(unavailable: published as a varietal name after 1960)

Syn.: *Strombus lituratus* Menke, 1829

Mirabilistrombus Kronenberg, 1998

Type species: *Strombus listeri* T. Gray, 1852 by original designation

Mirabilistrombus listeri (T. Gray, 1852) [*Strombus*]

Neodilatilabrum Dekkers, 2008

Type species: *Strombus marginatus* Linnaeus, 1758 by original designation

Syn.: *Margistrombus Bandel, 2007*

unavailable under Art. 13.1.1 (no description)

Neodilatilabrum boucheti Thach, 2016 [*Margistrombus*]

Neodilatilabrum eloiseae (Vertriest, 2022) [*Margistrombus*]

Neodilatilabrum marginatum (Linnaeus, 1758) [*Strombus*]

Neodilatilabrum robustum (G. B. Sowerby III, 1875) [*Strombus*]

Neodilatilabrum simanoki Liverani, 2013 [*Margistrombus*]

Neodilatilabrum sowerbyorum (Visser & Man in 't Veld, 2005) [*Strombus (Dolomena)*]

Neodilatilabrum succinctum (Linnaeus, 1767) [*Strombus*]

Syn.: *Strombus septimus* Duclos, 1844

Neodilatilabrum madiunensis (K. Martin, 1899) † [*Strombus*] – Pliocene

Neodilatilabrum togopiensis (Cox, 1948) † [*Strombus*] – Pliocene

Neodilatilabrum rutteni (van Regteren Altena, 1941) † [*Strombus (Labiostrombus)*] –
Pliocene

Neostrombus Liverani, Dekkers & S. J. Maxwell, 2021



Type species: *Strombus fusiformis* G. B. Sowerby II, 1842 by original designation

Syn.: *Fusistrombus* Bandel, 2007

unavailable name under Art. 13.1.1 (no description), but registered as valid by WoRMS

Neostrombus fusiformis (G. B. Sowerby II, 1842) [*Strombus*]

***Oostrombus* Sacco, 1893 †**

Type species: *Strombus problematicus* Michelotti, 1861 by original designation

Oostrombus auriculatus (Grateloup, 1834) † [*Strombus*] – Oligocene, Rupelian (Stampian)

Oostrombus cedroensis (Clark & Durham, 1946) † [*Strombus (Oostrombus ?)*] – uppermost Eocene

Oostrombus chiraensis Olsson, 1931 † [*Strombus*] – Lower Oligocene

Oostrombus irregularis (Fuchs, 1870) † [*Strombus*] – Oligocene

Oostrombus naticiformis (Oppenheim, 1901) † [*Strombus*] – Oligocene

Oostrombus problematicus (Michelotti, 1861) † [*Strombus*] – Oligocene

Oostrombus pulcinella (Bayan, 1870) † [*Strombus?*] – Eocene, Cuisian, Ypresian

Oostrombus tournoueri (Bayan, 1870) † [*Strombus?*] – Eocene

***Ophioglossolambis* Dekkers, 2012**

Type species: *Strombus digitatus* Perry, 1811 by original designation

Ophioglossolambis digitata (Perry, 1811) [*Strombus*]

Syn.: *Pterocera crocea* Reeve, 1842

Syn.: *Pterocera elongata* Swainson, 1821

Syn.: *Pterocera novemdactylis* Deshayes, 1843

Ophioglossolambis itsumiae Lum, 2021

Ophioglossolambis violacea (Swainson, 1821) [*Pterocera*]

Syn.: *Pterocera multipes* G. B. Sowerby II, 1842

***Orthaulax* Gabb, 1873 †**

Type species: *Orthaulax inornatus* Gabb, 1873 by original designation

Orthaulax aguadillensis Maury, 1920 † – Upper Oligocene-Lower Miocene

Orthaulax caepa Cooke, 1922 † – Oligocene



Orthaulax conoides Woodring, 1923 † – Oligocene

Orthaulax dainellii Savazzi, 1989 † – uppermost Lower Eocene

Orthaulax gabbi Dall, 1890 † – Lower Miocene

Orthaulax hernandoensis Mansfield, 1937 † – Oligocene

Orthaulax inornatus Gabb, 1873 † – Lower Miocene

Orthaulax pugnax (Heilprin, 1887) † [*Wagneria*] - Upper Oligocene/Lower Miocene

Orthaulax seaforthensis Trechmann, 1941 † – Lower Oligocene

Pacificus Dekkers & S. J. Maxwell, 2020

Type species: *Dolomena dilatata* (Swainson, 1821) by original designation

Note: As subgenus in *Dolomena* by Raven (2021)

Pacificus dilatata dilatata (Swainson, 1821) [*Strombus*]

Pacificus dilatata orosminus (Duclos, 1844) [*Strombus*]

Pacificus swainsoni (Reeve, 1850) [*Strombus*]

Pacificus togopiensis (L. R. Cox, 1948) † [*Strombus*] – Pliocene

Persististrombus Kronenberg & H. G. Lee, 2007

Type species: *Strombus granulatus* Swainson, 1822 by original designation

Persististrombus granulatus granulatus (Swainson, 1822) [*Strombus*]

Persististrombus granulatus cortezianus Durham, 1962 † [*Strombus*] – Pleistocene

Syn.: *Strombus granulatus acutus* Durham, 1950 † (non *Strombus acutus* Perry, 1811)

Persististrombus baltrae (Garcia-Talavera, 1993) † [*Strombus*] – Pliocene, also recent?

Persististrombus barrigonensis (Jung & Heitz, 2001) † [*Strombus (Lentigo)*] – Early Pliocene

Persististrombus bernielandau Harzhauser, 2007 † [*Strombus*] – Oligocene, Chattian

Persististrombus gijskronenbergi Harzhauser, 2007 † [*Strombus*] – Oligocene, Chattian

Persististrombus insulanus (Jung & Heitz, 2001) † [*Strombus (Lentigo)*] – Middle Pliocene

Persististrombus nodosus (Borson, 1820) † [*Mitra*] – Lower Miocene

Syn.: *Strombus bonelli* Brongniart, 1823

Persististrombus obliteratedus (Hanna, 1926) † [*Strombus*] – Pliocene

Persististrombus praecedens (Schaffer, 1912) † [*Strombus*] – Lower Miocene



Persististrombus radix (Brongniart, 1823) † [*Strombus*] – Oligocene, Rupelian

Persististrombus toroensis (Jung & Heitz, 2001) † [*Strombus (Lentigo)*] – Pliocene

Solidistrombus Dekkers, 2008

Type species: *Strombus sinuatus* [Lightfoot], 1786 by original designation

Syn.: *Latissistrombus* Bandel, 2007

unavailable under Art. 13.1.1 (no description), but registered as valid by WoRMS

Syn.: *Sinustrombus* Bandel, 2007

unavailable under Art. 13.1.1 (no description)

Syn.: *Thersistrombus* Bandel, 2007

unavailable under Art. 13.1.1 (no description), but registered as valid by WoRMS

Solidistrombus latissimus (Linnaeus, 1758) [*Strombus*]

Syn.: *Lambis picta* Röding, 1798

Syn.: *Pterocera alata* Schumacher, 1817

Solidistrombus sinuatus ([Lightfoot], 1786) [*Strombus*]

Syn.: *Lambis lobata* Röding, 1798

Syn.: *Strombus cristatus* Lamarck, 1822

Syn.: *Strombus laciniatus* Dillwyn, 1817

Solidistrombus taurus (Reeve, 1857) [*Strombus*]

Solidistrombus thersites (Swainson, 1823) [*Strombus*]

Syn.: *Strombus ponderosus* R. A. Philippi, 1842

Spinatus Dekkers, Liverani, Ćorić, S. J. Maxwell & Landau, 2020 †

Type species: *Spinatus echinatus* Dekkers, Liverani, Ćorić, S. J. Maxwell & Landau, 2020 by original designation.

Spinatus bernielandaui (Harzhauser, 2007) † [*Strombus*]

Spinatus echinatus Dekkers, Liverani, Ćorić, Maxwell & Landau, 2020 †

Spinatus quilonensis (Dey, 1962) † [*Strombus*]

Spinatus ruizi Liverani & Wieneke, 2022 †

Spinatus tjilonganensis (K. Martin, 1899) † [*Strombus (Strombus)*]

Spinatus wonosariensis Dekkers, Liverani, Ćorić, Maxwell & Landau, 2020 †

**Striatostrombus Dekkers & S. J. Maxwell, 2018 †**

Type species: *Strombus blanci* Tröndlé & B. Salvat, 2010 by original designation.

Striatostrombus blanci (Tröndlé & Salvat, 2010) † [*Strombus*]

Striatostrombus micklei (Ladd, 1972) † [*Strombus (Lentigo)*]

Strombiconus Marks, 1951 †

Herein not accepted as strombid genus.

Strombiconus ecuadorensis Marks, 1951 †

Stromboconus De Gregorio, 1896 †

Type species: *Strombus suessi* Bayan, 1870 by original designation.

Stromboconus suessi (Bayan, 1870) † [*Strombus*]

Strombus Linnaeus, 1758

Type species: *Strombus pugilis* Linnaeus, 1758 by subsequent designation

Syn.: *Pyramis* Röding, 1798

Type species: *Pyramis striata* Röding, 1798 by subsequent designation

Syn.: *Strombella* Schlüter, 1838

Type species: *Strombus pugilis* Linnaeus, 1758 by subsequent designation

Strombus alatus Gmelin, 1791

Syn.: *Strombus pyrulatus* Lamarck, 1822

Syn.: *Strombus undulatus* Küster, 1845

Strombus gracilior G. B. Sowerby I, 1825

Strombus nicaraguensis Fluck, 1905

Herein treated as species, WoRMS registered as forma.

Strombus pugilis Linnaeus, 1758

Syn.: *Drillia actinocycla* Dall & C. T. Simpson, 1901

Syn.: *Strombus cornutus* Perry, 1811

Syn.: *Pyramis striata* Röding, 1798

Syn.: *Strombus pugilis peculiaris* M. Smith, 1940

Syn.: *Strombus sloani* Leach, 1814

Strombus worki Petuch, 1993

Herein seen as species, WoRMS registered as subspecies of *Strombus pugilis*.



- Strombus acanthospira* Landau, Kronenberg, Herbert & Silva, 2011 †
Strombus ambiguus G. B. Sowerby I, 1850 † (juvenile of uncertain status)
Strombus arayaensis Landau & Silva, 2010 †
Strombus ayersensis Petuch & Drolshagen, 2011 †
Strombus bifrons G. B. Sowerby I, 1850 †
Strombus cannoni Petuch & Drolshagen, 2011 †
Strombus capelettii Petuch, 1994 †
Strombus elegantissimus Landau, Kronenberg, Herbert & Silva, 2011 †
Strombus erici Petuch, 1994 †
Strombus evergladesensis Petuch, 1991 †
Strombus floridanus Mansfield, 1930 †
Strombus gatunensis Toulou, 1909 †
Strombus jenniferae Petuch & Drolshagen, 2011 †
Strombus keatonorum Petuch, 1994 †
Strombus leurus Woodring, 1928 †
Strombus lindae Petuch, 1991 †
Strombus preoccupatus Finlay, 1927 †
 Syn.: *Strombus spinosus* K. Martin, 1881, non *Strombus spinosus* Linnaeus, 1767
Strombus propegracilior Dall & Ochsner, 1928 †
Strombus proximus G. B. Sowerby I, 1850 †
Strombus pugiloides Guppy, 1873 †
Strombus sarasotaensis Petuch, 1994 †
Strombus subgracilior Durham, 1950 †
Strombus vermeiji Landau, Kronenberg, Herbert & Silva, 2011 †

Terestrombus Kronenberg & Vermeij, 2002

Type species: *Lambis fragilis* Röding, 1798 by original designation

Terestrombus afrobellatus (Abbott, 1960) [*Strombus*]

Terestrombus fragilis (Röding, 1798) [*Lambis*]



Syn.: *Strombus bulbulus* G. B. Sowerby II, 1842

Syn.: *Strombus dubius* Swainson, 1823

Terestrombus terebellatus (G. B. Sowerby II, 1842) [*Strombus*]

Thersistrombus Bandel, 2007

Unavailable. See *Solidistrombus* Dekkers, 2008

Thetystrombus Dekkers, 2008

Type species: *Strombus latus* Gmelin, 1791 by original designation

Syn.: *Strombus (Afristrombus) Bandel, 2007*

unavailable name under Art. 13.1.1 (no description)

Thetystrombus latus (Gmelin, 1791) [*Strombus*]

Thetystrombus coronatus (Defrance, 1827) † [*Strombus*]

Thetystrombus exbonellii (Sacco, 1893) † [*Strombus*]

Thetystrombus inflexus (Eichwald, 1830) † [*Strombus*]

Syn.: *Strombus coronatus* var. *enzesfeldensis* Sacco, 1893 †

Syn.: *Strombus coronatus* var. *propenodosa* Sacco, 1893 †

Syn.: *Strombus coronatus* var. *voeslauensis* Sacco, 1893 †

Thetystrombus lapugyensis (Sacco, 1893) † [*Strombus*]

Thetystrombus pannonicus (Harzhauser & Kronenberg, 2013) † [*Persististrombus*]

Titanostrombus Petuch, 1994

Type species: *Strombus goliath* Schröter, 1805 by original designation

Titanostrombus galeatus (Swainson, 1823) [*Strombus*]

Syn.: *Strombus crenatus* G. B. Sowerby I, 1825

Syn.: *Strombus galea* W. Wood, 1828

Titanostrombus goliath (Schröter, 1805) [*Strombus*]

Titanostrombus immokaleensis Petuch & Drolshagen, 2011†

Tricornis Jousseume, 1886

Type species: *Strombus tricornis* [Lightfoot], 1786 by monotypy

Tricornis oldi (Emerson, 1965) [*Strombus*]



Tricornis tricornis tricornis ([Lightfoot], 1786) [*Strombus*]

Syn.: *Lambis curruca* Röding, 1798

Syn.: *Strombus orientalis* Duclos in Chenu, 1844

Syn.: *Strombus pertinax* Duclos in Chenu, 1844

Syn.: *Strombus tricornis* Fischer von Waldheim, 1807

Tricornis tricornis indecoratus (Lorenz & Wiese, 1990) [*Strombus*]

Tridentarius Kronenberg & Vermeij, 2002

Type species: *Strombus dentatus* Linnaeus, 1758 by original designation

Tridentarius dentatus (Linnaeus, 1758) [*Strombus*]

Syn.: *Strombus samar* Dillwyn, 1817

Syn.: *Strombus samarensis* Reeve, 1851

Syn.: *Strombus tridentatus* Gmelin, 1791

Voluostrombus Garvie, 2013 †

Herein not accepted as strombid genus.

Voluostrombus eocenica Garvie, 2013 †

Not assigned to a specific genus †

Strombus luzaroi Garcia-Talavera, 1993 † [*Strombus*] – Pliocene



LITERATURE

Monographs on Strombidae (selection)

1842. Sowerby G.B., II. — Monograph of the genus *Strombus*. In G. B. Sowerby II (ed.), *Thesaurus conchyliorum, or monographs of genera of shells*. Vol. 1 (1): 25-39, pls 6-10. London, privately published. [May]. Available online at <https://www.biodiversitylibrary.org/page/11076221>

1842-1842. Kiener L.C. — *Spécies général et iconographie des coquilles vivantes*. Vol. 4. Famille des Ailées. Genres Rostellaire (*Rostellaria*), Lamarck, pp. 1-14 + table, pl. 1-4 [all (1843)]; Ptérocère (*Pterocera*), Lamarck, pp. 1-14 + table, pl. 1-10 [all (1843)]; Strombe (*Strombus* (Linné), pp. 1-68, pl. 1-34 [p. 1-68 (1843); pl. 5 (1842); pl. 1-4, 6-34 (1843)]. Paris, Rousseau & J.B. Baillière. Available online at <http://www.biodiversitylibrary.org/item/87631>

1844-1845. Duclos P.L. — *Strombus*. In J.C. Chenu, *Illustrations conchyliologiques ou description et figures de toutes les coquilles connues vivantes et fossiles, classées suivant le système de Lamarck modifié d'après les progrès de la science et comprenant les genres nouveaux et les espèces récemment découvertes*: 1-8, pls 8, 4, 28, 30, 12, 18 [1844]; 17, pls 7, 6, 21, 15 [1845].

1850-1845. Reeve, L. A. — Monograph of the genus *Strombus*. In: *Conchologia Iconica, or, illustrations of the shells of molluscous animals*, vol. 6, pl. 1-19 and unpaginated text. L. Reeve & Co., London. [stated dates: pls. 2-4, Nov. 1850; 5-12, Dec. 1850; 1, 13-19, Jan. 1851]. Available online at <https://www.biodiversitylibrary.org/page/9142364>

1845. Küster, C.H. — *Die Flügelschnecken (Strombea) : in Abbildungen nach der Natur mit Beschreibungen*. Verlag von Bauer und Raspe, Nürnberg. 110p. Pl. 25. Available online at <https://www.biodiversitylibrary.org/item/106987>

1870. Gill T. — On the Pterocerae of Lamarck, and their mutual relations. *American Journal of Conchology*. 5(3): 120-139. Available online at <https://www.biodiversitylibrary.org/page/15978960>

1941. Clench, W. J. & Abbott, R. T. — The genus *Strombus* in the Western Atlantic. *Johnsonia* 1 (1): 1–16. Available online at <https://www.biodiversitylibrary.org/page/41113859#page/15>

1960. Abbott, R. T. — The genus *Strombus* in the Indo-Pacific. *Indo-pacific Mollusca*. 1 (2): 33-146., available online at <https://www.biodiversitylibrary.org/page/49824288>

1961. Abbott, R. T. — The genus *Lambis* in the Indo-Pacific. *Indo-pacific Mollusca*. 1 (3): 147-174. Available online at <https://www.biodiversitylibrary.org/page/49824404>

1980. Walls, J.G. — *Conchs, Tibias, and Harps: A Survey of the Molluscan Families Strombidae and Harpidae*. Neptune, T.F.H Publications, 1-191.



1984. Kronenberg, G. & Berkhout, J. — Strombidae. Vita Marina 1981- Buikpotigen: 263-362.
1986. Kronenberg, G. & Berkhout, J. — Strombidae II: Addenda en Corrigenda. vita marina: 363-368.
1999. Kreipl, K, Poppe, G. T., Man in't Veld, L. & De Turck, K. — The Family Strombidae. G. T. Poppe and K. Groh, A Conchological Iconography, Hackenheim, ConchBooks, 1-58.
2001. P. Jung and A. Heitz (2001). — The subgenus *Lentigo* (Gastropoda: Strombidae) in tropical America, fossil and living. The Veliger 44(1): 20-53.
- Simone, L.R.L. 2005. Comparative morphological study of representatives of the three families of Stromboidea and the Xenophoroidea (Mollusca, Caenogastropoda), with an assessment of their phylogeny. Arquivos de Zoologia. São Paulo, Brazil: Museu de Zoologia da Universidade de São Paulo 37(2): 141–267.
2006. Latiolais, J.M., M.S. Taylor, K. Roy & M.E. Hellberg. — 2006. A molecular phylogenetic analysis of strombid gastropod morphological diversity. Molecular Phylogenetics and Evolution. 41(2): 436–444.
2007. Bandel, K. — About the larval shell of some Stromboidea, connected to a review of the classification and phylogeny of the Strombimorpha (Caenogastropoda). Freiburger Forschungshefte C524(15): 97-206. Available online at http://www.paleoliste.de/bandel/bandel_2007a.pdf
2008. Dekkers, A.M. 2008. — Revision of the family Strombidae (Gastropoda) on the supra specific level, part 1. De Kreukel 44(3):35-64. Available online at https://www.researchgate.net/publication/330546118_Dekkers_2008_-_Revision_of_the_family_Strombidae_De_Kreukel_443
2010. Barney, W. — New generic assignments for Strombidae: a summary of recent changes. American Conchologist 38(3): 19-22.
2014. Liverani V. [2013] — The superfamily Stromboidea. Addenda and corrigenda. In: G.T. Poppe, K. Groh & C. Renker (eds), A conchological iconography. pp. 1-54, pls 131-164. Harxheim: Conchbooks.

General works including Strombidae (selection)

1758. Linnaeus, C. — Systema Naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis. Editio decima, reformata [10th revised edition], vol. 1: 824 pp. Laurentius Salvius: Holmiae. Available online at <https://biodiversitylibrary.org/page/726886>
1767. Linnaeus, C. — Systema naturae per regna tria naturae: secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis. Ed. 12. 1., Regnum



Animale. 1 & 2. Holmiae [Stockholm], Laurentii Salvii. pp. 1-532 [1766] pp. 533-1327 [1767]. Available online at <http://www.biodiversitylibrary.org/item/83650#5>

1778. Born, I. Von. — Index rerum naturalium Musei Cæsarei Vindobonensis. Pars I.ma. Testacea. Verzeichniß der natürlichen Seltenheiten des k. k. Naturalien Cabinets zu Wien. Erster Theil. Schalthiere. [1-40], 1-458, [1-82]. Vindobonae [Vienna]; (Kraus). Available online at <http://www.biodiversitylibrary.org/item/43890>

1786. Lightfoot, J. — A Catalogue of the Portland Museum, lately the property of the Dutchess Dowager of Portland, deceased; which will be sold by auction by Mr. Skinner & Co. [book]. London. viii + 194 pp. Available online at <https://biodiversitylibrary.org/page/43259464>

1787. Herbst, G.H. — Gemeinnützige Naturgeschichte des Thierreichs : darinn die merkwürdigsten und nützlichsten Thiere in systematischer Ordnung beschrieben und alle Geschlechter in Abbildungen nach der Natur vorgestellt werden. Gottlieb August Lange, Berlin. Neunter Band 9, von den Würmern. (plates). Available online at <https://www.biodiversitylibrary.org/item/90037>

1788. Herbst, G.H. — Gemeinnützige Naturgeschichte des Thierreichs : darinn die merkwürdigsten und nützlichsten Thiere in systematischer Ordnung beschrieben und alle Geschlechter in Abbildungen nach der Natur vorgestellt werden. Gottlieb August Lange, Berlin. Neunter Band 9, von den Würmern. (text). Available online at <https://www.biodiversitylibrary.org/item/90253>

1791. Gmelin J.F. — Vermes. In: Gmelin J.F. (Ed.) Caroli a Linnaei Systema Naturae per Regna Tria Naturae, Ed. 13. Tome 1(6). G.E. Beer, Lipsiae [Leipzig]. pp. 3021-3910. Available online at <http://www.biodiversitylibrary.org/item/83098#5>

1798. Röding, P.F. — Museum Boltenianum sive Catalogus cimeliorum e tribus regnis naturæ quæ olim collegerat Joa. Fried Bolten, M. D. p. d. per XL. annos proto physicus Hamburgensis. Pars secunda continens Conchylia sive Testacea univalvia, bivalvia & multivalvia. Trapp, Hamburg. viii, 199 pp. Available online at <https://www.biodiversitylibrary.org/page/16230659>

1802. Holten, H. S. — Enumeratio systematica conchyliorum beat J. H. Chemnitzii quondam ecclesiae Zebaothi Havniae pastoris, plurim societum sodialis p. p. quae publica auctione venduntur die 7me Decembris ano pres. Copenhagen: K. H. Scidolini. vi + 88 pp. Available online at <https://www.biodiversitylibrary.org/page/46195957>

1805. Schröter, J. S. — Berichtigungen für meine Einleitung in die Conchylienkenntniss nach Linné. Zweyte Fortsetzung. Archiv für Zoologie und Zootomie. 4(2): 137-160. Available online at <https://www.biodiversitylibrary.org/page/13807615>

1807. Fischer von Waldheim, G. — Museum Demidoff, ou, Catalogue systématique et raisonné des curiosités de la nature et de l'art: données à l'Université Impériale de Moscou par son excellence Monsieur Paul de Demidoff. Tome III. Végétaux et Animaux. Moscow: Imprimerie de Université Impériale de Moscou. 300 pp, 6 pls. Available online at <https://www.biodiversitylibrary.org/page/58562487>



1807-1808. Link, D.H.F. — Beschreibung der Naturalien-Sammlung der Universität zu Rostock. Adlers Erben. 1 Abt. [Part 1], pp. 1-50; 2 Abt. [Part 2], pp. 51-100; 3 Abt. [Part 3], pp. 101-165; Abt. 4 [Part 4], pp. 1-30; Abt. 5 [Part 5], pp. 1-38 [1808]; Abt. 6 [Part 6], pp. 1-38. Available online at <https://www.biodiversitylibrary.org/page/43301237>

1811. Perry, G. — Conchology, or the natural history of shells: containing a new arrangement of the genera and species, illustrated by coloured engravings executed from the natural specimens, and including the latest discoveries. 4 pp., 61 plates. London. Available online at <https://www.biodiversitylibrary.org/page/41764832>

1814. Leach, W. E. — Zoological miscellany: being descriptions of new or interesting animals. London. Vol. 1 [1814]. Available online at <http://www.biodiversitylibrary.org/item/91180>

1817. Schumacher, C. F. — Essai d'un nouveau système des habitations des vers testacés. Schultz, Copenhagen. iv + 288 pp., 22 pls. Available online at <http://www.biodiversitylibrary.org/item/81329>

1817. Dillwyn, L. W. — A descriptive catalogue of Recent shells, arranged according to the Linnean method; with particular attention to the synonymy. John and Arthur Arch, Cornhill, 2 vols., 1: xii + 580 pp.; 2: 581–1092 + [29] pp. Available online at <https://www.biodiversitylibrary.org/item/41315>

1820-1823. Swainson, W. — Zoological Illustrations, or, original figures and descriptions of new, rare, or interesting animals, selected chiefly from the classes of ornithology, entomology, and conchology, and arranged on the principles of Cuvier and other modern zoologists. London: Baldwin, Cradock & Joe; Strand: W. Wood. (Vol. 1-3): pl. 1-18 [1820] pl. 19-83 [1821] pl. 84-134 [1822] pl. 135-182 [1823]. Available online at <http://www.biodiversitylibrary.org/item/92614>

1822. Lamarck, de J.-B. M. (1822) . — Histoire naturelle des animaux sans vertèbres. Tome septième. Paris: published by the Author, 711 pp. Available online at <http://www.biodiversitylibrary.org/item/47433>

1823. Swainson, W. — The specific characters of several undescribed shells. The Philosophical Magazine and Journal. 62(308): 401-403. Available online at <http://biodiversitylibrary.org/page/15525745>

1825. Sowerby, G. B., I. — A catalogue of the shells contained in the collection of the late Earl of Tankerville : arranged according to the Lamarckian conchological system: together with an appendix, containing descriptions of many new species London, vii + 92 + xxxiv pp. Available online at <https://www.biodiversitylibrary.org/page/27372421>

1828. Wood, W. — Supplement to the Index Testaceologicus; or A catalogue of Shells, British and Foreign. Richard Taylor, London. Iv [+1] + 59 pp., plates 1-8, available online at <http://biodiversitylibrary.org/page/22991199>

1828. Menke, C. T. — Synopsis methodica molluscorum generum omnium et specierum earum, quae in Museo Mankeano adservantur : cum synonymia critica et novarum specierum



diagnosibus. Sumtibus auctoris, typis Henrici Gelpke. Pyrmonti. I-XII + 91pp. Available online at <https://www.biodiversitylibrary.org/item/47276#page/7/mode/1up>

1829. Menke, C. T. — Verzeichniss der Ansehnlichen Conchylien-Sammlung des Freiherrn von den Malsburg. Pyrmont: Heinrich Gelpke. vi + 123 pp. Available online at <https://www.biodiversitylibrary.org/page/59015752>

1829-1833. Swainson W. — Zoological Illustrations, or original figures and descriptions of new, rare, or interesting animals, selected chiefly from the classes of ornithology, entomology, and conchology, and arranged according to their apparent affinities. Second series. London: Baldwin & Cradock. (Vol. 1-3): pl. 1-30 [1829] pl. 31-45 [1830] pl. 46-85 [1831] pl. 86-96 [1832] pl. 97-136 [1833]. Available online at <http://www.biodiversitylibrary.org/bibliography/42278>

1833-1834. Griffith E. & Pidgeon E. — The Mollusca and Radiata. Vol. 12, In: E. Griffith, [1824]–1835, The Animal Kingdom arranged in conformity with its organization, by the Baron Cuvier, [...]. London: Whittaker and Co., viii + 601 pp., 61 pls. [Date of publication after Evenhuis (2009): pp. 1-384, Mollusca pls. 1–39, Zoophytes pls 1-20 - 1833; pp. viii + 385-601, Mollusca corrected pls. 28*, 36*, 37*, pls. 40-41 - 1834]. Available online at <http://www.biodiversitylibrary.org/item/40578>

1832-1834. Quoy J.R.C. & Gaimard J.P. — Voyage de découvertes de l'"Astrolabe" exécuté par ordre du Roi, pendant les années 1826-1829, sous le commandement de M. J. Dumont d'Urville. Zoologie. 1: i-1, 1-264; 2(1): 1-321 [1832]; 2(2): 321-686 [1833]; 3(1): 1-366 [1834]; 3(2): 367-954 [1835]; Atlas (Mollusques): pls 1-93 [1833]. Paris: Tastu. Available online at <http://www.biodiversitylibrary.org/bibliography/2132>

1838. Anton, H. E. — Verzeichniss der Conchylien welche sich in der Sammlung von Herrmann Eduard Anton befinden. Herausgegeben von dem Besitzer. Halle: Anton. xvi + 110 pp. [Title page dated 1839, but volume actually published in 1838; see Cernohorsky, 1978, The Veliger 20(3): 299]. Available online at <https://www.biodiversitylibrary.org/page/11967421>

1840. Pfeiffer, L. — Kritische Register zu Martini und Chemnitz's Systematischen Konchylien-Kabinet. Theodor Fischer, Kassel. viii + 112 pp.

1850. Adams, A. & Reeve, L. A. (1848-1850). — Mollusca. In A. Adams (ed.), The zoology of the voyage of H.M.S. Samarang, under the command of Captain Sir Edward Belcher, C.B., F.R.A.S., F.G.S., during the years 1843-1846. Reeve & Benham, London, x + 87 pp., 24 pls. [Pt. I. Preface to Mollusca (iii–x, by Adams only), 1–24, pls. 1–9, 1 November 1848; Pt. II, 25–44, pls. 10–17, 1 May 1850; Pt. III, Preface and plate explanations (i–xv), 45–87, pls. 18–24, 1 September 1850.]. Available online at <https://www.biodiversitylibrary.org/page/39770936>

1852-1853. Mörch, O. A. L. — Catalogus conchyliorum quae reliquit D. Alphonso d'Aguirra & Gadea Comes de Yoldi, Regis Daniae Cubiculariorum Princeps, Ordinis Dannebrogici in Prima Classe & Ordinis Caroli Tertii Eques. Fasc. 1, Cephalophora, 170 pp. [1852]; Fasc. 2, Acephala, Annulata, Cirripedia, Echinodermata, 74 [+2] pp. [1853]. Hafniae [Copenhagen]: L. Klein. Available online at <http://www.biodiversitylibrary.org/bibliography/12921>



1861. Pease, W. H. — Descriptions of seventeen new species of marine shells, from the Sandwich Islands, in the collection of Hugh Cuming. Proceedings of the Zoological Society of London. 28 ["1860"]: 397-400. Available online at <https://www.biodiversitylibrary.org/page/12866975>
1875. Sowerby, G. B., III. — Descriptions of five new species of shells. Proceedings of the Zoological Society of London. 42(4) ("1874"): 598–600, pl. 72. (published April 1875). Available online at <https://biodiversitylibrary.org/page/28502785>
- 1880-1887. Fischer, P. — Manuel de conchyliologie et de paléontologie conchyliologique, ou histoire naturelle des mollusques vivants et fossiles suivi d'un Appendice sur les Brachiopodes par D. P. Oehlert. Avec 23 planches contenant 600 figures dessinées par S. P. Woodward.. Paris: F. Savy. Published in 11 parts (fascicules), xxiv + 1369 pp., 23 pls. [1: 1-112, 21 September 1880; 2: 113-192, 16 March 1881; 3: 193-304, 28 July 1881; 4: 305-416, 5 May 1882; 5: 417-512, 21 February 1883; 6: 513-608, 20 December 1883; 7: 609-688, 30 June 1884; 8: 689-784, 29 January 1885; 9: 785-896, 31 August 1885; 10: 897-1008, 30 April 1886; 11: 1009-1369, 15 June 1887]. Available online at <http://www.biodiversitylibrary.org/item/47340>
1885. Tryon, G.W. — Manual of conchology, structural and systematic, with illustrations of the species. (1)7 -Terebridae, Cancellariidae, Strombidae, Cypraeidae, Pediculariidae, Ovulidae, Cassididae, Doliidae. Available online at <https://books.google.nl/books?id=eeY5AQAAMAAJ&hl=nl&source>
1888. Jousseume, F. — Description des mollusques recueillis par M. le Dr. Faurot dans la Mer Rouge et le Golfe d'Aden. Mémoires de la Société Zoologique de France. 1: 165-223. Available online at <http://biodiversitylibrary.org/page/10047746>
1891. Smith, E. A. — On a collection of marine shells from Aden, with some remarks upon the relationship of the molluscan fauna of the Red Sea and the Mediterranean. Proceedings of the Zoological Society of London. (1891): 390-436, pl. 33. Available online at <https://www.biodiversitylibrary.org/page/31940560>
1901. Melvill, J. C. & Standen, R. — The Mollusca of the Persian Gulf, Gulf of Oman and Arabian Seas as evidenced mainly through the collections of Mr. F. W. Townsend, 1893-1900, with descriptions of new species. Part 1, Cephalopoda, Gastropoda, Scaphopoda. Proceedings of the Zoological Society of London. 1901 (2): 327-460. Available online at <http://biodiversitylibrary.org/page/31888798>
1918. Pilsbry, H. A. — Marine mollusks of Hawaii, IV-VII. Proceedings of the Academy of Natural Sciences of Philadelphia. 69 (1): 309-333. Available online at <http://biodiversitylibrary.org/page/24683327> [details]
1921. Pilsbry, H. A. — Marine mollusks of Hawaii, VIII-XIII. Proceedings of the Academy of Natural Sciences of Philadelphia. 72: 296-328, pl. 12. Available online at <https://www.biodiversitylibrary.org/page/26309896>



1925. Oostingh, C.H. — Report on a collection of recent shells from Obi and Halmahera (Moluccas); Mededelingen van de Landbouw-Hoogeschool te Wageningen (Nederland) 29(1):1-362. Available online at <https://www.wur.nl/nl/Publicatie-details.htm?publicationId=publication-way-353339393337>
- 1929-1935. Thiele, J. — Handbuch der systematischen Weichtierkunde. Jena, Gustav Fischer, 1154 pp. Vol. 1 part 1: 1-376 [between 4 September and 21 October 1929]; Vol. 1 part 2: 377-778 [before 31 October 1931]; Vol. 2 part 3: 779-1022 [before 19 January 1934]; Vol. 2 part 4: i-iv, 1023-1154, i-vi for volume 1 [before 27 March 1935].
1938. Curtiss, A. — A short zoology of Tahiti in the Society Islands. [Published by the Author]. Printed by Guide Printing, Brooklyn, New York, xvi + 193 pp.
1938. Adam, W. & Leloup, E. — Prosobranchia et Opisthobranchia [in] Résultats Scientifiques de Voyaga aux Indes Orientales Néerlandaises de LL.AA.RR. Le prince et la Princesse Léopold de Belgique 2(19): 1-209 + pls 1-8. Verhandelingen van het Koninklijk Natuurhistorische Museum van België. Buitenreeks.
1940. Smith, M. — World Wide Seashells: illustrations, geographical range and other data covering more than sixteen hundred species and sub-species of molluscs (1 ed.). Lantana, Florida: Tropical Photographic Laboratory. pp. 139.
1959. Kira, T. — Coloured illustrations of the shells of Japan. (2nd ed., first printing), Hoikusha, Japan, [6] + vii + [1] + 239 pp., 71 pls.
1993. Ivanov, D.L., Kantor, Y.I., Sysoev, A.V. & Egorov, R.V. — Type specimens of molluscs described by G. Fischer von Waldheim in 1807. Apex. 8(3): 71–94. Available online at <https://www.biodiversitylibrary.org/page/42270752>
1993. Petuch, E.J. — Scoperto di molluschi nella regione tropicale dell'Atlantico occidentale [Molluscan discoveries from the tropical western Atlantic region]. La Conchiglia [The Shell] 266(1/3): 51-54.
2005. Dharma, B. 2005. — Recent & Fossil Indonesian Shells. ConchBooks, Hackenheim, Germany.
2014. Low, M. E. Y. & Tan, S. K., — On the identities of the molluscan names described in A Short Zoology of Tahiti in the Society Islands by Anthony Curtiss in 1938 (Mollusca: Cephalopoda, Gastropoda), Zootaxa 3764 (3), pp. 394-400
2016. Thach, N.N. — Vietnamese new mollusks. Seashells – Land snails – Cephalopods. With 59 new species. Published by the author. 205 pp.

Original papers on extant Strombidae

1833. Duclos, P.L. — Strombe. *Strombus*. Lamarck. Magasin de Zoologie. 3



1852. Gray, T. — On a species of *Strombus* in the Hunterian Museum at Glasgow. — Ann. Mag. Nat. Hist. ser. 2, 10 (60): 429-431.
- Freyer, H. 1855. — Über neu entdeckte Conchylien aus den Geschlechtern *Carychium* und *Pterocera*. Sitzungsberichte der Mathem.-naturw. Classe der kais. Akademie der Wissenschaften, Bd. XV, S. 18-23. Available online at: https://books.google.de/books?id=7Kw-AAAAcAAJ&printsec=frontcover&source=gbs_v2_summary_r&hl=nl#v=onepage&q&f=false
1898. Melvill, J.C. — Addendum. Description of a new *Strombus* from the Mekran coast of Beluchistan. Memoirs and proceedings of the Manchester Literary & Philosophical Society. 42 (4): 37–38, text-fig. Available online at <https://www.biodiversitylibrary.org/item/111987#page/131/mode/thumb>
1905. Fluck, W. H. — Shell collecting on the Mosquito Coast, Nicaragua - III. The Nautilus. 19(3): 32-34. Available online at <https://www.biodiversitylibrary.org/page/175560>
1942. Kuroda, T. — On the Japanese species of *Strombus* of the group *Euprotomus*, with descriptions of two new species. Venus. 12(1-2): 1-8.
1942. Bales, B.R., — A new subspecies of *Strombus raninus* Gmelin. The Nautilus 56(1): 18-19, 1 pl. Available online at <https://www.biodiversitylibrary.org/page/8520117#page/36>
1947. Jaume, M.L. & del Valle, A. — Nueva Subspecie de *Strombus* en Cuba; Revista de la Sociedad Malacológica "Carlos de la Torre.", Vol. 5(1), p. 9-10.
1967. Abbott, R. T. — *Strombus (Canarium) wilsoni* new species from the Indo-Pacific. Indo-Pacific Mollusca. 1 (7): 455-456. Available online at <https://www.biodiversitylibrary.org/page/49808858>
1971. Cernohorsky, W.O. — New molluscan species of *Strombus* (Strombidae) and *Cancilla* (Mitridae) from New Britain and Taiwan . Records of the Auckland Institute and Museum. 15: 131-135. Available online at <http://www.jstor.org/stable/42906166>
1978. Greene, J. — A new species of *Lambis*. La Conchiglia. 110-111: 11.
1983. Ostini, M. & Rigoletti, L. — A new species from Red Sea. *Strombus (Conomurex) dehelensis*. La Conchiglia. 168-169: 21.
1983. Nicolay, K.; Romagna Manoja, E. — *Strombus (Conomurex) decorus raybaudii* n. ssp. La Conchiglia. 174-175: 20-21.
1983. Nicolay, K.; Romagna Manoja, E. — *Strombus (Conomurex) decorus raybaudii* n. ssp. La Conchiglia 176-177: 11,12.
1991. Mühlhäusser, H. — *Strombus kleckhamae boholensis* n. subsp (Gastropoda, Strombidae). Spixiana. 4(3): 319-324. Available online at <https://biodiversitylibrary.org/page/28255370>



1991. Kronenberg, G. — *Strombus (Canarium) ochroglottis betuleti*, a new subspecies from Sri Lanka with a short note on the distribution of *S. (C.) mutabilis* Swainson, 1821. *Gloria Maris*. 30(4): 53-58.
1998. Kronenberg, G.C. — Revision of *Euprotomus* Gill, 1870. 1. The systematic position of *Strombus listeri* Gray, 1852 (Gastropoda Prosobranchia: Strombidae). *Vita Marina* 45(3-4): 1-6. Available online at https://www.strandvondsten.nl/bibliotheek/vita_marina_magazine/Vita_Marina_41-47/vita_marina_45-03-04.pdf
1998. Man in't Veld, L.A. & De Turck, K. — Contributions to the knowledge of Strombacea 6: A revision of the subgenus *Laevistrombus* Kira, 1955 including the description of a new species from the New Hebrides. *Gloria Maris*. 36: 73-107.
1999. Bozzetti, L. — *Lambis cristinae* sp. n. (Gastropoda, Strombidae) dal Madagascar Sud-Occidentale. *Malacologia Mostra Mondiale* 29: 16-19.
2002. Kronenberg, G.C. & Vermeij G.J. — *Terestrombus* and *Tridentarius*, new genera of Indo-Pacific Strombidae (Gastropoda), with comments on included taxa and on shell characters in Strombidae. *Vita Malacologica*. 1: 49-54
2002. Kronenberg G.C. — Revision of *Euprotomus* Gill, 1870. 3. Description of *Euprotomus aurora* spec. nov. from the Indian Ocean (Gastropoda, Strombidae). *Vita Malacologica*, supplement to *Basteria*, 1: 55-60
2005. Visser, G. & Man in 't Veld, L. — Contributions to the knowledge of Strombacea 7 – Notes on the *Strombus (Dolomena) marginatus*-complex (Gastropoda: Strombidae) and the status of *Strombus (Dolomena) robustus* Sowerby, 1874; with description of a new subspecies (*Strombus marginatus sowerbyorum*), and a neotype designation of *Strombus (Dolomena) marginatus* Linnaeus, 1758. *Gloria Maris*. 44 (3-4): 55-68.
2006. Prele, G. — Descrizione di una nuova varietà di colore di *Strombus (Canarium) mutabilis* forma *rufescens*. *MALACOLOGIA - Mostra mondiale Cupra Maritima*, p. 53
2009. Blackwood, T.J. — *Barneystrombus*, a new genus of Strombidae (Gastropoda) from the Indo-West Pacific, with discussions of included taxa and the general morphology of their shells. *Visaya* 2(5): 11-17.
2011. Dekkers, A.M. & Liverani, V. [2010] — Redescription of *Strombus labiosus* Wood, 1828 (Gastropoda: Strombidae) with description of a new species. *Gloria Maris* 49(5-6): 107-119. Available online at https://www.researchgate.net/publication/320716563_Redescription_of_Strombus_labiosus_Wood_1828_Gastropoda_Strombidae_with_description_of_a_new_species
2011. Bozzetti, L. & Sargent, D.M. — A new species of *Euprotomus* (Gastropoda: Strombidae) from New Zealand and the Kermadec Islands. *Visaya* 3(3): 23-27. [August 2011]



2012. Wiersma, J. & Monsecour, D. — *Dolomena wienekei*, a new species within the *Dolomena labiosa* (Wood, 1828) complex (Gastropoda: Strombidae). *Gloria Maris* 51(2-3): 36-41. [8 April 2012]
2012. Wiersma, J. & Monsecour, D. — Rectification of the description of *Dolomena wienekei* Wiersma & Monsecour, 2012. *Gloria Maris* 51(4): 97-98.
2013. Liverani, V. — A new species of *Margistrombus* Bandel, 2007 (Gastropoda: Strombidae) with some comments to the genus. *Visaya* 4(1): 77-83.
2015. Kronenberg, G. C. — A note on *Strombus scalariformis* (Caenogastropoda, Strombidae). *Basteria* 79: 32-38. Available online at: [file:///C:/Users/Msuser/Downloads/BAST2015079001007%20\(1\).pdf](file:///C:/Users/Msuser/Downloads/BAST2015079001007%20(1).pdf)
2016. Villar, R. — Description of a new species of *Lambis* from Palawan, Philippines (Gastropoda, Strombidae). *Xenophora Taxonomy*. 10: 25-30.
2018. Kronenberg, G.C. & Wieneke, U. — Revision of *Euprotomus* Gill, 1870. 6: On *Strombus pavifrons*, with some notes on early records of *Euprotomus vomer* (Röding, 1798) (Caenogastropoda, Strombidae). *Conchylia*. 49(1-2): 15-22.
2019. Dekkers, A.M., Maxwell, S.J. & Congdon, B.C.. — A new *Terebellum* (Gastropoda: Seraphsidae) from the Central Philippines. *Visaya* 5(2): 15-18. Available online at https://www.researchgate.net/publication/332330267_Dekkers_et_al_2019_A_new_Terebellum_from_the_Central_Philippines
2020. Kronenberg, G.C. & Wieneke, U. — Röding's Stromboidea (Caenogastropoda): the remains of the Bolten collection in the Museum der Natur Gotha (Germany), a critical review of Röding's taxa, and notes on the Schmidt catalogue. *Basteria*. 84 (1-3): 85-126.
- 2020 Dekkers, A.M. — A new species of *Rostellariella* Thiele, 1929 from southern Java and the introduction of a new genus for *Gladius martinii* Marrat, 1877 (Gastropoda: Rostellariidae). *Gloria Maris*. 59(3): 119-124.
2020. Maxwell, S.J., Dekkers, A.M., Rymer T.L. & Congdon B.C. — Towards resolving the American and West African Strombidae (Mollusca: Gastropoda: Neostromboidea) using integrated taxonomy. *The Festivus*. 52(1): 3-38.
2020. Dekkers, A.M. & Maxwell, S.J.. — An examination of the relationships between extant *Dolomena* Wenz, 1940, *Doxander* Wenz, 1940, *Mirabilistrombus* Kronenberg, 1998, *Neodilatilabrum* Dekkers, 2008 and *Labiostrombus* Oostingh, 1925 (Stromboidea: Neostromboidea: Strombidae). *The Festivus*. 52(1): 39-59.
2020. Maxwell, S.J., Rymer, T.L. & Dekkers, A.M. — *Canarium urceus* (Linné, 1758) Studies Part 1: The Recircumscription of *Strombus urceus* Linné, 1758 (Neostromboidea: Strombidae). *The Festivus* 52(2): 113-127.
2020. Maxwell, S.J., Rymer, T.L., Congdon, B.C. & Dekkers, A.M.. — Studies in *Canarium urceus* (Linné, 1758) Part 2: *Strombus anatellus* Duclos, 1844, *Strombus crassilabrum* Anton,



- 1839, *Strombus incisus* Wood, 1828 and *Strombus ustulatus* form *laevis* Dodge, 1946 (Neostromboidae: Strombidae). *The Festivus* 52(4): 335-344.
2020. Dekkers, A.M. & Maxwell, S.J.. — Studies in *Canarium urceus* (Linnaeus, 1758) Part 3: new species from the western Pacific (Gastropoda: Neostromboidae: Strombidae). *The Festivus*. 52(4): 345-358.
2021. Liverani V., Wieneke U. & Kronenberg G.C. — Another triplet: The case of *Strombus maculatus* G. B. Sowerby II, 1842 (Gastropoda: Caenogastropoda). *Conchylia*. 51(3-4): 55-73.
2021. Liverani V., Dekkers A.M. & Maxwell S.J. — Resolving phylogenetic and classical nomenclature: A revision of *Canarium* Schumacher, 1817 (Mollusca, Neostromboidae, Strombidae). *The Festivus*. 53(1): 26-43.
2021. Dekkers, A.M., T.L. Rymer & S.J. Maxwell, — *Laevistrombus* Abbott, 1960 (Gastropoda: Neostrombida: Strombidae), Part 2: The Species Confused with *Laevistrombus canarium* (Linnaeus, 1758) and the Introduction of a New Subgenus. *Visaya* 5(5): 4-19.
2021. Maxwell, S.J., D.L.C. Hernandez, M.K. Rowell & T.L. Rymer. — An iconography of extant *Gibberulus* Jousseume, 1888 (Mollusca, Gastropoda, Strombidae), and the introduction of a new species from the southwestern Pacific. *Proceedings of the Biological Society of Washington* 134(1): 89-115.
2021. Lum, D. — A new species of *Ophioglossolambis* Dekkers, 2012 from the Mascarene Islands (Mollusca: Gastropoda: Strombidae). *The Festivus* 53(3): 182-191.
2021. Maxwell, S.J. & A.M. Dekkers. — Studies in *Canarium urceus* (Linné, 1758) Part 4: *Canarium (Canarium) orrae* (Abbott, 1960) (Gastropoda: Neostromboidae: Strombidae) and a new species from the Northern Territory, Australia. *The Festivus* 53(4): 270-281.
2021. Raven, J.G.M — Notes on molluscs from NW Borneo 8. Stromboidea (Gastropoda, Neogastropoda). Addendum, including the description of two new genera and seven new extinct species. *Vita Malacologica*. 20: 23-50.
2022. Dekkers, A.M., Dekker, H. & Maxwell, S.J. — Studies in *Canarium urceus* (Linnaeus, 1758) Part 6: A new *Canarium* species from the Andaman Sea (Gastropoda: Strombidae) and discussion on related species. *The Festivus*. 54(1): 29-35.
2022. Dekkers, A.M. & Maxwell, S.J. — A new endemic species of *Lambis* Röding, 1798 from the Philippines (Mollusca: Neostromboidae: Strombidae). *European Journal of Applied Sciences*. 10(1): 393-400. Available online at <https://doi.org/10.14738/aivp.101.11712>
2022. Maxwell, S.J. — A revision of *Doxanderina* Dekkers and Maxwell, 2020 (Gastropoda: Neostromboidae: Strombidae): The extant *Doxander* Wenz, 1940 and a new species from Queensland. *The Festivus*. 54(2): 141-168.



2022. Vertriest, G. — The true identity of *Strombus succinctus* Linnaeus, 1767 (Mollusca: Gastropoda) with the description of a new *Margistrombus* species. *Gloria Maris*. 61(2): 85-96.
2022. Maxwell, S.J. (2022). An iconography of *Ministrombus* Dekkers, 2010 (Gastropoda: Neostromboidae: Strombidae) with the description of new species. *The Festivus*. 54(2): 116-140.
2022. Gra-tes, C. — A new species of *Laevistrombus* (Gastropoda: Strombidae) from the Gulf of Thailand, northern Borneo and southern Philippines. *The Festivus*. 54(4): 305-315.
Available online at <https://www.thesandiegoshellclub.com/uploads/1/3/8/1/138179831/gra-tes.pdf>

Literature on or including fossil Strombidae

1774. Schröter, J.S. — Journal für die Liebhaber des Steinreichs und der Konchyliologie, Erster [-Sechster] Band. Weimar, bey Carl Ludolf Hoffmann. Available online at <https://archive.org/details/journalfurdielie01unse>
1778. Fortis, A. — Della valle vulcanico-marina di Ronca nel territorio Veronese. Memoria orittografica. Venezia, 1778. Available online at <https://www.digitale-sammlungen.de/de/view/bsb10904504?page=5>
1823. Brongniart, A. — Mémoires sur les terrains de sédiments supérieurs calcareo-trappéens du Vincentin, et sur quelques terrains d'Italie, de France, d'Allemagne, etc., qui peuvent se rapporter a la même époque, 1-84, pl. I-VI, F.G. Levrault, Paris. Available online at <https://www.biodiversitylibrary.org/item/37374>
1827. Defrance [J.L.M.]. — Strombe (Foss.) pp. 122-124, in: Dictionnaire des Sciences Naturelles (F. Cuvier, ed.), vol. 51. Levrault, Strasbourg & Le Normant, Paris. Available online at <https://www.biodiversitylibrary.org/page/25312305>
1829. De Seres, M. — Géognosie des terrains tertiaires, ou Tableau des principaux animaux invertébrés des terrains marins tertiaires, du Midi de la France, Montpellier, Paris, p. 1-276 , pl. I-VI. Available online at <https://www.biodiversitylibrary.org/item/244848>
1834. Grateloup, J.-P. S. — Tableau (suite du) des coquilles fossiles qu'on rencontre dans les terrains tertiaires grossiers (faluns) des environs de Dax, département des Landes. 10ème article. Actes de la Société Linnéenne de Bordeaux, 6 (4), n° 35 publié le 25 juin 1834 :188-212. Available on-line <https://www.biodiversitylibrary.org/page/32986093#page209>
1850. Sowerby, G. B., II. — Descriptions of new species of fossil shells found by J. Heniker. In: Moore, J. C., On some Tertiary beds in the Island of San Domingo; from notes by J. S. Heniker, Esq., with remarks on the fossils. Quarterly Journal of the Geological Society of London. 6(1): 44-53, pls 9-10. Available online at <https://www.biodiversitylibrary.org/page/36933857>



1852. d'Orbigny, A. — *Prodrome de Paléontologie stratigraphique universelle des animaux mollusques & rayonnés*, vol. 3, p. 1-190. Available online at <https://www.biodiversitylibrary.org/bibliography/45605>
1861. Michelotti, G. — *Études sur le Miocène inférieur de l'Italie septentrionale. Natuurkundige verhandelingen van de Hollandsche Maatschappij der Wetenschappen te Haarlem; Tweede Verzameling, Series 2, 15:1-184, pls. 1-16, Les Heritiers Loosjes, 1861.* Available online at https://books.google.de/books?id=DMaQXNTcc4C&printsec=frontcover&hl=de&source=gbs_ge_summary_r&cad=0#v=onepage&q&f=false
1870. Bayan, F. — *Sur les terrains tertiaires de la Vénétie. Bulletin de la Société Géologique de France. Deuxième Série 2, 27:444-486.* Available online at <https://www.biodiversitylibrary.org/item/237770>
1870. Bayan, F. — *Etudes faites dans la collection de l'Ecole des Mines sur des fossiles nouveaux ou mal connus. F. Savy, Paris. 81 pp, pls 1-10.* Available online at <https://www.biodiversitylibrary.org/bibliography/160063>
1870. Fuchs, Th. — *Beitrag zur Kenntniss der Conchylienfauna des vicentinischen Tertiärgebirges. 1. Abteilung. Die obere Schichtengruppe, oder die Schichten von Gomberto, Laverda und Sangonini. Wien, 137-216, Pl. 1-11*
1873. Guppy, R. J. L. — *On some new Tertiary fossils from Jamaica. Proceedings of the Scientific Association of Trinidad. 2(2): 72-88.* Available online at <https://www.biodiversitylibrary.org/page/54078030>
1880. De Gregorio, A. — *Fauna di S. Giovanni Ilarione (Parisiano) Parte 1: Cefalopodi e Gasteropodi. Palermo, Tipografia P. Montaina & C., I-XXVIII, 1-110, tav.I-VII.*
1885. De Gregorio, A. — *Studi su talune conchiglie Mediterranee viventi e fossili con una rivista del Gen. Vulsella e del Gen. Ficula e con dei raffronti con specie di altre regioni e di altri bacini. Siena, [Bull. della Società Malacologica ital. Vol. X-XI, 1884-1885] pp. 1-430, pls. 1-5.*
1887. Heilprin, A. — *Explorations on the West Coast of Florida and in the Okeechobee Wilderness. Transactions of the Wagner Free Institute of Science and Philosophy, 1: i-viii + 1-134, pl. 1-19.* Available on-line at: <https://www.biodiversitylibrary.org/item/70972>
- 1890-1903. Dall, W. H. — *Contributions to the Tertiary fauna of Florida with especial reference to the Miocene silex-beds of Tampa and the Pliocene beds of the Caloosahatchie River. Transactions of the Wagner Free Institute of Science. 3(1): 1-200 [1890]; 3(2): 201-474 [1892]; 3(3): 475-570, and plates for part 1: pp. 179-190, pl. 1-12; plates for part 2: pp. 449-458, pl. 13-22 [1895]; 3(4): [i]-viii, 571-948, pl. 23-35; [1898]; 3(5): 949-1218, pl. 36-47 [1900]; 3(6): [i]-xiv, 1219-1654, pl. 48-60 [27 October 1903].* Available online at <http://www.biodiversitylibrary.org/item/98240>



1893. Sacco, F. — I molluschi dei terreni terziarii del Piemonte e della Liguria. Parte XIV. (Strombidae, Terebellidae, Chenopidae ed Haliidae). Carlo Clausen, Torino, 40 pp., 2 pl. Available online at <http://www.biodiversitylibrary.org/item/45380>
1894. De Gregorio A. — Description des faunes tertiaires de la Vénétie, Monographie des fossiles éocéniques (Etages Parisien) de Mont Postale. Annales de Géologie et Paléontologie, Palermo, 14: 1-55. Available online at <https://www.biodiversitylibrary.org/page/37165380>
1894. De Gregorio A. — Monographie des fossiles éocéniques de Mont Postale. Description des faunes tertiaires de la Vénétie, Turin, Palerme, Charles Clausen, 1-55, pl. I-IX.
- 1895-1906. Martin K. — Die Fossilien von Java auf grund einer Sammlung von Dr. R. D. M. Verbeek. I. Band. Gasteropoda. Sammlungen des Geologischen Reichs-Museums in Leiden. new ser., 1: 1-132, pls 1-20 [1895]; 133-220, pls 21-33 [1899]; 221-281, pls 34-41 [1905]; 282-332, pls 42-45 [1906]. Available online at <https://www.biodiversitylibrary.org/page/42306724>
1896. De Gregorio, A. — Monographie de la Faune Éocénique de Ronca avec une appendice sur les fossiles de Monte Pulli. Description des Faunes Tertiaires de la Vénétie, Turin, Charles Clausen, 1-163, pl. I-XXVII.
1901. Oppenheim, P. — Die Priabonaschichten und ihre Fauna im Zusammenhange mit gleichalterichen und analogen Ablagerungen. Palaeontographica, Beitrage zur Naturgeschichte der Vorzeit 47: 1-348, Pl. I-XXI. Available online at <https://www.biodiversitylibrary.org/page/33194155>
1909. Toula, F. — Eine jungtertiäre Fauna von Gatun am Panama-Kanal. Jahrbuch der Kaiserlich-Königlichen Geologischen Reichsanstalt. 58: 673–760, pls 25–28. Available online at <https://www.biodiversitylibrary.org/page/35630647>
1912. Schaffer, F. X. — Das Miocän von Eggenburg. Die Fauna der ersten Mediterranstufe des Wiener Beckens und die geologischen Verhältnisse der Umgebung des Manhartsberges in Niederösterreich. Abhandlungen der K. K. Geologischen Reichsanstalt XXII(2): 1-193, Tafeln IL-LX.
1916. Martin, K. (1916 / 1917). — Die altmiozäne Fauna des West-Progogebirges auf Java. Sammlungen des Geologischen Reichs-Museums in Leiden Neue Folge Band II (Heft VI / VII): 223-296, Taf. I-V.
1917. Pilsbry, H. A. & Johnson, C. W. — New Mollusca of the Santo Domingan Oligocene. Proceedings of the Academy of Natural Sciences of Philadelphia. 69: 150-202. Available online at <https://www.biodiversitylibrary.org/page/5442193>
1920. Maury, C.J. — Scientific survey of Porto Rico and the Virgin Islands, vol. 3, pt. 1, p. 58, pl. 9, fig. 4, New York Acad. Sci.
1922. Cooke, C.W. — *Orthaulax*, a Tertiary Guide Fossil. U.S.G.S. Professional Paper 129: 23-31, Pl. II-V. Available online at



<https://books.google.de/books?id=VUYRAAAAIAAJ&lpg=PA28&ots=EcOp5ekSal&dq=hippochrenes&hl=de&pg=PA23#v=onepage&q=hippochrenes&f=false>

1923. Woodring, W. P. — Tertiary Mollusks of the Genus *Orthaulax* from the Republic of Haiti, Porto Rico and Cuba. Proceedings of the United States National Museum 64(Art 1): 1-12, pls 1-2. Available online at <https://www.biodiversitylibrary.org/page/7539083#page/21/mode/1up>

1925. Oostingh, C.H. — Report on a collection of recent shells from Obi and Halmahera (Moluccas); Mededelingen van de Landbouw-Hoogeschool te Wageningen (Nederland) 29(1):1-362.

1926. Hanna, G. D. — Paleontology of Coyote Mountain, Imperial County, California. Proceedings of the California Academy of Sciences Fourth Series XIV(18): 427-503, text fig. 1, pls 20-29. Available online at <https://www.biodiversitylibrary.org/part/13075>

1926. Kerr, J.G. “Bothrodon pridii, an Extinct Serpent of Gigantic Dimensions,” Proceedings of the Royal Society of Edinburgh 46: 314–315.

1927. Finlay, H. J. — New specific names for Austral Mollusca. Transactions of the New Zealand Institute. 57: 488-533.

1928. Woodring W.P.B. — Miocene mollusks from Bowden, Jamaica. 2. Gastropods and discussion of results. Carnegie Institution of Washington Publication. 385: vii + 564 pp., 40 pls. Available online at <https://www.biodiversitylibrary.org/page/59220479>

1928. Dall, W. H. & Ochsner, W. H. — Tertiary and Pleistocene Mollusca from the Galapagos Islands. Proceedings of the California Academy of Sciences. ser. 4, 17(4): 89-139, pls 2-7. Available online at <https://www.biodiversitylibrary.org/page/3129383>

1930. Mansfield W.C. — Miocene gastropods and scaphopods of the Choctawhatchee Formation of Florida. Florida State Geological Survey, Bulletin. 3: 1-185, 21 pls. Available online at <https://ufdc.ufl.edu/UF00000437/00001>

1931. Olsson, A.A. — Contributions to the Tertiary Paleontology of Northern Peru: Part 4, the Peruvian Oligocene, Bulletins of American Paleontology 17(63).

1933. Tucker, H.I. & Wilson, D. — A second contribution to the Neogene Paleontology of South Florida; Bulletins of American Paleontology vol. XVIII, pp. 63-82, pl. 10-13. Available online at <https://www.biodiversitylibrary.org/item/95834#page/93/mode/1up>

1937. Mansfield, W.C. — Mollusks of the Tampa and Suwannee Limestones of Florida. State of Florida Department of Conservation, Geological Bulletin. 15: 1-334. Available online at <http://ufdc.ufl.edu/UF00000448/00001>

1941. Trechmann, C.T. — Some observations on the geology of Antigua, West Indies. Geological Magazine 78, 113-124. Available online at <https://www.cambridge.org/core/journals/geological-magazine/article/abs/some-observations-on-the-geology-of-antigua-west-indies/BDFE9888B420A8195A9CCE572887BAB2>



1941. Regteren Altena, C. O. van. — The marine Mollusca of the Kendeng beds (east Java). Gastropoda part II (Families Planaxidae - Naticidae inclusive). Leidsche Geologische Mededeelingen. 12 (1): 1-86.
1946. Clark, B. L. and Durham, J. W. — Eocene Faunas from the Department of Bolivar, Colombia. The Geological Society of America Memoir 16, Berkeley, California, The Geological Society of America, 126.
1947. [1946] Abrard, R. — Fossiles néogènes et quaternaires des Nouvelles-Hébrides (Missions E. Aubert de la Rüe, 1934-1936). Annales de Paléontologie, t. 32, p. 3-113.
1947. Gardner, J.A. — The molluscan fauna of the Alum Bluff Group of Florida. Part VIII. Ctenobranchia (remainder), Aspidobranchia, and Scaphopoda. United States Geological Survey Professional Paper, 142H, 493–656, pls. 52–62. Available online at <https://pubs.usgs.gov/pp/0142h/report.pdf>
1947. Wissema, G.G. — Young Tertiary and Quaternary Gastropoda from the Island of Nias (Malay Archipel), - Leiden. 1-212, pls. 1-6. Thesis.
1948. Cox, L. R. — Neogene Mollusca from the Dent Peninsula, British North Borneo. Schweizerische Palaeontologische Abhandlungen Band 66: 1-70, Pl. 1-6.
1950. Durham, J. W. — E.W. Scripps Cruise to the Gulf of California, Part 2: Megascopic Paleontology and Marine Stratigraphy. The Geological Society of America Memoir. 43: i-viii, 1-216.
1962. Dey, A. K. — The Miocene Mollusca from Quilon, Kerala (India). Memoirs of the Geological Survey of India, Palaeontologia Indica, new series, 36(9):1-129, 2 figs., 9 pls.
1968. Vokes, H. E., & Vokes, E. H. — Variation in the genus *Orthaulax* (Mollusca: Gastropoda). Tulane Studies in Geology and Paleontology, 6(2), 71-79
1972. Magne, A. & Vergneau-Saubade, A.-M. — Sur deux *Strombus* de Saint-Paul-les-Dax (Landes). Bulletin de la Societe de Borda 96(346): 261-265.
1987. Beets, C. — Molluscan fauna of the Lower Gelingseh Beds s. str., Sangkulirang area, Kalimantan timur (East Borneo). Scripta Geologica, 82, 1-82. Available online at <https://repository.naturalis.nl/pub/317454>
1989. Savzzi, E. — *Orthaulax dainelli* n. sp. (Gastropoda, Strombidae) from the Lower Eocene of NE Italy. N. JB. Geol. Paläont. Mh. (H.1): 30-36.
1991. Petuch, E. J. — New gastropods from the Plio-Pleistocene of Southwestern Florida and The Everglades Basin. W. H. Dall Paleontological Research Center, Special Publication 1:[covers; no other title or title page] + 59 + [5] pp., 10 pls.
1993. Garcia-Talavera, F. — Los moluscos marinos fosiles. Galapagos: patrimonio de la humanidad. Res. Cient. Proy. Galapagos, TFMC 3. Mus. Cienc. Nat. Cult. Cabildo de Tenerife:61 pp.



1994. Petuch E.J. — Atlas of Florida fossil shells. Evanston, Illinois: Chicago Spectrum Press. 394 pp., 20 figs., 100 pls.
2001. Macsotay O. & Campos R. — Moluscos representativos de la plataforma de Margarita, Venezuela. Published by the authors, Valencia, Venezuela, iii + 280 pp., 32 pl.
2001. Jung, P. and Heitz, A. — The subgenus *Lentigo* (Gastropoda: Strombidae) in tropical America, fossil and living. *The Veliger* 44(1): 20-53.
2001. Harzhauser, M. — *Strombus (Dilatilabrum) roegli* sp. nov. - a giant Oligocene strombid (Gastropoda) and its bearing on palaeoclimatic reconstructions of the Western Tethys; *Ann. Naturhist. Mus. Wien* 102 A, 51-67. Available online at http://verlag.nhm-wien.ac.at/pdfs/102A_051067_Harzhauser.pdf
2007. Harzhauser, M. — Oligocene and Aquitanian Gastropod Faunas from the Sultanate of Oman and their biogeographic implications for the early western Indo-Pacific. *Palaeontographica Abteilung A*. 280(4-6): 75-121. Available online at <https://doi.org/10.1127/pala/280/2007/75>
2008. Landau, B.M., G.C. Kronenberg & G.S. Herbert. — A large species of *Lobatus* (Gastropoda: Strombidae) from the Neogene of the Dominican Republic, with notes on the genus. *The Veliger* 50(1): 31-38.
2010. Landau B.M. & Silva C.M. da. — Early Pliocene gastropods of Cubagua, Venezuela: taxonomy, palaeobiogeography and ecostratigraphy. *Palaeontos*. 10: 1-221.
2011. Petuch, E.J. & Drolshagen, M. — Compendium of Florida fossil shells, volume 1. Wellington, Florida: MdM Publishing. 412 pp.
2011. Landau, B., Kronenberg, G.C., Herbert, G.S. & Silva, C.M. da. — The genus *Strombus* (Mollusca: Caenogastropoda: Strombidae) in the Neogene of the Bocas del Toro Area, Panama, with the description of three new species. *Journal of Paleontology*. 85(2): 337-352., available online at <http://www.bioone.org/doi/full/10.1666/10-047.1>
2013. Harzhauser, M. & Kronenberg, G.C. — The Neogene strombid gastropod *Persististrombus* in the Paratethys Sea. *Acta Palaeontologica Polonica*. 58(4): 785–802. Available online at <http://dx.doi.org/10.4202/app.2011.0130>
2018. Dekkers, A.M. & Maxwell, S.J. — Presenting a new genus within Strombidae Rafinesque, 1815 (Mollusca: Gastropoda: Littorinimorpha) with notes on the taxonomic position of *Strombus (Lentigo) micklei* Ladd, 1972 and the validity of *Strombus* (s.l.) *blanci* Tröndlé & Salvat, 2010. *Proceedings of the Biological Society of Washington*. 131(1) : 220-226. Available online at <https://doi.org/10.2988/18-00009>
2018. Harzhauser, M., Raven, H., Landau, B.M., Kocsis, L., Adnan, A., Zuschin, M., Mandic, O. & Briguglio, A. — Late Miocene gastropods from northern Borneo (Brunei Darussalam, Seria Formation). *Palaeontographica, Abt. A: Palaeozoology – Stratigraphy*. 313(1-3): 1-79



2020. Dekkers, A.M., Liverani, V., Ćorić, S., Maxwell, S.J. & Landau, B.M. (2020). A new genus for Indo-Pacific fossil strombids, and two new species from the Miocene of Java and Borneo (Caenogastropoda, Strombidae). *Basteria*. 84(1-3): 1-9. Available online at https://www.researchgate.net/publication/342870073_Dekkers_et_al_2020_A_new_genus_for_Indo-Pacific_fossil_strombids_and_two_new_species_from_the_Miocene_of_Java_and_Borneo

2020. Maxwell, S.J., Dekkers, A.M., Rymer, T.L. & Congdon, B.C. — Towards resolving the American and West African Strombidae (Mollusca: Gastropoda: Neostromboidae) using integrated taxonomy. *The Festivus*. 52(1): 3-38.

2021. Raven, J.G.M. (H.). — Notes on molluscs from NW Borneo 8. Stromboidea (Gastropoda, Neogastropoda). Addendum, including the description of two new genera and seven new extinct species. *Vita Malacologica*. 20: 23-50.

2022. Liverani, V. & Wieneke, U. — Some more species in the genus *Spinatus* Dekkers et al., 2020 (Gastropoda, Strombidae). *Conchylia*. 52(3-4): 81-87.

2022. Dekkers, A. M. — The fossil Strombidae (Gastropoda) from Vanuatu (= Nouvelles-Hébrides) described by Abrard, 1947. *Basteria* 86(2): 88-95.



NOTES

Acta Malacologica Inquisitionis

| Journal of Malacological Research